

References

Spline Functions: Computational Methods

Larry L. Schumaker SIAM, 2015 ISBN xxxx

AINSWORTH, M., G. ANDRIAMARO, AND O. DAVYDOV

[AinAD11] Bernstein-Bézier finite elements of arbitrary order and optimal assembly procedures, *SIAM J. Scient. Computing* **33** (2011), 3087–3109.

[AinAD12] A Bernstein-Bézier arbitrary order Raviart-Thomas finite element, *Constr. Approx.* **41** (2015), 1–22.

AHLBERG, J. H.

[Ahl69] Splines in the complex plane, in *Approximation with Special Emphasis on Spline Functions*, I. J. Schoenberg (ed.), New York, Academic Press, 1969, 1–27.

AHLBERG, J. H. AND E. N. NILSON

[AhlN65] Orthogonality properties of spline functions, *J. Math. Anal. Appl.* **11** (1965), 321–337.

[AhlN66] The approximation of linear functionals, *SIAM J. Numer. Anal.* **3** (1966), 173–182.

[AhlN70] Polynomial splines on the real line, *J. Approx. Theory* **3** (1970), 398–409.

AHLBERG, J. H., E. N. NILSON, AND J. L. WALSH

[AhlNW63] Convergence properties of the spline fit, *J. SIAM* **11** (1963), 95–104.

[AhlNW64] Fundamental properties of generalized splines, *Proc. Nat. Acad. Sci.* **52** (1964), 1412–1419.

[AhlNW65] Extremal, orthogonality, and convergence properties of multidimensional splines, *J. Math. Anal. Appl.* **12** (1965), 27–48.

[AhlNW65b] Best approximation and convergence properties of higher-order spline approximation, *J. Math. Mech.* **14** (1965), 231–243.

[AhlNW65c] Convergence properties of generalized splines, *Proc. Nat. Acad. Sci.* **54** (1965), 344–350.

[AhlNW67] *The Theory of Splines and Their Applications*, Academic Press, New York, 1967.

[AhlNW67b] Complex cubic splines, *Trans. Amer. Math. Soc.* **129** (1967), 391–413.

[AhlNW68] Cubic splines on the real line, *J. Approx. Theory* **1** (1968), 5–10.

[AhlNW69] Properties of analytic splines I: complex polynomial splines, *J. Math. Anal. Appl.* **27** (1969), 262–278.

[AhlNW71] Complex polynomial splines on the unit circle, *J. Math. Anal. Appl.* **33** (1971), 234–257.

AHUJA, D. V.

- [Ahu68] An algorithm for generating spline-like curves, *IBM J. Res.* **7** (1968), 206–217.
- AKIMA, H.
- [Aki70] A new method of interpolation and smooth curve fitting based on local procedures, *J. Assoc. Comput. Mach.* **17** (1970), 589–602.
- [Aki72] Algorithm 433: interpolation and smooth curve fitting based on local procedures, *Commun. ACM* **15** (1972), 914–915.
- [Aki74] A method of bivariate interpolation and smooth surface fitting based on local procedures, *Commun. ACM* **17** (1974), 18–20.
- [Aki74b] Bivariate interpolation and smooth surface fitting based on local procedures, *Commun. ACM* **17** (1974), 26–31.
- [Aki78] A method of bivariate interpolation and smooth surface fitting for irregularly distributed data points, *ACM Trans. Math. Software* **4** (1978), 144–159.
- [Aki78b] Algorithm 526: bivariate interpolation and smooth fitting for irregularly distributed data points, *ACM Trans. Math. Software* **4** (1978), 160–164.
- [Aki84] On estimating partial derivatives for bivariate interpolation of scattered data, *Rocky Mountain J. Math.* **14** (1984), 41–52.
- AKIMOVA, I. N.
- [Aki71] Numerical methods using piecewise functions for the approximation of functions of two variables, *Trudy Mosk. Aviat. Inst.* **232** (1971), 23–60.
- ALAYLIOGLU, A., D. EYRE, M. BRANNIGAN, AND J. P. SVENNE
- [AlaEBS86] Spline-Galerkin solution of integral equations for three-body scattering above breakup, *J. Comput. Phys.* **62** (1986), 383–399.
- ALBASINY, E. L. AND W. D. HOSKINS
- [AlbH69] Cubic spline solutions to two-point boundary value problems, *Computer J.* **12** (1969), 151–153.
- [AlbH71] The numerical calculation of odd-degree polynomial splines with equispaced knots, *J. Inst. Math. Applics.* **7** (1971), 384–397.
- [Alb72] Increased accuracy cubic spline solutions to two-point boundary value problems, *JIMA* **9** (1972), 47–55.
- [AlbH73] Explicit error bounds for periodic splines of odd order on a uniform mesh, *J. Inst. Math. Applics.* **12** (1973), 303–318.
- ALBOUL, L. AND R. VAN DAMME
- [AlbD97] Polyhedral metrics in surface reconstruction: tight triangulations, in *The Mathematics of Surfaces VII*, T.N.T. Goodman (ed.), Oxford, UK, Clarendon Press, 1997, 309–336.
- ALFELD, P.
- [Alf84] A bivariate C^2 Clough–Tocher scheme, *Comput. Aided Geom. Design* **1** (1984), 257–267.
- [Alf85] Derivative generation from multivariate scattered data by functional minimization, *Comput. Aided Geom. Design* **2** (1985), 281–296.

- [Alf87] A case study of multivariate piecewise polynomials, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), Philadelphia, SIAM Publications, 1987, 149–159.
- [Alf89] Scattered data interpolation in three or more variables, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1989, 1–33.
- ALFELD, P., M. NEAMTU, AND L. L. SCHUMAKER
- [AlfNS96] Bernstein-Bézier polynomials on sphere and sphere-like surface, *Comput. Aided Geom. Design* **13** (1996), 333–349.
- [AlfNS96b] Fitting scattered data on sphere-like surfaces using spherical splines, *J. Comput. Appl. Math.* **73** (1996), 5–43.
- [AlfNS96c] Dimension and local bases of homogeneous spline spaces, *SIAM J. Math. Anal.* **27** (1996), 1482–1501.
- ALFELD, P. AND L. L. SCHUMAKER
- [AlfS02] Smooth macro-elements based on Clough–Tocher triangle splits, *Numer. Math.* **90** (2002), 597–616.
- [AlfS02b] Smooth macro-elements based on Powell–Sabin triangle splits, *Adv. Comp. Math.* **16** (2002), 29–46.
- ALFELD, P., L. L. SCHUMAKER, AND T. SOROKINA
- [AlfSS10] Two condensed macro-elements with full approximation power, *Adv. Comp. Math.* **32** (2010), 381–391.
- ALVAREZ DIAZ, L, V. VAMPA, AND M. T. MARTIN
- [AlvVM09] The construction of plate finite elements using wavelet basis functions, *Investigacion Oper.* **30** (2009), 193–204.
- AMOS, D. E. AND M. L. SLATER
- [AmoS69] Polynomial and spline approximation by quadratic programming, *Commun. ACM* **12** (1969), 379–381.
- ANDERSSON, E., R. ANDERSSON, M. BOMAN, T. ELMROTH, B. DAHLBERG, AND B. JOHANSSON
- [AndA87] The automatic generation of convex surfaces, in *The Mathematics of Surfaces II*, R. R. Martin (ed.), Oxford, Clarendon Press, 1987, 427–445.
- [AndA88] Automatic construction of surfaces with prescribed shape, *Computer-Aided Design* **20** (1988), 317–324.
- ANDERSON, I. J., M. G. COX, AND J. C. MASON
- [AndCM93] Tensor-product spline interpolation to data on or near a family of lines, *Numer. Algorithms* **5** (1993), 193–204.
- ANDERSON, L.-E. AND T. ELFVING
- [AndE87] An algorithm for constrained interpolation, *SIAM J. Sci. Statist. Comput.* **8** (1987), 1012–1025.
- [AndE91] Interpolation and approximation by monotone cubic splines, *J. Approx. Theory* **1991** (3), 302–333.
- [AndE95] Best constrained approximations in Hilbert space and interpolation by cubic splines subject to obstacles, *SIAM J. Sci. Statist. Comput.* **16**

- (1995), 1209–1232.
- [AndE95b] Best constrained approximation in Hilbert space and interpolation by cubic splines subject to obstacles, *SIAM J. Scient. Computing* **16** (1995), 1209–1232.
- ANDERSSON, L.-E., T. ELFVING, G. ILIEV, AND K. VLACHKOVA
- [AndEIV95] Interpolation of convex scattered data in R^3 based upon an edge convex minimum norm network, *J. Approx. Theory* **80** (1995), 299–320.
- ANDERSON, I. J., J. C. MASON, AND C. ROSS
- [AndMR00] Extending Lawson’s algorithm to include the Huber M-estimator, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 1–8.
- ANDERSSON, R. S., F. R. DE HOOG, AND L. B. WAHLBIN
- [AndHW91] On pointwise stability of cubic smoothing splines with nonuniform sampling points, *RAIRO Modél. Math. Anal. Numer.* **25** (1991), 671–692.
- ANDRIA, G. D., G. D. BYRNE, AND C. A. HALL
- [AndrBH73] Convergence of cubic spline interpolants of functions possessing discontinuities, *J. Approx. Theory* **8** (1973), 150–159.
- ANSELONE, P. M. AND P. J. LAURENT
- [AnsL68] A general method for the construction of interpolating or smoothing spline-functions, *Numer. Math.* **12** (1968), 66–82.
- ANTES, H.
- [Ant74] Bicubic fundamental splines in plate bending, *Internat. J. Numer. Meth. Engr.* **8** (1974), 503–511.
- ANTONIADIS, A.
- [Ant94] Wavelet methods for smoothing noisy data, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 21–28.
- APPRATO, D.
- [App84] Etude de la convergence du produit tensoriel de fonctions spline à une variable satisfaisant à des conditions d’interpolation de Lagrange, *Annales Fac. Sci. Toulouse* **6** (1984), 153–170.
- APPRATO, D. AND R. ARCANGELI
- [AppA91] Ajustement spline le long d’un ensemble de courbes, *RAIRO Modél. Math. Anal. Numer.* **25** (1991), 193–212.
- APPRATO, D., R. ARCANGELI, AND R. MANZANILLA
- [AppAM87] Sur la construction de surfaces de classe C^k à partir d’un grand nombre de données de Lagrange, *RAIRO Modél. Math. Anal. Numer.* **21** (1987), 529–555.
- APPRATO, D. AND C. GOUT
- [AppG00] A result about scale transformation families in approximation: application to surface fitting from rapidly varying data, *Numerical Algorithms*

23 (2000), 263–279.

APPRATO, D., C. GOUT, AND P. SENECHAL

[AppGS00] C^k reconstruction of surfaces from partial data, *Mathematical Geology* **32** (2000), 969–983.

ARCANGÉLI, R., M. CRUZ LÓPEZ DE SILANES, AND J. J. TORRENS

[ArcCT04] *Multidimensional Minimizing Splines*, Kluwer, Dordrecht, 2004.

ARCHER, D.

[Arch77] An $O(h^4)$ cubic spline collocation method for quasilinear parabolic equations, *SIAM J. Numer. Anal.* **14** (1977), 620–637.

ARGE, E., M. DÆHLEN, T. LYCHE, AND K. MØRKEN

[ArgDLM90] Constrained spline approximation of functions and data based on constrained knot removal, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), London, Chapman & Hall, 1990, 4–20.

ARNOLD, D. N. AND W. L. WENDLAND

[ArnW85] The convergence of spline collocation for strongly elliptic equations on curves, *Numer. Math.* **47** (1985), 317–341.

ASATURYAN, S. AND K. UNSWORTH

[AsaU89] A C^1 monotonicity preserving surface interpolation scheme, in *Mathematics of Surfaces III*, D. C. Handscomb (ed.), Oxford, Clarendon Press, 1989, 243–266.

ASKER, B.

[Ask62] The spline curve, a smooth interpolating function used in numerical design of ship lines, *BIT* **2** (1962), 76–82.

ATKINSON, K. E.

[Atk68] On the order of convergence of natural cubic spline interpolation, *SIAM J. Numer. Anal.* **5** (1968), 89–101.

ATTEIA, M.

[Att77] Evaluation de l'erreur dans la méthode des éléments finis, *Numer. Math.* **28** (1977), 295–306.

AWANOU, G., M. J. LAI, AND P. WENSTON

[AwaLW05] The multivariate spline method for scattered data fitting and numerical solution of partial differential equations, in *Wavelets and Splines: Athens 2005*, G. Chen and M.-J. Lai (eds.), Brentwood, Nashboro Press, 2006, 24–74.

BABUŠKA, I. AND A. K. AZIZ

[BabA76] On the angle condition in the finite element method, *SIAM J. Numer. Anal.* **13** (1976), 214–226.

BACOPOULOS, A. AND M. MARSDEN

[BacM72] On a map from the splines into a positive cone with applications, *Aequationes Math.* **8** (1972), 221–228.

BALARAS, C. A. AND S. M. JETER

- [BalJ90] A surface fitting method for three dimensional scattered data, *Intern. J. for Numer. Meth. in Engineering* **29** (1990), 633–645.
- BANK, R. E. AND M. BENBOURENANE
- [BanB92] The hierarchical basis multigrid method for convection-diffusion equations, *Numer. Math.* **61** (1992), 7–37.
- BANK, R. E. AND H. YSERENTANT
- [BanY92] On the H^1 -stability of the L2-projection onto finite element spaces, *Numer. Math.* **126** (2014), 361–381.
- BANK, R. E., T. F. DUPONT, AND H. YSERENTANT
- [BanDY88] The hierarchical basis multigrid method, *Numer. Math.* **52** (1988), 427–458.
- BANK, R. E. AND R. K. SMITH
- [BanS93] A posteriori error estimates based on hierarchical bases, *SIAM J. Numer. Anal.* **30** (1993), 921–935.
- BARAMIDZE, V.
- [Bar12] Minimal energy spherical splines on Clough-Tocher triangulations for Hermite interpolation, *Appl. Numer. Math.* **62** (2012), 1077–1088.
- BARAMIDZE, V. AND M. J. LAI
- [BarL05] Error bounds for minimal energy interpolatory spherical splines, in *Approximation Theory XI: Gatlinburg 2004*, C. K. Chui, M. Neamtu, and L. L. Schumaker (eds.), Brentwood, TN, Nashboro Press, 2005, 25–50.
- [BarL06] Spherical spline solution to a PDE on the sphere, in *Wavelets and Splines: Athens 2005*, G. Chen and M.-J. Lai (eds.), Brentwood, Nashboro Press, 2006, 75–92.
- [BarL11] Convergence of discrete and penalized least squares spherical splines, *J. Approx. Theory* **163** (2011), 1091–1106.
- BARAMIDZE, V., M. J. LAI, AND C. K. SHUM
- [BarLS06] Spherical splines for data interpolation and fitting, *SIAM J. Scient. Computing* **28** (2006), 241–259.
- BARINOV, V. A
- [Bari75] Approximation of experimental data by a spline according to the method of least squares (Russian), *Ucebn. Zan. CAGI* **6** (1975), 128–132.
- BARNETTE, D.
- [Bar82] Generating triangulations of the projective plane, *J. Combinatorial Theory B* **1982** (33), 222–230.
- BARNHILL, R. E. AND G. FARIN
- [BarnF81] C^1 quintic interpolation over triangles: two explicit representations, *Int. J. Numer. Meth. Engr.* **17** (1981), 1763–1778.
- BARNHILL, R. E. AND L. MANSFIELD
- [BarnM74] Error bounds for smooth interpolation in triangles, *J. Approx. Theory* **11** (1974), 306–318.

BARRERA, D., A. GUESSAB, M.J. IBÁÑEZ, AND O. NOUISSE

- [BarGIN13] Construction techniques for multivariate modified quasi-interpolants with high approximation order, *Computers and Mathematics with Applications* **65** (2013), 29–41.

BARRERA, D., M. J. IBÁÑEZ, P. SABLONNIÈRE, AND D. SBIBIH

- [BarrISS05] Near-best spline quasi-interpolants associated with H-splines on a three-direction mesh, *J. Comput. Appl. Math.* **183** (2005), 133–152.

BARRODALE, I. AND A. YOUNG

- [BarrY66] A note on numerical procedures for approximation by spline functions, *Comput. J.* **9** (1966), 318–320.

BARROW, D. L. AND P. W. SMITH

- [BarrS79] Efficient L_2 approximation by splines, *Numer. Math.* **33** (1979), 101–114.

BASZENSKI, G. AND L. L. SCHUMAKER

- [BasS87] Tensor products of abstract smoothing splines, in *Alfred Haar Memorial Conference*, J. Szabados and K. Tandori (eds.), Amsterdam, North-Holland, 1987, 181–192.

- [BasS87b] Tensor products of abstract smoothing splines, in *Alfred Haar Memorial Conference*, J. Szabados and K. Tandori (eds.), Amsterdam, North-Holland, 1987, 181–192.

- [BasS88] On a method for fitting an unknown function based on mean-value measurements, *SIAM J. Numer. Anal.* **24** (1988), 725–736.

- [BasS91] Use of simulated annealing to construct triangular facet surfaces, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), New York, Academic Press, 1991, 27–32.

BEATSON, R. K.

- [Bea81] Convex approximation by splines, *SIAM J. Math. Anal.* **12** (1981), 549–559.

- [Bea82] Monotone and convex approximation by splines: error estimates and a curve fitting algorithm, *SIAM J. Numer. Anal.* **19** (1982), 1278–1285.

- [Bea82b] Restricted range approximation by splines and variational inequalities, *SIAM J. Numer. Anal.* **19** (1982), 372–380.

BEATSON, R. K. AND D. LEVIATAN

- [BeaL83] On comonotone approximation, *Canad. Math. Bull.* **26** (1983), 220–224.

BEATSON, R. K. AND M. J. D. POWELL

- [BeaP92] Univariate multiquadric approximation: Quasi-interpolation to scattered data, *Constr. Approx.* **8** (1992), 275–288.

BEATSON, R. K. AND H. WOLKOWICZ

- [BeaW89] Post-processing piecewise cubics for monotonicity, *SIAM J. Numer. Anal.* **26** (1989), 480–502.

BEATSON, R. AND Z. ZIEGLER

- [BeaZ85] Monotonicity preserving surface interpolation, *SIAM J. Numer. Anal.* **22** (1985), 401–411.
- BECCARI, C., G. CASICOLA, AND L. ROMANI
- [BecCR13] Construction and characterization of non-uniform local interpolating polynomial splines, *J. Comput. Appl. Math.* **240** (2013), 5–19.
- BELIAKOV, G.
- [Bel00] Shape preserving approximation using least squares splines, *Approx. Theory Appl.* **16** (2000), 80–98.
- BELLMAN, R., B. G. KASHEF, AND R. VASUDEVAN
- [BelmKV72] Splines via dynamic programming, *J. Math. Anal. Appl.* **42** (1972), 471–479.
- [BelmKV73] A note on mean square spline approximation, *J. Math. Anal. Appl.* **42** (1973), 427–430.
- [BelmKV73b] Dynamic programming and bicubic spline interpolation, *J. Math. Anal. Appl.* **44** (1973), 160–174.
- [BelmKV74] Mean square spline approximation, *J. Math. Anal. Appl.* **45** (1974), 47–53.
- BELLMAN, R. AND R. ROTH
- [BelR69] Curve fitting by segmented straight lines, *J. Amer. Stat. Assoc.* **64** (1969), 1079–1084.
- BERGER, S. A., W. C. WEBSTER, R. A. TAPIA, AND D. A. ATKINS
- [BergWTA66] Mathematical ship lofting, *J. Ship Research* **10** (1966), 203–222.
- BEZHAEV, A. Y. AND V. A. VASILENKO
- [BezV87] Splines in Hilbert spaces and their finite-element approximations, *Soviet J. Numer. Anal. Math. Modelling* **3** (1987), 191–202.
- [BezV01] *Variational Theory of Splines*, Kluwer, Dordrecht, 2001.
- BHATTACHARYYA, B. K.
- [Bha69] Bicubic spline interpolation as a method for treatment of potential field data, *Geophys.* **34** (1969), 402–423.
- [Bha71] An automatic method of compilation and mapping of high resolution aeromagnetic data, *Geophys.* **36** (1971), 695–716.
- BHATTACHARYYA, B. K. AND D. B. RAYCHAUDHURI
- [BhaR67] Aeromagnetic and geologic interpretation of a section of the Appalachian belt in Canada, *Canad. Earth Sci.* **4** (1967), 1015–1037.
- BIALECKI, B.
- [Bia98] Convergence analysis of orthogonal spline collocation for elliptic boundary value problems, *SIAM J. Numer. Anal.* **35** (1998), 617–631.
- BIALECKI, B. AND X.-C. CAI
- [BiaC94] H^1 -norm error bounds for piecewise Hermite bicubic orthogonal spline collocation schemes for elliptic boundary value problems, *SIAM J. Numer. Anal.* **31** (1994), 1128–1146.

BIALECKI, B. AND M. DRYJA

- [BiaD97] Multilevel additive and multiplicative methods for orthogonal spline collocation problems, *Numer. Math.* **77** (1997), 35–58.

BICKLEY, W. G.

- [Bic68] Piecewise cubic interpolation and two-point boundary problems, *Computer J.* **11** (1968), 206–208.

BIERMANN, OTTO

- [Bie03] Zur näherungsweise Quadratur und Cubatur, *Monatsh. für Math. Phys.* **14** (1903), 226–242.

BINEV, P., W. DAHMEN, AND R. DEVORE

- [BinDD04] Adaptive finite element methods with convergence rates, *Numer. Math.* **97** (2004), 219–268.

BIRKHOFF, G.

- [Bir67] Local spline approximation by moments, *J. Math. Mech.* **16** (1967), 987–990.

- [Bir69] Piecewise bicubic interpolation and approximation in polygons, in *Approximation with Special Emphasis on Spline Functions*, I. J. Schoenberg (ed.), New York, Academic Press, 1969, 185–221.

BIRKHOFF, G. AND C. DE BOOR

- [BirB64] Error bounds for spline interpolation, *J. Math. Mech.* **13** (1964), 827–835.

- [BirB65] Piecewise polynomial interpolation and approximation, in *Approximation of Functions*, H. L. Garabedian (ed.), New York, Elsevier, 1965, 164–190.

BIRKHOFF, G., C. DE BOOR, B. SWARTZ, AND B. WENDROFF

- [BirBSW66] Rayleigh-Ritz approximation by piecewise cubic polynomials, *SIAM J. Numer. Anal.* **3** (1966), 188–203.

BIRKHOFF, G. AND W. J. GORDON

- [BirG68] The draftsman's and related equations, *J. Approx. Theory* **1** (1968), 199–208.

BLEYER, A. AND W. PREUSS

- [BleP82] Spline function approximations for solution of differential equations with retarded arguments, *Acta Math. Acad. Sci. Hungar.* **39** (1982), 315–322.

BOEHM, W.

- [Boe77] Cubic B-spline curves and surfaces in computer aided geometric design, *Computing* **19** (1977), 29–34.

BÖHMER, K.

- [Boh74] *Spline-Funktionen*, Teubner, Stuttgart, 1974.

- [Boh74b] Über die stetige Abhängigkeit von Interpolations- und Ausgleichsplines, *Z. Angew. Math. Mech.* **54** (1974), 211–212.

- [Boh74c] Über die Existenz, Eindeutigkeit und Berechnung von Spline-Funktionen, in *Spline-Funktionen*, K. Böhmer, G. Meinardus, and W. Schempp (eds.), Mannheim, Bibliographisches Institut, 1974, 11–46.
- BÖHMER, K., G. MEINARDUS, AND W. SCHEMPP (EDS.)
- [BohMS76] *Spline Functions*, Lect. Notes 501, Springer Verlag, New York, 1976.
- BOOR, C. DE
- [Boo62] Bicubic spline interpolation, *J. Math. Phys.* **41** (1962), 212–218.
- [Boo63] Best approximation properties of spline functions of odd degree, *J. Math. Mech.* **12** (1963), 747–750.
- [Boo68] On local spline approximation by moments, *J. Math. Mech.* **17** (1968), 729–735.
- [Boo68b] On the convergence of odd-degree spline interpolation, *J. Approx. Theory* **1** (1968), 452–463.
- [Boo72] On calculating with B -splines, *J. Approx. Theory* **6** (1972), 50–62.
- [Boo73] Good approximation by splines with variable knots, in *Spline Functions and Approximation Theory, ISNM 21*, A. Meir and A. Sharma (eds.), Basel, Birkhäuser Verlag, 1973, 57–72.
- [Boo73b] Appendix to ‘Splines and histograms’ by I. J. Schoenberg, in *Spline Functions and Approximation Theory, ISNM 21*, A. Meir and A. Sharma (eds.), Basel, Birkhäuser Verlag, 1973, 329–358.
- [Boo73c] The quasi-interpolant as a tool in elementary polynomial spline theory, in *Approximation Theory*, G. G. Lorentz *et al.* (eds.), New York, Academic Press, 1973, 269–276.
- [Boo74] Bounding the error in spline interpolation, *SIAM Rev.* **16** (1974), 531–544.
- [Boo74b] A smooth and local interpolant with ‘small’ k -th derivative, in *Numerical Solutions of Boundary Value Problems for Ordinary Differential Equations*, A. Aziz (ed.), New York, Academic Press, 1975, 177–197.
- [Boo75] On bounding spline interpolation, *J. Approx. Theory* **14(3)** (1975), 191–203.
- [Boo75b] How small can one make the derivatives of an interpolating function?, *J. Approx. Theory* **13** (1975), 105–116.
- [Boo76] Total positivity of the spline collocation matrix, *Indiana Univ. Math. J.* **25** (1976), 541–551.
- [Boo76b] On cubic spline functions that vanish at all knots, *Advances in Math.* **20** (1976), 1–17.
- [Boo76c] On ‘best’ interpolation, *J. Approx. Theory* **16** (1976), 28–42.
- [Boo76d] Quadratic spline interpolation and the sharpness of Lebesgue’s inequality, *J. Approx. Theory* **17** (1976), 348–358.
- [Boo77] Computational aspects of optimal recovery, in *Optimal Estimation in Approximation Theory*, C. Micchelli and T. Rivlin (eds.), New York, Plenum, 1977, 69–91.
- [Boo78] *A Practical Guide to Splines*, Springer, New York, 1978.

- [Boo79] Efficient computer manipulation of tensor products, *ACM Trans. Math. Software* **5** (1979), 173–182. *Corrigenda*: 525.
- [Boo81] On a max-norm bound for the least-squares spline approximant, in *Approximation and Function Spaces*, C. Ciesielski (ed.), Amsterdam, North Holland, 1981, 163–175.
- [Boo82] Topics in multivariate approximation theory, in *Topics in Numerical Analysis*, P. Turner (ed.), Berlin, Lecture Notes 965, Springer, 1982, 39–78.
- [Boo87] B -form basics, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), Philadelphia, SIAM Publications, 1987, 131–148.
- [Boo90] Quasiinterpolants and approximation power of multivariate splines, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Dordrecht, Netherlands, Kluwer, 1990, 313–345.
- [Boo92] Approximation order without quasi-interpolants, in *Approximation Theory VII*, E. W. Cheney, C. Chui, and L. Schumaker (eds.), New York, Academic Press, 1992, 1–18.
- [Boo93] Multivariate piecewise polynomials, *Acta Numerica* (1993), 65–109.
- [Boo97] The error in polynomial tensor-product, and Chung-Yao interpolation, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 35–50.
- [Boo01] Calculation of the smoothing spline with weighted roughness measure, *Math. Models Methods Appl. Sci.* **11(1)** (2001), 33–41.
- BOOR, C. DE, R. DEVORE, AND A. RON
- [BooDR93] On the construction of multivariate (pre)wavelets, *Constr. Approx.* **9** (1993), 123–166.
- BOOR, C. DE AND G. J. FIX
- [BooF73] Spline approximation by quasi-interpolants, *J. Approx. Theory* **8** (1973), 19–45.
- BOOR, C. DE AND K. HÖLLIG
- [BooH83] Approximation order from bivariate C^1 -cubics: a counterexample, *Proc. Amer. Math. Soc.* **87** (1983), 649–655.
- BOOR, C. DE, T. LYCHE, AND L. L. SCHUMAKER
- [BooLS76] On calculating with B-splines. II. Integration, in *Numerische Methoden der Approximationstheorie Vol. 3, ISNM 30*, L. Collatz, G. Meinardus, and H. Werner (eds.), Basel, Birkhäuser Verlag, 1976, 123–146.
- BOOR, C. DE AND R. E. LYNCH
- [BooLy66] On splines and their minimum properties, *J. Math. Mech.* **15** (1966), 953–969.
- BOOR, C. AND A. PINKUS
- [BooP03] The B-spline recurrence relations of Chakalov and of Popoviciu, *J. Approx. Theory* **124** (2003), 115–123.

BOOR, C. DE AND B. SWARTZ

- [BooS73] Collocation at Gaussian points, *SIAM J. Numer. Anal.* **10** (1973), 582-606.
- [BooS77] Piecewise monotone interpolation, *J. Approx. Theory* **21** (1977), 411-416.
- [BooS80] Collocation approximation to eigenvalues of an ordinary differential equation: The principle of the thing, *Math. Comp.* **35** (1980), 679-694.
- [BooS81] Collocation approximation to eigenvalues of an ordinary differential equation: Numerical illustrations, *Math. Comp.* **36** (1981), 1-19.
- [BooS81b] Local piecewise polynomial projection methods for an O.D.E. which give high-order convergence at knots, *Math. Comp.* **36** (1981), 21-33.

BOS, L.

- [Bos91] On certain configurations of points in \mathbb{R}^n which are unisolvent for polynomial interpolation, *J. Approx. Theory* **64** (1991), 271-280.

BOS, L., J.-P. CALVI, N. LEVENBERG, A. SOMMARIVA, AND M. VIANELLO

- [BosCLSV11] Geometric weakly admissible meshes, discrete least squares approximation and approximate Fekete points, *Math. Comp.* **275** (2011), 1623-1638.

BOS, L., M. A. TAYLOR, AND B. A. WINGATE

- [BosTW01] Tensor product Gauss-Lobatto points are Fekete points for the cube, *Math. Comp.* **70** (2001), 1543-1547.

BOSE, P., S. RAMASWAMI, G. TOUSSAINT, AND A. TURKI

- [BoseRTT02] Experimental results on quadrangulations of sets of fixed points, *Comput. Aided Geom. Design* **19** (2002), 533-552.

BOSE, P. AND G. TOUSSAINT

- [BoseT97] Characterizing and efficiently computing quadrangulations of planar point sets, *Comput. Aided Geom. Design* **14** (1997), 763-785.

BOTTCHER, C. AND M. R. STRAYER

- [BotS90] The basis spline method and associated techniques, in *Computational Atomic and Nuclear Physics*, C. Bottcher, M. R. Strayer, and J. B. McGrory (eds.), Singapore, World Scientific Publ., 1990, 217-240.
- [BotS93] Spline methods for conservation equations, in *Computational Acoustics - Vol. 2*, D. Lee, A. R. Robinson, and R. Vichnevetsky (eds.), Amsterdam, Elsevier Science Publ., 1993, 317-338.

BOZZINI, M. AND L. LENARDUZZI

- [BozL85] Local smoothing for scattered and noisy data, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1985, 51-60.
- [BozL14] Recovering functions: a method based on domain decomposition, *Math. Comput. Simulation* **99** (2014), 95107.

BOZZINI, M. AND M. ROSSINI

- [BozR13] The detection and recovery of discontinuity curves from scattered data, *J. Comput. Appl. Math.* **240** (2013), 148–162.
- BOZZINI, M., F. DE TISI, AND L. LENARDUZZI
- [BozTL84] An approximation method of the local type. Application to the heart potential mapping, *Computing* **32** (1984), 69–80.
- [BozTL86] A new method in order to determine the most significant members within a large sample, *SIAM J. Sci. Statist. Comput.* **7** (1986), 98–104.
- [BozTR94] Irregularity detection from noisy data with wavelets, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 59–66.
- BRAESS, D.
- [Bra97] *Finite Elements*, Cambridge University Press, Cambridge, 1997.
- BRAMBLE, J. AND X. ZHANG
- [BraZ95] Multigrid methods for the biharmonic problem discretized by conforming C^1 finite elements on nonnested meshes, *Numer. Funct. Anal. and Optimiz.* **1** (1995), 835–846.
- BRAMBLE, J. H AND M. ZLÁMAL
- [BraZl70] Triangular elements in the finite element method, *Math. Comp.* **24** (1970), 809–820.
- BRASS, H.
- [Bras84] Error estimates for least squares approximation by polynomials, *J. Approx. Theory* **41** (1984), 345–349.
- BRENNER, S. C. AND L. R. SCOTT
- [BreS94] *The Mathematical Theory of Finite Element Methods*, Springer, New York, 1994.
- BROWN, J. L. AND A. J. WORSEY
- [BroW92] Problems with defining barycentric coordinates for the sphere, *Math. Modelling and Numer. Anal.* **26** (1992), 37–49.
- BRUNETT, G., H. HAGEN, AND P. SANTARELLI
- [BruHS93] Variational design of curves and surfaces, *Surv. Math. Ind* **3** (1993), 1–27.
- BRUNETT, G. AND J. KIEFER
- [BruK94] Interpolation with minimal-energy splines, *Computer-Aided Design* **26** (1994), 137–144.
- BUCHANAN, J. E. AND D. H. THOMAS
- [BucT68] On least-squares fitting of two-dimensional data with a special structure, *SIAM J. Numer. Anal.* **5** (1968), 252–257.
- BUHMANN, M. D.
- [Buh93] Discrete least squares approximation and pre-wavelets from radial function spaces, *Math. Proc. Cambridge Philos. Soc* **114** (1993), 533–558.
- BUHMANN, M. D., O. DAVYDOV, AND T. N. T. GOODMAN

- [BuhDG01] Box spline prewavelets of small support, *J. Approx. Theory* **112** (2001), 16–27.
- [BuhDG03] Cubic spline prewavelets on the four-directional mesh, *Found. Comput. Math.* **3** (2003), 113–133.
- BUHMANN, M. D., N. DYN, AND D. LEVIN
- [BuhDL95] On quasi-interpolation by radial basis functions with scattered centers, *Constr. Approx.* **11** (1995), 239–254.
- BUHMANN, M. D. AND A. RON
- [BuhR94] Radial basis functions: L^p -approximation orders with scattered centres, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 93–112.
- BURCHARD, H. G.
- [Bur73] Extremal positive splines with applications to interpolation and approximation by generalized convex functions, *Bull. Amer. Math. Soc.* **79**(5) (1973), 959–963.
- BURMEISTER, W., W. HESS, AND J. W. SCHMIDT
- [Bur85] Convex spline interpolants with minimal curvature, *Computing* **35** (1985), 219–229.
- BUTZER, P. L., W. ENGELS, S. RIES, AND R. L. STENS
- [ButERS86] The Shannon sampling series and the reconstruction of signals in terms of linear, quadratic and cubic splines, *SIAM J. Appl. Math.* **46** (1986), 299–323.
- BUTZER, P. L., M. SCHMIDT, AND E. L. STARK
- [ButSS88] Observations on the history of central B-splines, *Arch. Hist. Exact Sci.* **39** (1988), 137–156.
- BUTZER, P. L., E. L. STARK, AND L. VOGT
- [ButSV88] On the application of an optimal spline sampling theorem, *Signal Process* **14** (1988), 225–236.
- BUTZER, P. L. AND R. L. STENS
- [ButS87] Prediction of nonbandlimited signals from past samples in terms of splines of low degree, *Math. Nachr.* **132** (1987), 115–130.
- [ButS87] Reconstruction of signals in $L_p(\mathbb{R})$ -space by generalized sampling series based on linear combinations of B-splines, *Integral Transforms Spec. Funct.* **19** (2008), 35–58.
- CADWELL, J. H.
- [Cad61] A Least squares surface-fitting program, *Computing* **3** (1961), 266–269.
- [Cad61b] Some orthogonal methods of curve and surface fitting, *Computing* **4** (1961), 260–264.
- CALL, E. S. AND F. F. JUDD
- [CalJ74] Surface fitting by separation, *J. Approx. Theory* **12** (1974), 283–290.
- CALVI, J. P. AND N. LEVENBERG

- [CalvL08] Uniform approximation by discrete least squares polynomials, *J. Approx. Theory* **152** (2008), 82–100.
- CANTONI, A.
[Can71] Optimal curve fitting with piecewise linear functions, *IEEE Trans. Computers* **C-20** (1971), 59–67.
- CANTONI, E. AND T. HASSTIE
[CanH02] Degrees-of-freedom tests for smoothing splines, *Biometrika* **89** (2002), 251–263.
- CANTONI, E. AND E. RONCHETTI
[CanR01] Resistant selection of the smoothing parameter for smoothing splines, *Stat. Comput.* **11** (2001), 141–146.
- CARAMANLIAN, C., K. A. SELBY, AND G. T. HILL
[CarSH78] A quintic conforming plate bending triangle, *Internat. J. Numer. Meth. Engr.* **12** (1978), 1109–1130.
- CARASSO, C.
[Car67] Méthode generale de construction de fonctions-spline, *Rev. Francaise Informat Recherche Oper.* **1** (1967), 119–127.
- CARASSO, C. AND P. J. LAURENT
[CarL69] On the numerical construction and the practical use of interpolating Spline Functions, in *Info. Processing 68*, Vol. 1, North Holland (Amsterdam), 1969, 86–89.
- CARLSON, R. E. AND F. N. FRITSCH
[CarlF85] Monotone piecewise bicubic interpolation, *SIAM J. Numer. Anal.* **22** (1985), 386–400.
[CarlF89] An algorithm for monotone piecewise bicubic interpolation, *SIAM J. Numer. Anal.* **26** (1989), 230–238.
[CarlF91] A bivariate interpolation algorithm for data which are monotone in one variable, *SIAM J. Sci. Statist. Comput.* **12** (1991), 859–866.
- CARLSON, R. E. AND C. A. HALL
[CarlH72] Bicubic spline interpolation in rectangular polygons, *J. Approx. Theory* **6** (1972), 366–377.
[CarlH73] Error bounds for bicubic spline interpolation, *J. Approx. Theory* **7** (1973), 41–47.
[CarlH73b] Bicubic spline interpolation in L -shaped domains, *J. Approx. Theory* **8** (1973), 62–68.
- CARNICER, J. M.
[Carn94] Characterization of local strict convexity preserving interpolation methods by C^1 functions, *J. Approx. Theory* **77** (1994), 2–30.
[Carn95] Multivariate convexity preserving interpolation by smooth functions, *Adv. Comp. Math.* **3** (1995), 395–404.
- CARNICER, J. M. AND W. DAHMEN

- [CarnD92] Convexity preserving interpolation and Powell–Sabin elements, *Comput. Aided Geom. Design* **9** (1992), 279–289.
- [CarnD94] Characterization of local strict convexity preserving interpolation methods by C^1 functions, *J. Approx. Theory* **77** (1994), 2–30.
- CARNICER, J. M. AND M. S. FLOATER
- [CarnF96] Piecewise linear interpolants to Lagrange and Hermite convex scattered data, *Numer. Algorithms* **13** (1996), 345–364.
- CARNICER, J. M., M. S. FLOATER, AND J. M. PEÑA
- [CarnFP97] Linear convexity conditions for rectangular and triangular Bernstein–Bézier surfaces, *Comput. Aided Geom. Design* **15** (1997), 27–38.
- CARNICER, J. M. AND M. GASCA
- [CarnG89] On finite element interpolation problems, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1989, 105–113.
- CARNICER, J. M., T. N. T. GOODMAN, AND J. M. PEÑA
- [CarnGP09] Convexity preserving scattered data interpolation using Powell–Sabin elements, *Comput. Aided Geom. Design* **26** (2009), 779–796.
- CARNICER, J. M. AND J. M. PEÑA
- [CarnP94] Monotonicity preserving representations, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 83–90.
- CARROLL, M. P. AND D. BRAESS
- [CarB74] On uniqueness of L_1 approximation for certain families of spline functions, *J. Approx. Theory* **12** (1974), 362–364.
- CASTELJAU, P. DE
- [Cas63] *Courbes et Surfaces à Pôles*, André Citroën Automobiles SA, Paris, 1963.
- CARVALHAES, C. G.
- [Carv13] Spline interpolation on nonunisolvant sets, *IMA J. Numer. Anal.* **33** (2013), 370–375.
- CAVARETTA, A. S. AND D. J. NEWMAN
- [CavN78] Periodic interpolating splines and their limits, *Indag. Math.* **40** (1978), 515–526.
- CAVARETTA, A. S. AND M. SITHARAM
- [CavS93] The total variation of the tensor product Bernstein–Bézier operator, *J. Approx. Theory* **72** (1993), 34–39.
- CAVENDISH, J. C.
- [Cav74] Automatic triangulation of arbitrary planar domains for the finite element method, *Int. J. Numer. Meth. Engr.* **8** (1974), 679–696.
- CHAMAYOU, J. M.
- [Cha75] Bicubic spline function approximation of the solution of the fast-neutron transport equation, *Comp. Phys. Comm.* **10** (1975), 282–291.

CHAN, E. S. AND B. H. ONG

- [ChaO01] Range restricted scattered data interpolation using convex combination of cubic Bézier triangles, *J. Comput. Appl. Math.* **136** (2001), 135–147.

CHANDLER, G. A. AND I. H. SLOAN

- [ChaS90] Spline quallocation methods for boundary integral equations, *Numer. Math.* **58** (1990), 537–567.

CHANG, G. Z. AND Y. Y. FENG

- [ChaF83] Error bound for Bernstein–Bézier triangular approximations, *J. Comput. Math.* **4** (1983), 335–340.

- [ChaF84] An improved condition for the convexity of Bernstein–Bézier surfaces over triangles, *Comput. Aided Geom. Design* **1** (1984), 279–283.

- [ChaF85] A new proof for the convexity of the Bernstein–Bézier surfaces over triangles, *Chin. Ann. of Math.* **6B** (1985), 171–176.

CHANG, G. Z. AND J. HOSCHEK

- [ChaH85] Convexity and variation diminishing property of Bernstein polynomials over triangles, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1985, 61–71.

CHANG, G. Z. AND T. SEDERBERG

- [ChaS94] Nonnegative quadratic Bézier triangular patches, *Comput. Aided Geom. Design* **11** (1994), 113–116.

CHANG, G. Z. AND B. SU

- [ChaSu85] Families of adjoint patches for a Bézier triangular surface, *Comput. Aided Geom. Design* **2** (1985), 37–42.

CHANG, G. AND J. ZHANG

- [ChaZ90] Converse theorems of convexity for Bernstein polynomials over triangles, *J. Approx. Theory* **61** (1990), 265–278.

CHEN, T. P.

- [Che81] On some kinds of lacunary interpolation spline, *Acta. Math. Appl. Sin.* **4** (1981), 253–257.

- [Che81b] On error bounds for splines (Chinese), *Fudan Daxue Xueobao* **20** (1981), 15–22.

- [Che81c] On lacunary interpolating splines, *Sci. Sinica* **24** (1981), 606–617.

CHEN, L.-A., W. CHAN, AND T.-S. LEE

- [CheCL97] Tensor product polynomial splines, *Comm. Statist. Theory Methods* **26** (1997), 2093–2111.

CHEN, G., C. K. CHUI, AND M. J. LAI

- [ChenCL88] Construction of real-time spline quasi-interpolation schemes, *Approx. Theory Appl.* **4** (1988), 61–75.

CHENG, Z. X.

- [Cheng83] The convex interpolating spline curve, *J. Math. Res. Expo.* **2** (1983), 51–66.

CHENG, H., S-C. FANG, AND J. E. LAVERY

[ChengFL04] An efficient algorithm for generating univariate cubic L^1 splines, *Comput. Optim. Appl.* **29** (2004), 219-253.

[ChengFL05] Shape-preserving properties of univariate cubic L^1 splines, *J. Comput. Appl. Math.* **174** (2005), 361-382.

[ChengFL05b] A geometric programming approach for bivariate cubic L^1 splines, *Comput. Math. Appl.* **49** (2005), 481-514.

CHOI, B. K., H. Y. SHIN, Y. I. YOON, AND J. W. LEE

[ChoSYL88] Triangulation of scattered data in 3D space, *Computer-Aided Design* **20**(5) (1988), 239-248.

CHRISTARA, C. C.

[Chri94] Quadratic spline collocation methods for elliptic partial differential equations, *BIT* **34** (1994), 33-61.

[Chri96] Parallel solvers for spline collocation equations, *Advances in Engineering Software* **27** (1996), 71-89.

CHRISTARA, C. C. AND K. S. NG

[ChriN06] Optimal quadratic and cubic spline collocation on nonuniform partitions, *Computing* **76** (2006), 227-257.

CHRISTARA, C. C. AND B. F. SMITH

[ChriS97] Multigrid and multilevel methods for quadratic spline collocation, *BIT* **34** (1997), 781-803.

CHUI, C. K.

[Chu88] *Multivariate Splines*, CBMS-NSF Reg. Conf. Series in Appl. Math., vol. 54, SIAM, Philadelphia, 1988.

[Chu92] *An Introduction to Wavelets*, Academic Press, Boston, 1992.

[Chu92b] Wavelets—with emphasis on spline-wavelets and applications to signal analysis, in *Approximation Theory, Spline Functions and Applications: Maratea, 1991*, Kluwer (Dordrecht), 1992, 19-39.

CHUI, C. K. AND J. M. DEVILLIERS

[ChuD98] Spline-wavelets with arbitrary knots on a bounded interval: orthogonal decomposition and computational algorithms, *Commun. Appl. Anal.* **2** (1998), 457-486.

CHUI, C. K. AND H. DIAMOND

[ChuD87] A natural formulation of quasi-interpolation by multivariate splines, *Proc. Amer. Math. Soc.* **99** (1987), 643-646.

[ChuD90] A characterization of multivariate quasi-interpolation formulas and its applications, *Numer. Math.* **57** (1990), 105-121.

[ChuD91] A general framework for local interpolation, *Numer. Math.* **58** (1991), 569-581.

CHUI, C. K., H. DIAMOND, AND L. A. RAPHAEL

[ChuDR84a] Best local approximation in several variables, *J. Approx. Theory* **40** (1984), 343-350.

- [ChuDR84b] On best data approximation, *Approx. Theory Appl.* **1** (1984), 37–56.
- [ChuDR88b] Interpolation by multivariate splines, *Math. Comp.* **51** (1988), 203–218.
- [ChuDR89] Shape-preserving quasi-interpolation and interpolation by box spline surfaces, *J. Comput. Appl. Math.* **25** (1989), 169–198.
- CHUI, C. K. AND T. X. HE
- [ChuH87] On the location of sample points in C^1 quadratic bivariate spline interpolation, in *Numerical Methods in Approximation Theory Vol. 8, ISNM 81*, L. Collatz, G. Meinardus, and G. Nürnberger (eds.), Basel, Birkhäuser, 1987, 30–42.
- [ChuH88] On minimal and quasi-minimal supported bivariate splines, *J. Approx. Theory* **52** (1988), 217–238.
- [ChuH90] Bivariate C^1 quadratic finite elements and vertex splines, *Math. Comp.* **54** (1990), 169–187.
- [ChuH90b] Computation of minimal and quasi-minimal supported bivariate splines and quasi-minimal supported bivariate splines, *J. Comput. Math.* **8** (1990), 108–117.
- [ChuH92] Shape-preserving interpolation by bivariate C^1 quadratic splines, Workshop on Computational Geometry (Torino, 1992), World Sci. Publ., River Edge, N.J., 1993, 21–75.
- CHUI, C. K., T. X. HE, AND R. H. WANG
- [ChuHW87] Interpolation by bivariate linear splines, in *Alfred Haar Memorial Conference*, J. Szabados and K. Tandori (eds.), Amsterdam, North-Holland, 1987, 247–255.
- [ChuHW87b] The C^2 quartic spline space on a four-directional mesh, *Approx. Theory Appl.* **3** (1987), 32–36.
- CHUI, C. K. AND D. HONG
- [ChuH97] Swapping edges of arbitrary triangles to achieve the optimal order of approximation, *SIAM J. Numer. Anal.* **34** (1997), 1472–1482.
- CHUI, C.K. AND Y-S. HU
- [ChuHu83] Geometric properties of certain bivariate splines, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1983, 407–412.
- CHUI, C. K., K. JETTER, AND J. D. WARD
- [ChuJW87] Cardinal interpolation by multivariate splines, *Math. Comp.* **48** (1987), 711–724.
- CHUI, C. K. AND M. J. LAI
- [ChuL85] On bivariate vertex splines, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1985, 84–115.
- [ChuL87a] Vandermonde determinants and Lagrange interpolation in \mathbb{R}^s , in *Nonlinear and Convex Analysis*, B. L. Lin and S. Simons (eds.), New York,

- Marcel Dekker, 1987, 23–32.
- [ChuL87b] A multivariate analog of Marsden’s identity and a quasi-interpolation scheme, *Constr. Approx.* **3** (1987), 111–122.
- [ChuL90] Multivariate vertex splines and finite elements, *J. Approx. Theory* **60** (1990), 245–343.
- [ChuL90b] On bivariate super vertex splines, *Constr. Approx.* **6** (1990), 399–419.
- [ChuL92] Algorithms for generating B-nets and graphically displaying box spline surfaces, *Comput. Aided Geom. Design* **8** (1992), 479–493.
- CHUI, C. K., L. L. SCHUMAKER, AND R. H. WANG
- [ChuiSW83] On spaces of piecewise polynomials with boundary conditions, II, Type-1 triangulations, *Canad. Math. Soc. Conf. Proceedings* **3** (1983), 51–66.
- [ChuiSW83] On spaces of piecewise polynomials with boundary conditions, III, Type-2 triangulations, *Canad. Math. Soc. Conf. Proceedings* **3** (1983), 67–80.
- CHUI, C. K. AND P. W. SMITH
- [ChuS80] An application of spline approximation with variable knots to optimal estimation of the derivative, *SIAM J. Math. Anal.* **11** (1980), 724–736.
- CHUI, C. K., P. W. SMITH, AND J. D. WARD
- [ChuSW80] Monotone approximation by spline functions, in *Quantitative Approximation*, R. DeVore and K. Scherer (eds.), New York, Academic Press, 1980, 81–98.
- CHUI, C. K. AND R. H. WANG
- [ChuW82] A generalization of univariate splines with equally spaced knots to multivariate splines, *J. Math. Res. Exposit.* **2** (1982), 99–104.
- [ChuW83] Bivariate B-splines on triangulated rectangles, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1983, 413–418.
- [ChuW84] Spaces of bivariate cubic and quartic splines on type-1 triangulations, *J. Math. Anal. Appl.* **101** (1984), 540–554.
- [ChuW84b] On a bivariate B-spline basis, *Sci. Sinica* **27** (1984), 1129–1142.
- [ChuW84c] Concerning C^1 B-splines on triangulations of non-uniform rectangular partitions, *Approx. Theory Appl.* **1** (1984), 11–18.
- CHUI, C. K. AND J. Z. WANG
- [ChuW92] A general framework of compactly supported splines and wavelets, *J. Approx. Theory* **71** (1992), 263–304.
- [ChuW94] Quasi-interpolation functionals on spline spaces, *J. Approx. Theory* **76** (1994), 303–325.
- CHUNG, K. C. AND T. H. YAO
- [ChunY77] On lattices admitting unique Lagrange interpolations, *SIAM J. Numer. Anal.* **14** (1977), 735–743.
- CIARLET, P. G.

- [Cia74] Sur l'élément de Clough et Tocher, *Rev. Française Automat. Informat. Rech. Opér., Ser. Rouge* **8** (1974), 19–27.
- [Cia78] *The Finite Element Method for Elliptic Problems*, North Holland, Amsterdam, 1978.
- [Cia78b] Interpolation error estimates for the reduced Hsieh–Clough–Tocher triangle, *Math. Comp.* **32** (1978), 335–344.
- CIARLET, P. G. AND P. A. RAVIART
- [CiaR72] General Lagrange and Hermite interpolation in \mathbb{R}^N with applications to finite element methods, *Arch. Rational Mech. Anal.* **46** (1972), 177–199.
- CIARLET, P. G., M. H. SCHULTZ, AND R. S. VARGA
- [CiaSV66] Numerical methods of high-order accuracy for nonlinear boundary value problems. I. One dimensional problem, *Numer. Math.* **9** (1966), 394–430.
- [CiaSV68] Numerical methods of high-order accuracy for nonlinear boundary value problems. II. Nonlinear boundary conditions, *Numer. Math.* **11** (1968), 331–345.
- CIAVALDINI, J. F. AND J. C. NEDELEC
- [CiaVN74] Sur l'élément de Fraeijs de Veubeke et Sander, *Rev. Française Automat. Informat. Rech. Opér., Anal. Numer.* **2** (1974), 29–45.
- CIESIELSKI, Z.
- [Cie90] Asymptotic nonparametric spline density estimation in the Sobolev norm in several variables, *Stochastic methods in experimental sciences (Szklarska Poreba, 1989)*, World Sci. Publ., River Edge, N.J., 1990, 59–78.
- CINQUIN, PH
- [Cin83] Optimal reconstruction of surfaces using parametric spline functions, *Lect. Notes in Pure Appl. Math.* **86** (1983), 187–195.
- CLEMENTS, J. C.
- [Cle90] Convexity-preserving piecewise rational cubic interpolation, *SIAM J. Numer. Anal.* **27** (1990), 1016–1023.
- CLENSHAW, C. W. AND J. G. HAYES
- [CleH65] Curve and surface fitting, *J. Inst. Math. Applics.* **1** (1965), 164–183.
- CLINE, A. K. AND R. L. RENKA
- [CliR84] A storage-efficient method for construction of a Thiessen triangulation, *Rocky Mountain J. Math.* **14** (1984), 119–139.
- [CliR90] A constrained two-dimensional triangulation and the solution of closest node problems in the presence of barriers, *SIAM J. Numer. Anal.* **27** (1990), 1305–1321.
- CLOUGH, R. AND J. TOCHER
- [CloT65] Finite element stiffness matrices for analysis of plates in bending, in *Proc. of Conference on Matrix Methods in Structural Analysis*, Wright–Patterson Air Force Base, 1965.
- COHEN, A., N. DYN, F. HECHT, AND J.-M. MIREBEAU

- [CohDHM12] Adaptive multiresolution analysis based on anisotropic triangulations, *Math. Comp.* **81** (2012), 789-810.
- COHEN, E., T. LYCHE, AND R. RIESENFELD
- [CohLR13] A B-spline-like basis for the Powell-Sabin 12-split based on simplex splines, *Math. Comp.* **82** (2013), 1667-1707.
- COHEN, E., R. RIESENFELD, AND G. ELBER
- [CohRE01] *Geometric Modelling with Splines*, AK Peters, Natick, MA, 2001.
- COSTABEL, M. AND W. MCLENA
- [CosM92] Spline collocation for strongly elliptic equations on the torus, *Numer. Math.* **62** (1992), 511-538.
- COSTABEL, M. AND J. SARANEN
- [CosS00] Spline collocation for convolutional parabolic boundary integral equations, *Numer. Math.* **84** (2000), 417-449.
- COSTANTINI, P.
- [Cost84] Alcune considerazioni sull'esistenza di splines quadratiche interpolanti monotone e convesse, *Boll. Unione Mat. Ital.* **6** (1984), 257-265.
- [Cost86] On monotone and convex spline interpolation, *Math. Comp.* **46** (1986), 203-214.
- [Cost87] Co-monotone interpolating splines of arbitrary degree - A local approach, *SIAM J. Sci. Statist. Comput.* **8(6)** (1987), 1026-1034.
- COSTANTINI, P. AND F. FONTANELLA
- [CostF90] Shape preserving bivariate interpolation, *SIAM J. Numer. Anal.* **27** (1990), 488-506.
- COSTANTINI, P. AND C. MANNI
- [CostM91] A local scheme for bivariate co-monotone interpolation, *Comput. Aided Geom. Design* **8** (1991), 371-391.
- [CostM96] Monotonicity-preserving interpolation of nongridded data, *Comput. Aided Geom. Design* **13** (1996), 467-495.
- [CostM96b] On a class of polynomial triangular macro-elements, *J. Comput. Appl. Math.* **73** (1996), 45-64.
- [CostM99] A local shape-preserving interpolation scheme for scattered data, *Comput. Aided Geom. Design* **16** (1999), 385-405.
- [CostM00] Interpolating polynomial macro-elements with tension properties, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 143-152.
- COSTANTINI, P. AND R. MORANDI
- [CostMo84] Monotone and convex cubic spline interpolation, *Calcolo* **21** (1984), 281-294.
- [CostMo84b] An algorithm for computing shape-preserving cubic spline interpolation to data, *Calcolo* **21** (1984), 295-305.

COUGHRAN, W.M, E. GROSSE, AND D. J. ROSE

- [CouGR86] Variation diminishing splines in simulation, *SIAM J. Sci. Statist. Comput.* **7** (1986), 696-705.

COURANT, D.

- [Cour43] Variational methods for the solution of problems of equilibrium and vibration, *Bull. Amer. Math. Soc.* **49** (1943), 1–23.

COURANT, D. AND D. HILBERT

- [CourH53] *Methods of Mathematical Physics, Vol. 1*, Interscience, New York, 1953.

COX, M. G.

- [Cox71] An algorithm for approximating convex functions by means of first degree splines, *Computer J.* **14** (1971), 272–275.
- [Cox72] The numerical evaluation of B-splines, *J. Inst. Math. Appl.* **10** (1972), 134-149.
- [Cox78] The numerical evaluation of a spline from its B-spline representation, *J. Inst. Math. Applics.* **21** (1978), 135–143.
- [Cox84] Multivariate smoothing spline functions, *SIAM J. Numer. Anal.* **21** (1984), 789-813.
- [Cox93] Algorithms for spline curves and surfaces, in *Fundamental Developments of Computer-Aided Geometric Modeling*, Les Piegl (ed.), London, Academic Press, 1993, 51–76.

COX, M. G. AND H. M. JONES

- [CoxJ87] Shape preserving spline approximation in the ℓ_1 -norm, Algorithms for approximation, Inst. Math. Appl. Conf. Ser. New Ser., 10, Oxford Univ. Press, New York, 1987, 115-129.

CRAVEN, P. AND G. WAHBA

- [CraW79] Smoothing noisy data with spline functions: estimating the correct degree of smoothing by the method of generalized cross validation, *Numer. Math.* **31** (1979), 377–403.

CROSS, G.

- [Cro80] Splicing n-convex functions using splines, *Canad. Math. Bull.* **23** (1980), 107–109.

CUTKOSKY, B. E. AND C. POMPONIU

- [CutP81] Spline interpolation and smoothing of data, *Comp. Phys. Comm.* **23** (1981), 287–299.

DÆHLEN, M.

- [Dae87] An example of bivariate interpolation with translates of C^0 -quadratic box-splines on a three direction mesh, *Comput. Aided Geom. Design* **4** (1987), 251–255.

DÆHLEN, MORTEN AND TOM LYCHE

- [DaeL88] Bivariate interpolation with quadratic box splines, *Math. Comp.* **51** (1988), 219–230.

DÆHLEN, M. AND V. SKYTH

- [DaeS89] Modelling non-rectangular surfaces using box-splines, in *Mathematics of Surfaces III*, D. C. Handscomb (ed.), Oxford, Clarendon Press, 1989, 287–300.

DAGNINO, C. AND V. DEMICHELIS

- [DagD02] Nodal spline integration rules for certain 2-D Cauchy principal value integrals, *Int. J. Comput. Math.* **79** (2002), 233–246.
- [DagD03] Computational aspects of numerical integration based on optimal nodal splines, *Int. J. Comput. Math.* **80** (2003), 243–255.

DAGNINO, C., V. DEMICHELIS, AND E. SANTI

- [DagDS93] An algorithm for numerical integration based on quasi-interpolating splines, *Numer. Algorithms* **5** (1993), 443–452.
- [DagDS03] A nodal spline collocation method for weakly singular Volterra integral equations, *Studia Univ. Babeş-Bolyai Math.* **48** (2003), 71–81.

DAGNINO, C. AND P. LAMBERTI

- [DagL01] On the approximation power of bivariate quadratic C^1 splines, *J. Comput. Appl. Math.* **131** (2001), 321–332.

DAGNINO, C., P. LAMBERTI, AND P. SABLONNIÉRE

- [DagLS14] On the solution of Fredholm integral equations based on spline quasi-interpolating projectors, *BIT* **54** (2014), 979–1008.

DAHLBERG, B. E. J.

- [Dah89] Construction of surfaces of prescribed shape, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1989, 157–159.

DAHLBERG, B. E. J. AND B. JOHANSSON

- [DahJ87] Convexity preserving approximations, in *The Mathematics of Surfaces II*, R. R. Martin (ed.), Oxford, Clarendon Press, 1987, 419–426.

DAHLKE, S., W. DAHMEN, AND V. LATOUR

- [DahDL95] Smooth refinable functions and wavelets obtained by convolution products, *Appl. Comput. Harmonic Anal.* **2** (1995), 68–84.

DAHMEN, W.

- [Dah82] Adaptive approximation by multivariate smooth splines, *J. Approx. Theory* **36** (1982), 119–140.
- [Dah91] Convexity and Bernstein–Bézier polynomials, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), New York, Academic Press, 1991, 107–134.

DAHMEN, W. AND C. A. MICCHELLI

- [DahM80] Numerical algorithms for least squares approximation by multivariate B-splines, in *Numerical Methods of Approximation Theory Vol. 5*, L. Collatz, G. Meinardus, and H. Werner (eds.), Basel, Birkhäuser Verlag, 1980, 85–114.
- [DahM85] Line average algorithm: a method for the computer generation of smooth surfaces, *Comput. Aided Geom. Design* **2** (1985), 77–85.

- [DahM88] Convexity of multivariate Bernstein polynomials and box spline surfaces, *Studia Scientiarum Math. Hungarica* **23** (1988), 265–287.
- DAHMEN, W., C. A. MICCHELI, AND H.-P. SEIDEL
- [DahMS92] Blossoming begets B-spline bases built better by B-patches, *Math. Comp.* **59** (1992), 97–115.
- DAHMEN, W., P. OSWALD, AND X. Q. SHI
- [DahOS94] C^1 -hierarchical bases, *J. Comput. Appl. Math.* **51** (1994), 37–56.
- DAMME, R. VAN AND L. ALBOUL
- [DamA95] Tight triangulations, in *Mathematical Methods for Curves and Surfaces*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Nashville & London, Vanderbilt University Press, 1995, 517–526.
- DAVYDOV, O.
- [Dav98] Locally linearly independent basis for C^1 bivariate splines of degree $q \geq 5$, in *Mathematical Methods for Curves and Surfaces II*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Nashville & London, Vanderbilt University Press, 1998, 71–78.
- [Dav01] On the computation of stable local bases for bivariate polynomial splines, in *Trends in Approximation Theory*, Kirill Kopotun, Tom Lyche, and Mike Neamtu (eds.), Nashville TN, Vanderbilt University Press, 2001, 83–92.
- [Dav01b] On the approximation power of local least squares polynomials, in *Algorithms for the Approximation IV*, J. Levesley, I. J. Anderson, and J. C. Mason (eds.), Huddersfield, Univ. of Huddersfield, 2001, 346–353.
- DAVYDOV, O., R. MORANDI, AND A. SESTINI
- [DavMS03] Scattered data approximation with a hybrid scheme, *Rend. Sem. Mat. Univ. Politec. Torino* **61** (2003), 333–341.
- [DavMS05] Local RBF approximation for scattered data fitting with bivariate splines, in *Trends and Applications in Constructive Approximation (IBoMAT 2004)*, Detlef H. Mache, József Szabados, Marcel G. de Bruin, (eds.), Basel, Birkhäuser, 2005, 91–102.
- [DavMS06] Local hybrid approximation for scattered data fitting with bivariate splines, *Comput. Aided Geom. Design* **23** (2006), 703–721.
- DAVYDOV, O., G. NÜRNBERGER, AND F. ZEILFELDER
- [DavNZ98] Approximation order of bivariate spline interpolation for arbitrary smoothness, *J. Comput. Appl. Math.* **90** (1998), 117–134.
- [DavNZ98b] Interpolation by cubic splines on triangulations, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1998, 17–25.
- [DavNZ99] Interpolation by splines on triangulations, in *New Developments in Approximation Theory* (Dortmund, 1998), ISNM Vol 132, Birkhäuser Verlag (Basel), 1999.49–70;
- [DavNZ00] Cubic spline interpolation on nested polygon triangulations, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 161–170.

- [DavNZ01] Bivariate spline interpolation with optimal approximation order, *Constr. Approx.* **17** (2001), 181–208.
- DAVYDOV, O. AND L. L. SCHUMAKER
- [DavS00] Locally linearly independent bases for bivariate polynomial spline spaces, *Adv. Comp. Math.* **13** (2000), 355–373.
- [DavS00b] Stable local nodal bases for C^1 bivariate polynomial splines, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 171–180.
- [DavS02] On stable local bases for bivariate polynomial spline spaces, *Constr. Approx.* **18** (2002), 87–116.
- [DavS02b] Stable approximation and interpolation with C^1 quartic bivariate splines, *SIAM J. Numer. Anal.* **39** (2002), 1732–1748.
- DAVYDOV, O., M. SOMMER, AND H. STRAUSS
- [DavSoS97] On almost interpolation by multivariate splines, in *Multivariate Approximation and Splines, ISNM 125*, G. Nürnberger, J. W. Schmidt, and G. Walz (eds.), Basel, Birkhäuser, 1997, 45–58.
- [DavSoS97b] Locally linearly independent systems and almost interpolation, in *Multivariate Approximation and Splines, ISNM 125*, G. Nürnberger, J. W. Schmidt, and G. Walz (eds.), Basel, Birkhäuser, 1997, 59–72.
- [DavSoS99] On almost interpolation and locally linearly independent bases, *East J. Approx.* **5** (1999), 67–88.
- DAVYDOV, O. AND F. ZEILFELDER
- [DavZ04] Scattered data fitting by direct extension of local polynomials to bivariate splines, *Adv. Comp. Math.* **21** (2004), 223–271.
- DELBOURGO, R. AND J. A. GREGORY
- [DelG83] C^2 rational quadratic spline interpolation to monotonic data, *IMA J. Numer. Anal.* **3** (1983), 141–152.
- DELVOS, F. J. AND H. POSDORF
- [DelP76] On optimal tensor product approximation, *J. Approx. Theory* **18** (1976), 99–107.
- DEMARET, L., N. DYN, M. S. FLOATER, AND A. ISKE
- [DemDFI05] Adaptive thinning for terrain modelling and image compression, in *Advances in Multiresolution for Geometric Modelling*, Springer, Berlin, 2005, 319–338.
- DEMARET, L. AND A. ISKE
- [DemI03] Scattered data coding in digital image compression, in *Curve and Surface Fitting: Saint-Malo 2002*, Albert Cohen, Jean-Louis Merrien, and Larry L. Schumaker (eds.), Brentwood TN, Nashboro Press, 2003, 107–117.
- [DemI11] Anisotropic triangulation methods in adaptive image approximation, in *Approximation Algorithms for Complex Systems*, Springer Proc. Math. **3**, Springer, Heidelberg, 2011, 47–68.
- DEMETRIOU, I. C.

- [Dem95] Discrete piecewise monotonic approximation by a strictly convex distance function, *Math. Comp.* **64** (1995), 157–180.
- [Dem04] Least squares convex-concave data smoothing, *Comput. Optim. Appl.* **29** (2004), 197–217.
- DEMETRIOU, I. C. AND M. J. D. POWELL
- [DemP91] Least squares smoothing of univariate data to achieve piecewise monotonicity, *IMA J. Numer. Anal.* **11** (1991), 411–432.
- DEMKO, S.
- [Demk76] Lacunary polynomial spline interpolation, *SIAM J. Numer. Anal.* **13** (1976), 369–381.
- [Demk78] Interpolation by quadratic splines, *J. Approx. Theory* **23** (1978), 392–400.
- [Demk80] Approximation by small rank tensor products of splines, in *Quantitative Approximation*, R. DeVore and K. Scherer (eds.), New York, Academic Press, 1980, 115–126.
- DEMKO, S. AND R. S. VARGA
- [DemkV74] Extended L_p error bounds for spline and L -spline interpolation, *J. Approx. Theory* **12** (1974), 242–264.
- DEMMLER, A. AND C. H. REINSCH
- [DemmR75] Oscillation matrices with spline smoothing, *Numer. Math.* **24** (1975), 375–382.
- DENNIS, D.
- [Den79] Hermite-Birkhoff interpolation and monotone approximation by splines, *J. Approx. Theory* **25** (1979), 248–257.
- DENMAN, H. H.
- [Den71] Smooth cubic spline interpolation functions, *Indust. Math.* **21** (1971), 55–75.
- DESCLOUX, JEAN
- [Des72] On finite element matrices, *SIAM J. Numer. Anal.* **9** (1972), 260–285.
- DEUTSCH, F., V. A. UBHAYA, AND Y. XU
- [DeuUX95] Dual cones, constrained n -convex L_p -approximation, and perfect splines, *J. Approx. Theory* **80** (1995), 180–203.
- DEUTSCH, F., V. A. UBHAYA, J. D. WARD, AND Y. XU
- [DeuUWX96] Constrained best approximation in Hilbert space III. Applications to n -convex functions, *Constr. Approx.* **12(3)** (1996), 361–385.
- DEVORE, R.
- [Dev77] Monotone approximation by splines, *SIAM J. Math. Anal.* **8** (1977), 891–905.
- DEVORE, R. A., Y. HU, AND D. LEVIATAN
- [DevHL96] Convex polynomial and spline approximation in L_p , $0 < p < \infty$, *Constr. Approx.* **12** (1996), 409–422.

DEVORE, R. A., B. JAWERTH, AND B. LUCIER

[DeVJL92] Surface compression, *Comput. Aided Geom. Design* **9** (1992), 219–239.

[DeVJL92b] Image compression through wavelet transform coding, *IEEE Trans. Information Theory* **38** (1992), 719–747.

DEVORE, R., B. JAWERTH, AND V. POPOV

[DeVJP92] Compression of wavelet decompositions, *Amer. J. Math.* **114** (1992), 737–785.

DEVORE, R. A. AND DANY LEVIATAN

[DevL93] Convex polynomial approximation in L_p ($0 < p < 1$), *J. Approx. Theory* **75** (1993), 79–84.

DEVORE, R. A., D. LEVIATAN, AND I. A. SHEVCHUK

[DevLS97] Approximation of monotone functions: a counter example, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 95–102.

DEVORE, R. AND Z. YAN

[DevY86] Error analysis for piecewise quadratic curve fitting algorithms, *Comput. Aided Geom. Design* **3** (1986), 205–215.

DEVORE, R. A. AND X. M. YU

[DevYu85] Pointwise estimates for monotone polynomial approximation, *Constr. Approx.* **1** (1985), 323–331.

DIERCKX, P.

[Die75] An algorithm for smoothing, differentiation, and integration of experimental data using spline functions, *J. Comput. Appl. Math.* **1** (1975), 165–184.

[Die80] Algorithm 42: An algorithm for cubic spline fitting with convexity constraints, *Computing* **24** (1980), 349–371.

[Die81] An algorithm for surface fitting with spline functions, *IMA J. Numer. Anal.* **1** (1981), 267–283.

[Die82] A fast algorithm for smoothing data on a rectangular grid while using spline functions, *SIAM J. Numer. Anal.* **19** (1982), 1286–1304.

[Die82b] Algorithms for smoothing data with periodic and parametric splines, *Comp. Graphics and Image Proc.* **20** (1982), 171–184.

[Die83] An algorithm for experimental data deconvolution using spline functions, *J. Comput. Phys.* **52** (1983), 163–186.

[Die84] Algorithms for smoothing data on the sphere with tensor product splines, *Computing* **32** (1984), 319–342.

[Die85] Fast algorithms for smoothing data over a disc or a sphere using tensor product splines, in *Algorithms for the Approximation of Functions and Data*, J. C. Mason and M. G. Cox (eds.), Oxford, Oxford Univ. Press, 1987, 51–65.

- [Die93] *Curve and Surface Fitting with Splines*, Monographs on Numerical Analysis, Oxford University Press, Oxford, England, 1993.
- [Die97] On calculating normalized Powell-Sabin B-splines, *Comput. Aided Geom. Design* **15** (1997), 61–78.
- DIERCKX, P., P. SUETENS, AND D. VANDERMEULEN
- [DieSV88] An algorithm for surface reconstruction from planar contours using smoothing splines, *J. Comput. Appl. Math.* **23** (1988), 367–388.
- DIERCKX, P., S. VAN LEEMPUT, AND T. VERMEIRE
- [DieLV92] Algorithms for surface fitting using Powell-Sabin splines, *IMA J. Numer. Anal.* **12** (1992), 271–299.
- DIKSHIT, H. P. AND S. S. RANA
- [DikR87] Local behaviour of the derivative of a mid point cubic spline interpolator, *Int. J. Maths and Maths Sci.* **10** (1987), 63–67.
- DIMSDALE, B.
- [Dim78] Convex cubic splines, *I.B.M. J. Res. and Develop.* **22** (1978), 168–178.
- DOBYSH, A. D.
- [Dob70] Construction of interpolating piecewise polynomial functions (Russian), *Sb. Trudy Mosk. Inz-Stroit Inst.* **83** (1970), 105–123.
- DODD, S. L. AND D. F. MCALLISTER
- [DodM85] Algorithms for computing shape preserving spline approximations to data, *Numer. Math.* **46** (1985), 159–174.
- DODD, S. L., D. F. MCALLISTER, AND J. A. ROULIER
- [DodMR83] Shape-preserving spline interpolation for specifying bivariate functions on grids, *IEEE Comp. Graph. Appl.* **3** (1983), 70–79.
- DODU, FABRICE
- [Dodu00] A B-spline tensor for vectorial quasi-interpolant, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 201–208.
- DONTCHEV, A. L. AND BL. D. KALCHEV
- [DonK88] On convex and nonnegative best interpolation, *C. R. Acad. Bulgare Sci.* **41** (1988), 21–24.
- DONTCHEV, A. L., H. QI, AND L. QI
- [DonQQ01] Convergence of Newton’s method for convex best interpolation, *Numer. Math.* **87(3)** (2001), 435–456.
- DONTCHEV, A. L., H. QI, L. QI, AND H. YIN
- [DonQQY02] A Newton method for shape-preserving spline interpolation, *SIAM J. Optim.* **13** (2002), 588–602.
- DOOLEY, J. C.
- [Doo76] Two dimensional interpolation of irregularly spaced data using polynomial splines, *Phs. Earth & Planetary Interiors* **12** (1976), 180–187.
- DOUGHERTY, R. L., A. EDELMAN, AND J. HYMAN

- [DouEH89] Nonnegativity-, monotonicity-, or convexity-preserving cubic and quintic Hermite interpolation, *Math. Comp.* **52** (1989), 471–494.
- DOUGLAS, J., T. DUPONT, P. PERCELL, AND R. SCOTT
- [DougDPS79] A family of C^1 finite elements with optimal approximation properties for various Galerkin methods for 2nd and 4th order problems, *Rev. Française Automat. Informat. Rech. Opér., Anal. Numer.* **13** (1979), 227–255.
- DOUGLAS JR., JIM, T. DUPONT, AND L. WAHLBIN
- [DougDW75] The stability in L^q of the L^2 projection into finite element function spaces, *Numer. Math.* **23** (1975), 193–197.
- DUBEAU, F. AND J. SAVOIE
- [DubS85] Periodic even degree spline interpolation on a uniform partition, *J. Approx. Theory* **44** (1985), 43–54.
- [DubS96] Optimal error bounds for quadratic spline interpolation, *J. Math. Anal. Appl.* **198** (1996), 49–63.
- [DubS99] On optimal error bounds for derivatives of interpolating splines on a uniform partition, *J. Approx. Theory* **98** (1999), 271–302.
- DUBOVNIK, V. A.
- [Dub74] Interpolating splines of two variables, *Math. Phys.* **16** (1974), 86–91.
- DUBRULE, O.
- [Dubru83] Two methods with different objectives: Splines and Kriging, *J. Math. Geol.* **15** (1983), 245–257.
- DUCHON, J.
- [Duc76] Interpolation des fonctions de deux variables suivant le principe de la flexion des plaques minces, *RAIRO Anal. Numer.* **10** (1976), 5–12.
- DUISEKOV, A. K.
- [Dui72] Interpolation by fifth degree spline functions of defect two (Russian), *Izv. Akad. Nauk. Kazah. SSR. Ser. Fiz-Math.* **5** (1972), 20–24.
- DURIS, C. S.
- [Dur77] Discrete interpolating and smoothing spline functions, *SIAM J. Numer. Anal.* **14** (1977), 686–698.
- DYN, N.
- [Dyn83] Perfect splines of minimum norm for monotone norms and norms induced by inner-products, with applications to tensor product approximations and n -widths of integral operators, *J. Approx. Theory* **38** (1983), 105–138.
- [Dyn87] Interpolation of scattered data by radial functions, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), New York, Academic Press, 1987, 47–62.
- DYN, N., I. GOREN, AND S. RIPPA
- [DynGR93] Transforming triangulations in polygonal domains, *Comput. Aided Geom. Design* **10** (1993), 31–536.

DYN, N., K. HORMANN, S.-J. KIM, AND D. LEVIN

- [DynHKL01] Optimizing 3D triangulations using discrete curvature analysis, in *Mathematical Methods for Curves and Surfaces III, Oslo, 2000*, T. Lyche and L. L. Schumaker (eds.), Nashville, Vanderbilt University Press, 2001, 135-146.

DYN, N. AND D. LEVIN

- [DynL82] Construction of surface spline interpolants of scattered data over finite domains, *Rev. Française Automat. Informat. Rech. Opér., Anal. Numer.* **16** (1982), 201–209.

DYN, N., D. LEVIN, AND D. LIU

- [DynLL92] Interpolatory convexity preserving subdivision schemes for curves and surfaces, *Computer-Aided Design* **24** (1992), 211–216.

DYN, N., D. LEVIN, AND S. RIPPA

- [DynLR86] Numerical procedures for surface fitting of scattered data by radial functions, *SIAM J. Sci. Statist. Comput.* **7** (1986), 639–659.

- [DynLR90] Data dependent triangulations for piecewise linear interpolation, *IMA J. Numer. Anal.* **10** (1990), 137–154.

- [DynLR90b] Algorithms for the construction of data dependent triangulations, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), London, Chapman & Hall, 1990, 185–192.

- [DynLR92] Boundary corrections for data dependent triangulations, *J. Comput. Appl. Math.* **39** (1992), 179–192.

DYN, N. AND S. RIPPA

- [DynR93] Data-dependent triangulations for scattered data interpolation and finite element approximation, *Appl. Numer. Math.* **12** (1993), 89-105.

DYN, N. AND A. RON

- [DynR95] Radial basis function approximation: from gridded centers to scattered centers, *PLMS* **71** (1995), 76–108.

DYN, N. AND G. WAHBA

- [DynW82] On the estimation of functions of several variables from aggregated data, *SIAM J. Math. Anal.* **13** (1982), 134–152.

DYN, N. AND I. YAD-SHALOM

- [DynY91] Optimal distribution of knots for tensor-product spline approximation, *Quarterly of Applied Math.* **49** (1991), 19–27.

DZYUBENKO, G. A., J. GILEWICZ, AND I. A. SHEVCHUK

- [Dzy98] Piecewise monotone pointwise approximation, *Constr. Approx.* **14(3)** (1998), 311–348.

EDELMAN, A. AND C. MICCHELLI

- [EdeM87] Admissible slopes for monotone and convex interpolation, *Numer. Math.* **51** (1987), 441–458.

EDELSBRUNNER, H.

- [Ede87] *Algorithms for Combinatorial Geometry*, Springer-Verlag, Heidelberg, 1987.
- [Ede01] *Geometry and Topology for Mesh Generation*, Cambridge University Press, Cambridge, 2001.
- EIDSON, H. AND L. L. SCHUMAKER
- [Eid76] Spline solution of linear initial-and boundary-value problems, in ISNM 32, Birkhäuser-Verlag, Basel, 1976, 67–80.
- EISENSTAT, S. C., K. R. JACKSON, AND J. W. LEWIS
- [EisJL85] The order of monotone piecewise cubic interpolation, *SIAM J. Numer. Anal.* **22** (1985), 1220–1237.
- ELDEN, L.
- [Eld84] A note on the computation of the generalized cross-validation function for ill-conditioned least squares problems, *BIT* **24** (1984), 467–472.
- ELFVING, T. AND L. E. ANDERSSON
- [ElfA88] An algorithm for computing constrained smoothing spline functions, *Numer. Math.* **52** (1988), 583–595.
- ELLIOTT, G. H.
- [Ell93] Least squares data fitting using shape preserving piecewise approximations, *Numer. Algorithms* **5** (1993), 365–371.
- EL TOM, M. E. A.
- [Elt71] Application of spline functions to Volterra integral equations, *J. Inst. Math. Applics.* **8** (1971), 354–357.
- [Elt76] Application of spline functions to systems of Volterra integral equations of the first and second kinds, *J. Inst. Math. Applics.* **17** (1976), 295–310.
- [Elt79] On best cubature formulas and spline interpolation, *Numer. Math.* **32** (1979), 291–306.
- ENGELS, H.
- [Eng72] Zur Anwendung kubischer Splines auf die Richardson-Extrapolation, *Jber. Deutsch. Math.-Verein.* **74** (1972), 66–83.
- [Eng72b] Allgemeine interpolierende Splines vom Grade 3, *Computing* **10** (1972), 365–374.
- [Eng74] Allgemeine interpolierende Splines dritten Grades, *Z. Angew. Math. Mech.* **54** (1974), 215–217.
- [Eng76] Ergebnisse der Anwendung kubischer Splines bei der Richardson-Extrapolation, in *Spline Functions, Karlsruhe 1975*, K. Böhmer, G. Meinardus, and W. Schempp (eds.), Heidelberg, Lecture Notes in Math. 501, Springer, 1976, 75–107.
- EPPERSON, J. F.
- [Epp87] On the Runge example, *Appl. Math. Mech.* **94** (1987), 329–341.
- ETTINGER, B., S. GUILLAS, AND M.-J. LAI
- [EttGL12] Bivariate splines for ozone concentration forecasting, *Environmetrics* **23** (2012), 317–328.

EUBANK, R. L.

- [Eub84] The hat matrix for smoothing splines, *Stat. Prob. Lett.* **2** (1984), 9–14.
- [Eub86] A note on smoothness priors and nonlinear regression, *J. Amer. Statist. Assoc.* **81** (1986), 514–517.
- [Eub88] *Spline Smoothing and Nonparametric Regression*, Marcel Dekker, New York, 1988.
- [Eub04] A simple smoothing spline. III, *Comput. Statist.* **19** (2004), 227–241.

EUBANK, R. L. AND R. F. GUNST

- [EubG86] Diagnostics for penalized least-squares estimators, *Statist. Probab. Lett.* **4** (1986), 265–272.

EWALD, S., H. MÜHLIG, AND B. MULANSKY

- [EwaMM89] Bivariate interpolating and smoothing tensor product splines, *Splines in Numerical Analysis*, J. W. Schmit and H. Späth (eds.), Akademie-Verlag, Berlin, 1989, 55–68.

EWING, D. J. E., A. J. FAWKES, AND J. R. GRIFFITHS

- [EwiFG70] Rules governing the numbers of nodes and elements in a finite element mesh, *Internat. J. Numer. Meth. Engr.* **2** (1970), 597–600.

EYRE, D.

- [Eyre84] Splines and a three-body separable expansion for scattering problems, *J. Comput. Phys.* **56** (1984), 149–164.
- [Eyre87] Solving three-body integral equations with blending functions, *J. Comput. Phys.* **73** (1987), 447–460.
- [Eyre94] Cubic spline-projection method for two-dimensional integral equations of scattering theory, *J. Comput. Phys.* **114** (1994), 1–8.
- [Eyre95] Spline-Galerkin solution of dynamic equations for particle comminution and collection, *J. Comput. Phys.* **120** (1995), 305–315.

EYRE, D., C. J. WRIGHT, AND G. REUTER

- [EyrWR88] Spline-collocation with adaptive mesh grading for solving the stochastic collection equations, *J. Comput. Phys.* **78** (1988), 288–304.

FABIAN, V.

- [Fab90] Spline estimation of non-parametric regression functions, with error measured by the supremum norm, *Prob. Th. Rel. Fields* **85** (1990), 57–64.
- [Fab90b] Complete cubic spline estimation of non-parametric regression functions, *Probab. Th. Rel. Fields* **85** (1990), 57–64.

FARIN, G.

- [Far83] Smooth interpolation to scattered 3D data, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), Amsterdam, North Holland, 1983, 43–63.
- [Far86] Triangular Bernstein–Bézier patches, *Comput. Aided Geom. Design* **3** (1986), 83–127.

- [Far88] *Curves and Surfaces for Computer Aided Geometric Design*, Academic Press, NY, 1988.
- FARIN, G., J. HOSCHEK, AND M. S. KIM (EDS).
 [FarHK02] *Handbook of CAGD*, North Holland, Amsterdam, 2002.
- FARMER, K. W. AND M. J. LAI
 [FarL98] Scattered Data Interpolation by C^2 Quintic Splines Using Energy Minimization, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1998, 47–54.
- FAROUKI, R. T. AND T. N. T. GOODMAN
 [FaroG96] On the optimal stability of the Bernstein basis, *Math. Comp.* **65** (1996), 1553–1566.
- FAROUKI, R. T. AND V. T. RAJAN
 [FaroR88] Algorithms for polynomials in Bernstein form, *Comput. Aided Geom. Design* **5** (1988), 1–26.
- FASSHAUER, G. E.
 [Fas07] *Meshfree Approximation Methods with Matlab*, World Scientific, Singapore, 2007.
- FASSHAUER, G. AND L. L. SCHUMAKER
 [FasS96] Minimal energy surfaces using parametric splines, *Comput. Aided Geom. Design* **13** (1996), 45–79.
 [FasS98] Scattered data fitting on the sphere, in *Mathematical Methods for Curves and Surfaces II*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Nashville & London, Vanderbilt University Press, 1998, 117–166.
- FAWZY, TH.
 [Faw88] Lacunary interpolation by splines (0,2,3) case, *Studia Sci. Math. Hungar.* **23** (1988), 335–338.
- FAWZY, TH. AND F. HOLAIL
 [FawH87] Notes on lacunary interpolation with splines. IV. (0, 2) interpolation with splines of degree 6, *J. Approx. Theory* **49** (1987), 110–114.
- FAWZY, T. AND L. L. SCHUMAKER
 [FawS86] A piecewise polynomial lacunary interpolation method, *J. Approx. Theory* **48** (1986), 407–426.
- FENG, Y. Y. AND J. KOZAK
 [FenK91] The convexity of families of adjoint patches for a Bézier triangular surface, *Contemp. Math.* **9** (1991), 301–304.
 [FenK94] On convexity and Schoenberg’s variation diminishing splines, *Journal of China University of Science and Technology* **24** (1994), 129–134.
- FERGUSON, D. R.
 [Fer74] Sign changes and minimal support properties of Hermite-Birkhoff splines with compact support, *SIAM J. Numer. Anal.* **11** (1974), 769–779.

- FERGUSON, D. R., P. D. FRANK, AND A. K. JONES
[FerFJ88] Surface shape control using constrained optimization on the B-spline representation, *Comput. Aided Geom. Design* **5** (1988), 87-103.
- FIGUEREIDO, R. J. P. DE AND A. N. NETRAVALI
[FigN74] Spline approximation to the solution of the linear Fredholm integral equation of the second kind, *SIAM J. Numer. Anal.* **11** (1974), 538-549.
- FILIP, D., R. MAGEDSON, AND R. MARKOT
[FilMM86] Surface algorithms using bounds on derivatives, *Comput. Aided Geom. Design* **3** (1986), 295-311.
- FISCHER, B., G. OPFER, AND M. L. PURI
[FisOP91] A local algorithm for constructing nonnegative cubic splines, *J. Approx. Theory* **64** (1991), 1-16.
- FITZPATRICK, M. AND L. L. SCHUMAKER
[FitS93] On one-to-one bivariate transformations, *J. Approx. Theory* **72** (1993), 40-53.
- FLAHERTY, J. E. AND W. MATHON
[FlaM80] Collocation with polynomial and tension splines for singularly-perturbed boundary value problems, *SIAM J. Sci. Statist. Comput.* **1** (1980), 260-289.
- FLOATER, M. S.
[Flo97] A counterexample to a theorem about the convexity of Powell-Sabin elements, *Comput. Aided Geom. Design* **14** (1997), 383-385.
[Flo99] Total positivity and convexity preservation, *J. Approx. Theory* **96(1)** (1999), 46-66.
- FLOATER, M. S. AND A. ISKE
[FloI96] Multistep scattered data interpolation using compactly supported radial basis functions, *J. Comput. Appl. Math.* **73** (1996), 65-78.
[FloI97] Thinning, inserting, and swapping scattered data, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 139-144.
- FLOATER, M. S. AND J. M. PEÑA
[FloP98] Tensor-product monotonicity preservation, *Adv. Comput. Math.* **9** (1998), 353-362.
[FloP00] Monotonicity preservation on triangles, *Math. Comp.* **69** (2000), 1505-1519.
- FLOATER, M. S. AND E. G. QUAKE
[FloQ98] A semi-prewavelet approach to piecewise linear prewavelets on triangulations, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1998, 63-70.
[FloQ99] Piecewise linear prewavelets on arbitrary triangulations, *Numer. Math.* **82** (1999), 221-252.

- [FloQ00] Linear independence and stability of piecewise linear prewavelets on arbitrary triangulations, *SIAM J. Numer. Anal.* **38** (2000), 58-79.
- FOLEY, T. A.
- [Fol83] Full Hermite interpolation to multivariate scattered data, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1983, 465-470.
- [Fol84] Three-stage interpolation to scattered data, *Rocky Mountain J. Math.* **14** (1984), 141-149.
- [Fol86] Scattered data interpolation and approximation with error bounds, *Comput. Aided Geom. Design* **3** (1986), 163-177.
- [Fol87] Interpolation and Approximation of 3-D and 4-D scattered data, *Comp. Maths. Appls* **13** (1987), 711-740.
- [Fol88] A shape preserving interpolant with tension controls, *Comput. Aided Geom. Design* **5** (1988), 105-118.
- [Fol90] Interpolation of scattered data on a spherical domain, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), London, Chapman & Hall, 1990, 303-310.
- FOLEY, T. A. AND H. S. ELY
- [FolE89] Surface interpolation with tension controls using cardinal bases, *Comput. Aided Geom. Design* **6** (1989), 97-109.
- FOLEY, T. A. AND H. HAGEN
- [FolH94] Advances in scattered data interpolation, *Surveys Math. Indust.* **4** (1994), 71-84.
- FOLEY, T. A. AND G. M. NIELSON
- [FolN80] Smooth interpolation of large sets of scattered data, *Internat. J. Numer. Methods Engrg.* **15** (1980), 1691-1704.
- [FolN80b] Multivariate interpolation to scattered data using delta iteration, in *Approximation Theory III*, E. W. Cheney (ed.), New York, Academic Press, 1980, 419-424.
- FONTANELLA, F.
- [Fon71] Some theorems on lacunary interpolation using piecewise polynomial functions (Italian), *Matemat. Catania* **26** (1971), 183-198.
- [Fon87] Shape preserving surface interpolation, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), New York, Academic Press, 1987, 63-78.
- [Fon90] Shape preserving interpolation, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Dordrecht, Netherlands, Kluwer, 1990, 183-214.
- FORSEY, D. AND R. BARTELS
- [ForB88] Hierarchical B-spline refinement, *Computer Graphics* **22** (1988), 205-212.
- FORTES, M.A., P. GONZÁLEZ, M. PASADAS, AND M. L. RODRIGUEZ

- [ForGPR10] Filling polygonal holes with minimal energy surfaces on Powell-Sabin type triangulations, *J. Comput. Appl. Math.* **234** (2010), 1058–1068.
- [ForGPR11] A hole filling method for surfaces by using C^1 -Powell-Sabin splines. Estimation of the smoothing parameters, *Mathematics and Computers in Simulation* **81** (2011), 2150–2161.
- [ForGPR12] Hole filling on surfaces by discrete variational splines, *Applied Numerical Mathematics* **62** (2012), 1050–1060.
- [ForGPR14] A hole filling method for explicit and parametric surfaces by using C^1 -Powell Sabin splines, *Math. Comput. Simulation* **99** (2014), 71–81.
- FOSTER, J. AND F. B. RICHARDS
- [FosR91] The Gibbs phenomenon for piecewise-linear approximation, *Appl. Math. Mech.* **98** (1991), 47–49.
- [FosR95] Gibbs-Wilbraham splines, *Constr. Approx.* **11** (1995), 37–52.
- FOWLER, A. H. AND C. W. WILSON
- [FowW63] Cubic spline, a curve fitting routine, Report Y-1400, Oak Ridge, 1963.
- FRAELJS DE VEUBEKE, B.
- [Fra68] A conforming finite element for plate bending, *J. Solids Structures* **4** (1968), 95–108.
- [Fra74] Variational principles and the patch test, *Intern. J. Numer. Methods Eng.* **8** (1974), 783–801.
- FRANCHETTI, C. AND E. W. CHENEY
- [FraC84] Minimal projections in tensor-product spaces, *J. Approx. Theory* **41** (1984), 367–381.
- FRANKE, R.
- [Fra82] Smooth interpolation of scattered data by local thin plate splines, *Comp. Maths. Appls.* **8** (1982), 273–281.
- [Fra82b] Scattered data interpolation: tests of some methods, *Math. Comp.* **38** (1982), 181–200.
- [Fra87] Recent advances in the approximation of surfaces from scattered data, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), New York, Academic Press, 1987, 79–98.
- FRANKE, R., H. HAGEN, AND G. M. NIELSON
- [FraHN94] Least squares surface approximation to scattered data using multi-quadratic functions, *Adv. Comput. Math.* **2** (1994), 81–99.
- FRANKE, R. AND G. NIELSON
- [FraN80] Smooth interpolation of large sets of scattered data, *Internat. J. Numer. Meth. Engr.* **15** (1980), 1691–1704.
- [FraN83] Surface approximation with imposed conditions, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), Amsterdam, North Holland, 1983, 135–146.
- [FraN91] Scattered data interpolation and applications: A tutorial and survey, in *Geometric Modeling*, H. Hagen and D. Roller (eds.), Berlin, Springer Verlag, 1991, 131–160.

- [FraN94] Least squares surface approximation to scattered data using multi-quadratic functions, *Adv. Comput. Math.* **2** (1994), 81-99.
- FREDENHAGEN, S., H. J. OBERLE, AND G. OPFER
- [FreOO99] On the construction of optimal monotone cubic spline interpolations, *J. Approx. Theory* **96** (1999), 182-201.
- FREEDEN, W., T. GERVENS, AND M. SCHREINER
- [FreeGS98] *Constructive Approximation on the Sphere*, Oxford University Press, Oxford, 1998.
- FREY, W. H. AND D. FIELD
- [FreyF92] Mesh relaxation for improving triangulations, in *Geometric Aspects of Industrial Design (Wright-Patterson Air Force Base, OH, 1990)*, SIAM, Philadelphia, PA, 1992, 11-24.
- FRIEDMAN, J. H., E. GROSSE, AND W. STUETZLE
- [FriGS83] Multidimensional additive spline approximation, *SIAM J. Sci. Statist. Comput.* **4** (1983), 291-301.
- FRITSCH, F. N. AND J. BUTLAND
- [FriB84] A method for constructing local monotone piecewise cubic interpolants, *SIAM J. Sci. Statist. Comput.* **5** (1984), 300-304.
- FRITSCH, F. N. AND R. E. CARLSON
- [FriC80] Monotone piecewise cubic interpolation, *SIAM J. Numer. Anal.* **17** (1980), 238-246.
- [FriC85] Monotone piecewise bicubic interpolation, *SIAM J. Numer. Anal.* **22** (1985), 386-400.
- [FriC85b] Monotonicity preserving bicubic interpolation: a progress report, *Comput. Aided Geom. Design* **2** (1985), 117-121.
- [FriC89] An algorithm for monotone piecewise bicubic interpolation, *SIAM J. Numer. Anal.* **26** (1989), 230-238.
- [FriC91] A bivariate interpolation algorithm for data that are monotone in one variable, *SIAM J. Sci. Statist. Comput.* **12** (1991), 859-866.
- FRONTINI, M., W. GAUTSCHI, AND G. V. MILOVANOVIĆ
- [FroGM87] Moment-preserving spline approximation on finite intervals, *Numer. Math.* **50** (1987), 503-518.
- FROYLAND, L. A., A. LASKA, AND J. PAJCHEL
- [FroyLP92] Modelling geological structures using splines, in *Mathematical Methods in Computer Aided Geometric Design II*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1992, 287-296.
- FU, Q. X.
- [Fu79] Optimum cubic spline fitting with desired convexity and its algorithms (Chinese), *Acta Math. Appl. Sinica* **2** (1979), 331-339.
- FUCHS, H., A. M. KEDEM, AND S. P. USELTON
- [Fuc77] Optimal surface reconstruction from planar contours, *Commun. ACM* **20** (1977), 693-702.

FYFE, D. J.

[Fyf69] The use of cubic splines in the solution of two-point boundary value problems, *Computer J.* **12** (1969), 188–192.

[Fyf70] The use of cubic splines in the solution of certain fourth order boundary value problems, *Computer J.* **13** (1970), 204–205.

GAFFNEY, P. W.

[Gaf76] The calculation of indefinite integrals of B-splines, *J. Inst. Math. Applics.* **17** (1976), 37–41.

[Gaf78] To compute the optimal interpolation formula, *Math. Comp.* **32** (1978), 763–777.

GAFFNEY, P. W. AND M. J. D. POWELL

[GafP82] Optimal interpolation, in *Numerical Analysis Dundee, 1981*, G. A. Watson (ed.), Berlin, Springer Lecture Notes 912, 1982, 90–99.

GAIER, D.

[Gai70] Saturation bei Spline-Approximation und Quadratur, *Numer. Math.* **16** (1970), 129–140.

GAO, J.

[Gao91] A remark on interpolation by bivariate splines, *Approx. Theory Appl.* **7** (1991), 41–50.

[Gao91b] Interpolation by C^1 quartic bivariate splines, *J. Math. Res. Exposition* **11** (1991), 433–442.

[Gao92] A new finite element of C^1 cubic splines, *J. Comput. Appl. Math.* **40** (1992), 305–312.

[Gao93] A C^2 finite element and interpolation, *Computing* **50** (1993), 69–76.

GALLIGANI, I.

[Gal71] On the smoothing of experimental data (Italian), *Calcolo* **8** (1971), 359–376.

[Gal93] C^1 surface interpolation with constraints, *Numer. Algorithms* **5** (1993), 549–555.

GARCÍA-ESNAOLA, M. AND J. M. PEÑA

[GarP97] Optimal convexity preserving bases, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 119–126.

GANESH, M. AND I. H. SLOAN

[GanS99] Optimal order spline methods for nonlinear differential and integro-differential equations, *Appl. Numer. Math.* **29** (1999), 445–478.

GASPARO, M. G. AND R. MORANDI

[GasM91] Piecewise cubic monotone interpolation with assigned slopes, *Computing* **46** (1991), 355–365.

GAVRILOVIC, M. M.

[Gav75] Optimal approximation of convex curves by functions which are piecewise linear, *J. Math. Anal. Appl.* **52** (1975), 260–282.

GIRARD, DIDIER A.

- [Gir89] A fast ‘Monte-Carlo cross-validation’ procedure for large least squares problems with noisy data, *Numer. Math.* **56** (1989), 1–23.

GMELIG-MEYLING, R. H. J.

- [Gme87] Approximation by cubic C^1 splines on arbitrary triangulations, *Numer. Math.* **51** (1987), 65–85.
- [Gmel87b] On interpolation by bivariate quintic splines of class C^2 , in *Constructive Theory of Functions '87*, B. Sendov, P. Petrushev, K. Ivanov, and R. Maleev (eds.), Sofia, Bulgarian Academy of Sciences, 1987, 152–161.
- [Gmel90] Numerical solution of the biharmonic equation using different types of bivariate spline functions, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), London, Chapman & Hall, 1990, 369–376.

GMELIG-MEYLING, R. H. J. AND P. PFLUGER

- [GemP89] An algorithm for smooth interpolation to scattered data in R^2 , in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1989, 469–480.
- [GemP90] Smooth interpolation to scattered data by bivariate piecewise polynomials of odd degree, *Comput. Aided Geom. Design* **7** (1990), 439–458.

GLÆRUM, S.

- [Gla94] Piecewise polynomial approximation of spheres, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 185–192.

GOCKENBACH, M. S.

- [Goc06] *Understanding and Implementing the Finite Element Method*, SIAM, Philadelphia, 2006.

GOLD, C. M., T. D. CHARTERS, AND J. RAMSDEN

- [GolCR77] Automated contour mapping using triangular element data structures and an interpolant over each irregular triangular domain, *Computer Graphics* **11** (1977), 170–175.

GOLITSCHKE, M. VON

- [Gol72] On the convergence of interpolating periodic spline functions of high degree, *Numer. Math.* **19** (1972), 146–154.
- [Gol79] On n-widths and interpolation by polynomial splines, *J. Approx. Theory* **26** (1979), 132–141.

GOLITSCHKE, M. VON, M.-J. LAI, AND L. L. SCHUMAKER

- [GolS02] Error bounds for minimal energy bivariate polynomial splines, *Numer. Math.* **93** (2002), 315–331.

GOLITSCHKE, M. VON AND L. L. SCHUMAKER

- [GolS90] Data fitting by penalized least squares, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), London, Chapman & Hall, 1990, 210–227.
- [GolS02] Bounds on projections onto bivariate polynomial spline spaces with stable bases, *Constr. Approx.* **18** (2002), 241–254.

- [GolS02b] Penalized least squares fitting, *Serdica Math. J.* **28** (2002), 329-348.
- GOLOMB, M. AND H. F. WEINBERGER
- [GolW59] Optimal approximation and error bounds, in *On Numerical Approximation*, R. E. Langer (ed.), Madison, U. Wis. Press, 1959, 117-190.
- GOMIDE, A. AND J. STOLFI
- [GomS98] Bases for non-homogeneous polynomial C^k splines on the sphere, in *Lecture Notes in Computer Sci.* 1380, Springer (Berlin), 1998, 133-140.
- GONZÁLEZ, J. AND V. ARÉVALO
- [GonA10] Mesh topological optimization for improving piecewise-linear image registration, *J. Math. Imaging Vision* **37** (2010), 166-182.
- GOODMAN, T. N. T.
- [Goo91] Convexity of Bézier nets on triangulations, *Comput. Aided Geom. Design* **2** (1991), 175-180.
- GOODMAN, T. N. T. AND S. L. LEE
- [GooL81] Spline approximation operators of Bernstein-Schoenberg type in one and two variables, *J. Approx. Theory* **33** (1981), 248-263.
- GOODMAN, T. N. T., B. H. ONG, AND K. UNSWORTH
- [GooOU93] Reconstruction of C^1 closed surfaces with branching, in *Geometric modelling*, *Comput. Suppl.*, 8, Springer, Vienna, 1993, 101-115.
- GOODMAN, T. N. T. AND J. PETERS
- [GooP95] Bézier nets, convexity and subdivision on higher-dimensional simplices, *Comput. Aided Geom. Design* **12** (1995), 53-65.
- GOODMAN, T. N. T. AND H. SAID
- [GooS91] A C^1 triangular interpolant suitable for scattered data interpolation, *Comm. Appl. Numer. Methods* **7** (1991), 479-485.
- GOODMAN, T. N. T., H. B. SAID, AND L. H. T. CHANG
- [GooSC95] Local derivative estimation for scattered data interpolation, *Appl. Math. Comput.* **68** (1995), 41-50.
- GOODMAN, T. N. T. AND K. UNSWORTH
- [GooU86] Manipulating shape and producing geometric continuity in β -spline surfaces, *IEEE Comp. Graph. Appl.* **6** (1986), 50-56.
- GORDON, W. J. AND R. F. RIESENFELD
- [GorR74] B-spline curves and surfaces, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), New York, Academic Press, 1974, 95-126.
- [GorR74b] Bernstein-Bézier methods for the computer-aided design of free-form curves and surfaces, *J. Assoc. Comput. Mach.* **21** (1974), 293-310.
- GOSHTASBY, A. A.
- [Gos00] Fitting parametric curves to dense and noisy points, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 227-236.

GOUT, C. AND D. KOMATITSCH

- [GouK00] Surface fitting of rapidly varying data using rank coding: application to geophysical surfaces, *Mathematical Geology* **32(7)** (2000), 873–888.

GRAHAM, N. Y.

- [Gra83] Smoothing with periodic cubic splines, *Bell System Tech. J.* **62** (1983), 101–110.

GRANDINE, T.

- [Gran89] On convexity of piecewise polynomial functions on triangulations, *Comput. Aided Geom. Design* **6** (1989), 181–187.

GREGORY, J. A. AND J. W. ZHOU

- [GreZ91] Convexity of Bézier nets on sub-triangles, *Comput. Aided Geom. Design* **8** (1991), 207–211.

GREINER, H.

- [Gre91] A survey on univariate data interpolation and approximation by splines of a given shape, *Math. Comput. Modelling* **15** (1991), 97–106.
- [Gre94] Surface construction based on variational principles, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 277–286.
- [Gre94b] Variational design and fairing of spline surfaces, *Computer Graphics Forum* **13** (1994), 144–154.

GREINER, G. AND K. HORMANN

- [GreH97] Interpolating and approximating scattered 3D data with hierarchical tensor product B-splines, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 163–172.

GREEN, P. J. AND B. W. SILVERMAN

- [GreeS94] *Nonparametric Regression and Generalized Linear Models: a Roughness Penalty Approach*, Monographs on statistics and applied probability 58, Chapman & Hall, London, New York, 1994.

GREVILLE, T. N. E.

- [Grev64] Numerical procedures for interpolation by spline functions, *SIAM J. Numer. Anal. Ser.B* **1** (1964), 53–68.
- [Grev69] Introduction to spline functions, in *Theory and Applications of Spline Functions*, T. N. E. Greville (ed.), New York, Academic Press, 1969, 1–35.
- [Grev70] Table for third-degree spline interpolation with equally spaced arguments, *Math. Comp.* **24** (1970), 179–183.

GRIGORIEFF, R. D. AND I. H. SLOAN

- [GrigS96] Spline Petrov-Galerkin methods with quadrature, *Numer. Funct. Anal. Optimiz.* **17** (1996), 755–784.

GROSSE, E.

- [Gro80] Tensor spline approximation, *Linear Algebra Appl.* **34** (1980), 29–41.

GROSSE, E. AND J. D. HOBBY

- [GroH94] Improved rounding for spline coefficients and knots, *Math. Comp.* **63** (1994), 175–194.

GRZANNA, J.

- [Grz78] Zweidimensionale Spline-Interpolation über einem Polargitter, *J. Approx. Theory* **22** (1978), 189–201.

GU, CHONG

- [Gu93] Interaction splines with regular data: automatically smoothing digital images, *SIAM J. Scient. Computing* **14** (1993), 218–230.

- [Gu95] Smoothing spline density estimation: conditional distribution, *Statist. Sinica* **5** (1995), 709–726.

- [Gu96] Penalized likelihood hazard estimation: a general procedure, *Statist. Sinica* **6** (1996), 861–876.

GU, CHONG, N. HECKMAN, AND G. WAHBA

- [GuHW92] A note on generalized cross-validation with replicates, *Stat. Probab. Letters* **14** (1992), 283–287.

GUAN, L. AND Y. LI

- [GuaL89] Multivariate polynomial natural spline interpolation to scattered data, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1989, 311–314.

GUILLET, X.

- [Gui97] Interpolation by new families of B-splines on uniform meshes of the plane, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 183–190.

GUO, Z. R.

- [Guo81] A note on lacunary interpolation by splines (Chinese), *Math. Numer. Sinica* **3** (1981), 175–178.

GYORVARV, J.

- [Gyo83] Lakunäre Interpolation mit Spline-Funktionen, *Acta Math. Hung.* **42** (1983), 25–33.

HAGEN, H. AND H. POTTMANN

- [HagP89] Curvature continuous triangular interpolants, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1989, 373–384.

HAGEN, H. AND G. SCHULZE

- [HagS87] Automatic smoothing with geometric surface patches, *Comput. Aided Geom. Design* **4** (1987), 231–235.

HAHMANN, S. , G.-P. BONNEAU, AND R. TALEB

- [HahBT00] Smooth irregular mesh interpolation, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 237–246.

HAHMANN, S. AND S. KONZ

- [HahK97] Fairing bicubic B-spline surfaces using simulated annealing, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 159–168.

HAHN, J. M.

- [Hahn89] Filling polygonal holes with rectangular patches, in *Theory and Practice of Geometric Modelling*, W. Strasser and H.-P. Seidel (eds.), Heidelberg, Springer, 1989, 81–91.

HAKOPIAN, H.

- [Hak83] Integral remainder formula of the tensor product interpolation, *Bull. Pol. Acad. Sci., Math.* **31(5-8)** (1983), 267–272.

HALES, S. J. AND J. LEVESLEY

- [HalL00] Multi-level approximation to scattered data using inverse multiquadrics, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 247–254.

HALL, C. A.

- [Hall68] On error bounds for spline interpolation, *J. Approx. Theory* **1** (1968), 209–218.
- [Hall73] Natural cubic and bicubic spline interpolation, *SIAM J. Numer. Anal.* **10** (1973), 1055–1060.

HALL, C. A. AND W. W. MEYER

- [HalM76] Optimal error bounds for cubic spline interpolation, *J. Approx. Theory* **16** (1976), 105–122.

HALLET, P., E. H. MUND, AND J. P. MUNERT

- [HallMM75] An algorithm for the interpolation of functions using quintic splines, *J. Comput. Appl. Math.* **1** (1975), 279–288.

HÄMMERLIN, G. AND L. L. SCHUMAKER

- [HamS79] Error bounds for the approximation of Green's kernels by splines, *Numer. Math.* **33** (1979), 17–22.
- [HamS80] Procedures for kernel approximation and solution of Fredholm integral equations of the second kind, *Numer. Math.* **34** (1980), 125–141.

HAN, L. AND L. L. SCHUMAKER

- [HanS97] Fitting monotone surfaces to scattered data using C^1 piecewise cubics, *SIAM J. Numer. Anal.* **34** (1997), 569–585.

HANDSCOMB, D. C.

- [Hand66] Spline functions, in *Methods of Numerical Approximation*, D. C. Handscomb (ed.), Oxford, Pergamon Press, 1966, 163–168.
- [Hand66b] Optimal approximation by means of spline functions, in *Methods of Numerical Approximation*, D. C. Handscomb (ed.), Oxford, Pergamon Press, 1966, 177–181.

- [Hand84] Spline representation of incompressible flow, *IMA J. Numer. Anal.* **4** (1984), 491-502.
- HARDER, R. L. AND R. N. DESMARAIS
- [HarD72] Interpolation using surface splines, *Journal Aircraft* **9** (1972), 189-197.
- HARDY, R. L.
- [Hard71] Multiquadric equations of topography and other irregular surfaces, *J. Geophys. Res.* **76** (1971), 1905-1915.
- [Hard75] Research results in the application of multi-quadratic equations to surveying and mapping problems, *Surveying and Mapping* **35** (1975), 321-332.
- [Hard90] Theory and applications of the multiquadric-biharmonic method, *Comp. Math. Appl.* **19** (1990), 163-208.
- HARTLEY, P. J.
- [Hart76] Tensor product approximations to data defined on rectangular meshes in n -space, *Computer J.* **19** (1976), 348-352.
- HAUSSMANN, W.
- [Hau70] Tensorprodukte und mehrdimensionale Interpolation, *Math. Z.* **113** (1970), 17-23.
- [Hau72] Tensorproduktmethoden bei mehrdimensionaler Interpolation, *Math. Z.* **124** (1972), 191-198.
- HAUSSMANN, W. AND K. ZELLER
- [HauZ80] Multivariate approximation and tensor products, in *Approximation Theory III*, E. W. Cheney (ed.), New York, Academic Press, 1980, 495-500.
- HAYES, J. G.
- [Hay70] Fitting data in more than one variable, in *Numerical Approximation to Functions and Data*, J. G. Hayes (ed.), London, Athlone Press, 1970, 84-97.
- [Hay74] Numerical methods for curve and surface fitting, *Bull. Inst. Math. Applics.* **10** (1974), 144-152.
- [Hay74b] Algorithms for curve and surface fitting, in *Software for Numerical Mathematics*, D. J. Evans (ed.), London, Academic Press, 1974, 219-233.
- HAYES, J. G. AND J. HALLIDAY
- [HayH74] The least squares fitting of cubic spline surfaces to general data sets, *J. Inst. Math. Applics.* **14** (1974), 89-103.
- HE, T. X.
- [He94] Admissible location of sample points of interpolation by bivariate C^1 quadratic splines, in *Approximation, Probability, and Related Fields*, G. Anastassiou and S. T. Rachev (eds.), New York, Plenum, 1994, 283-296.
- [He95] Shape criteria of Bernstein-Bézier polynomials over simplexes, *Computers Math. Appl.* **30** (1995), 317-333.
- [He97] Positivity and convexity criteria for Bernstein-Bézier polynomials over simplices, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C.

- Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 169–176.
- HE, X. J. AND Y. H. CHEN
 [HeC06] A haptics-guided hole-filling system based on triangular mesh, *Computer-Aided Design and Applications* **3** (2006), 711–718.
- HE, X. , P. NG, AND S. PORTNOY
 [HeNP98] Bivariate quantile smoothing splines, *J. R. Stat. Soc. Ser. B Stat. Methodol.* **60** (1998), 537–550.
- HE, X. AND P. SHI
 [HeS96] Bivariate tensor-product B-splines in a partly linear model, *J. Multivariate Anal.* **58** (1996), 162–181.
- HEIGHWAY, E.
 [Hei83] A mesh generator for automatically subdividing irregular polygons into quadrilaterals, *IEEE Trans. Magnetism* **19** (1983), 2535–2538.
- HEINDL, G.
 [Hein73] Spline-Funktionen als Interpolationsfunktionen mit Betragsminimalen n -ten Ableitungen und die Approximation von Peanofunktionalen, *Z. Angew. Math. Mech.* **53** (1973), T–161–162.
 [Hein79] Interpolation and approximation by piecewise quadratic C^1 - functions of two variables, in *Multivariate Approximation Theory*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1979, 146–161.
 [Hein85] Construction and applications of Hermite interpolating quadratic spline functions of two and three variables, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1985, 232–252.
- HEINEN, D. AND G.. PLONKA
 [HeinP12] Wavelet shrinkage on paths for denoising of scattered data, *Results in Math.* **62** (2012), 337–354.
- HENNINGER, C. AND K. SCHERER
 [HenS94] On best convex interpolation of curves, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 233–240.
- HENRY, M. S. AND D. SCHMIDT
 [HenS81] Error bounds for polynomial product approximation, *J. Approx. Theory* **31** (1981), 6–21.
- HERRIOT, J. G.
 [Her73] Algorithm 472: Procedures for natural spline interpolation, *Commun. ACM* **12** (1973), 763–768.
- HERRIOT, J. G. AND C. H. REINSCH
 [HerR73] Algol 60 procedures for the calculation of interpolating natural spline functions, *Commun. ACM* **16** (1973), 763–768.
 [HerR76] Algorithm 507: Procedures for quintic natural spline interpolation, *ACM Trans. Math. Software* **2** (1976), 281–289.

- [HerR83] Algorithm 600: Translation of Algorithm 507, Procedures for quintic natural spline interpolation, *ACM Trans. Math. Software* **9** (1983), 258–259.
- HERRMANN, M., B. MULANSKY, AND J. W. SCHMIDT
- [HerMS96] Scattered data interpolation subject to piecewise quadratic range restrictions, *J. Comput. Appl. Math.* **73** (1996), 209–223.
- HESS, W. AND J. W. SCHMIDT
- [HesS86] Convexity preserving interpolation with exponential splines, *Computing* **36** (1986), 335–342.
- [HesS94] Direct methods for constructing positive spline interpolants, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 287–294.
- HESSING, R., H. K. LEE, A. PIERCE, AND E. N. POWERS
- [HessLPP72] Automatic contouring using bicubic functions, *Geophysics* **37** (1972), 669–674.
- HILL, I. D.
- [Hill69] Note on Algorithm 40: Spline interpolation of degree three, *Computer J.* **12** (1969), 409.
- HOEFFDING, W.
- [Hoe74] The L_1 norm of the approximation error for splines with equidistant knots, *J. Approx. Theory* **11** (1974), 176–193.
- HOLLADAY, J. C.
- [Hol57] A smoothest curve approximation, *Math. Tables Aids Computation* **11** (1957), 233–243.
- HÖLLIG, KLAUS
- [Hol82] Multivariate splines, *SIAM J. Numer. Anal.* **19** (1982), 1013–1031.
- [Hol03] *Finite Element Methods with B-Splines*, SIAM, Philadelphia, PA, 2003.
- HÖLLIG, K., J. HÖRNER, AND A. KOPF
- [HolHK00] Web-Spline Methods in Linear Elasticity, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 219–228.
- HÖLLIG, K. AND U. REIF
- [HolR03] Nonuniform WEB-Splines, *Comput. Aided Geom. Design* **5** (2003), 277–294.
- HÖLLIG, K., U. REIF, AND J. WIPPER
- [HolRW01] Weighted extended B-spline approximation of Dirichlet problems, *SIAM J. Numer. Anal.* **39** (2001), 442–462.
- [HolRW01b] Error Estimates for the web-Method, in *Mathematical Methods for Curves and Surfaces III, Oslo, 2000*, T. Lyche and L. L. Schumaker (eds.), Nashville, Vanderbilt University Press, 2001, 195–209.
- [HolRW02] Multigrid methods with web-splines, *Numer. Math.* **91** (2002), 237–255.

HONG, D.

- [Hon95] Optimal triangulations for the best C^1 quartic spline approximation, in *Approximation Theory VIII, Vol. 1: Approximation and Interpolation*, Charles K. Chui and Larry L. Schumaker (eds.), Singapore, World Scientific Publishing Co., Inc., 1995, 249–256.

HONG, C., HUAN-WEN LIU, AND R. MOHAPATRA

- [HonHM98] Optimal triangulations and smoothness conditions for bivariate splines, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1998, 129–136.

HONG, D. AND L. L. SCHUMAKER

- [HonS04] Surface compression using a space of C^1 cubic splines with a hierarchical basis, *Computing* **72** (2004), 79–92.

HORNUNG, U.

- [Hor78] Monotone spline interpolation, in *Numerische Methoden der Approximationstheorie Vol. 4*, L. Collatz, G. Meinardus, and H. Werner (eds.), Basel, Birkhäuser Verlag, 1978, 172–191.
- [Hor79] Numerische Berechnung monotoner und Spline Interpolierender, *Z. Angew. Math. Mech.* **59** (1979), 64–65.
- [Hor80] Interpolation by smooth functions under restriction on the derivatives, *J. Approx. Theory* **28** (1980), 227–237.

HORNUNG, C., W. LELLEK, P. REHWALD, AND W. STRASSER

- [HorLRS85] An area-oriented analytical visibility method for displaying parametrically defined tensor-product surfaces, *Comput. Aided Geom. Design* **2** (1985), 197–205.

HOSCHEK, J. AND D. LASSER

- [HosL93] *Fundamentals of Computer Aided Geometric Design*, AK Peters, Wellesley, MA, 1993.

HOSCHEK, J. AND G. SEEMANN

- [HosS92] Spherical splines, *Math. Methods and Num. Anal.* **26** (1992), 1–22.

HOSKINS, W. D.

- [Hosk71] Table for third-degree spline interpolation using equi-spaced knots, *Math. Comp.* **25** (1971), 797–801.

HOSKINS, W. D., P. R. KING, AND T. H. ANDRES

- [HoskKA72] Interpolation using periodic splines of odd order with equi-distant knots, *Computer J.* **15** (1972), 283–285.

HOSKINS, W. D. AND D. S. MEEK

- [HoskM73] Successive polynomial spline functions approximation, *BIT* **13** (1973), 401–407.
- [HoskM75] Improved estimates for successive polynomial approximation, *Utilitas Math.* **7** (1975), 25–32.

HOSKINS, W. D. AND P. J. PONZO

- [HoskP72] Explicit calculation of interpolating cubic splines on equidistant knots, *BIT* **12** (1972), 54–62.
- HOUSTIS, E. N., C. C. CHRISTARA, AND J. R. RICE
 [HouCR88] Quadratic spline collocation methods for two point boundary value problems, *Intern. J. Numer. Methods Eng.* **26** (1988), 935–952.
- HOUSTIS, E. N., E. A. VAVALIS, AND J. R. RICE
 [HouVR88] Convergence of $O(h^4)$ cubic spline collocation methods for elliptic partial differential equations, *SIAM J. Numer. Anal.* **25** (1988), 54–74.
- HOWELL, GARY AND A. K. VARMA
 [HowV89] Best error bounds for quartic spline interpolation, *J. Approx. Theory* **58** (1989), 58–67.
 [HowV90] (0,2) interpolation with quartic splines, *Numer. Funct. Anal. Optim.* **11** (1990), 929–936.
- HU, S. M.
 [Hu96] Conversion of a triangulated Bézier patch into three rectangular Bézier patches, *Comput. Aided Geom. Design* **13** (1996), 219–226.
 [Hu01] Conversion between triangular and rectangular Bzier patches, *Comput. Aided Geom. Design* **18** (2001), 667–671.
- HU, Y.
 [Hu93] Convex approximation by quadratic splines, *J. Approx. Theory* **74** (1993), 69–82.
- HU, Y., D. LEVIATAN, AND X. M. YU
 [HuLX94] Convex polynomial and spline approximation in $C[-1, 1]$, *Constr. Approx.* **10** (1994), 31–64.
 [HuLX95] Copositive polynomial and spline approximation, *J. Approx. Theory* **80** (1995), 204–218.
- HU, C. L. AND L. L. SCHUMAKER
 [HuS85] Bivariate natural spline smoothing, in *Delay Equations, Approximation and Application*, G. Meinardus & G. Nürnberger (eds.), Basel, Birkhäuser, 1985, 165–179.
 [HuS86] Complete spline smoothing, *Numer. Math.* **49** (1986), 1–10.
- HUANG, D. R.
 [Hua82] A sufficient condition of monotone cubic splines (Chinese), *Math. Num. Sinica* **4** (1982), 214–217.
 [Hua83] Lacunary interpolation by quintic splines with nonequidistant mesh, *Math. Numer. Sinica* **5** (1983), 142–148.
- HUTCHINSON, M. F. AND F. R. DE HOOG
 [HutH85] Smoothing noisy data with spline functions, *Numer. Math.* **47** (1985), 99–106.
- HUYNH, H. T.
 [Huy93] Accurate monotone cubic interpolation, *SIAM J. Numer. Anal.* **30** (1993), 57–101.

HYMAN, J. M.

- [Hy83] Accurate monotonicity preserving cubic interpolation, *SIAM J. Sci. Statist. Comput.* **4** (1983), 645–654.

ICHIDA, K., F. YOSHIMOTO, AND T. KIYOMO

- [IchYK73] Data fitting by a spline, *Mem. Fac. Eng. Kyoto Univ.* **35** (1973), 237–250.
- [IchYK77] Curve fitting by a one-pass method with a piecewise cubic polynomial, *ACM Trans. Math. Software* **3** (1977), 164–174.

ILIEV, G. L.

- [Ili78] Exact estimates for partially monotone approximation, *Analysis Mathematica* **4** (1978), 181–197.

INNANEN, K. A.

- [Inn67] An example of precise interpolation with a spline function, *J. Comp. Phys.* **2** (1967), 303–304.

IQBAL, R.

- [Iqb92] A one-pass algorithm for shape preserving quadratic spline interpolation, *SIAM J. Scient. Computing* **7** (1992), 359–376.
- [Iqb97] On spline regularized inversion of noisy Laplace transforms, *J. Comput. Appl. Math.* **83** (1997), 39–54.

IRODOTOU-ELLINA, M. AND E. N. HOUSTIS

- [IroH88] An $O(h^6)$ quintic spline collocation method for fourth order two-point boundary value problems, *BIT* **28** (1988), 288–301.

IRONS, B. M

- [Iron69] A conforming quartic triangular element for plate bending, *Internat. J. Numer. Meth. Engr.* **1** (1969), 29–46.

ISKE, A.

- [Isk04] *Multiresolution Methods in Scattered Data Modelling*, Lecture Notes in Computational Science and Engineering 37, Springer-Verlag, Berlin, 2004.

ISKE, A. AND J. LEVESLEY

- [IskL05] Multilevel scattered data approximation by adaptive domain decomposition, *Numer. Algorithms* **39** (2005), 187–198.

IVANOV, K. G. AND B. POPOV

- [IvaP96] On convex approximation by quadratic splines, *J. Approx. Theory* **85** (1996), 110–114.

JACOBSON, D. H., M. M. LELE, AND J. L. SPEYER

- [JacLS71] New necessary conditions of optimality for control problems with state-variable inequality constraints, *J. Math. Anal. Appl.* **35** (1971), 255–284.

JAIN, M. K.

- [Jai79] Spline function approximations in discrete mechanics, *Internat. J. Non-Linear Mech.* **14** (1979), 341–348.

JAIN, M. K. AND TAQIR AZIZ

- [JaiA81] Spline functions approximation for differential equations, *Comp. Math. Appl. Mech. Engineering* **26** (1981), 129–143.

JAKIMOVSKI, A. AND D. C. RUSSELL

- [JaKR79] On an interpolation problem for several variable and spline functions, in Proc. Conf. Math. Res. Inst., Oberwolfach, 1979, ISNM 33, Birkhäuser, Basel, 1979, 162–197.
- [JaKR80] On an interpolation problem and spline functions, in *General Inequalities II*, E. F. Beckenbach (ed.), Birkhäuser, Basel, 1980, 205–231.
- [JaKR85] Spline interpolation of data of power growth applied to discrete and continuous Riesz means, *Analysis* **5** (1985), 287–299.

JAKUBCZYK, K.

- [Jaku79] Interpolation by polynomial spline functions of second degree, *Zeszyty Nauk. Politech. Slask. Mat.-Fiz.* **30** (1979), 309–322.

JEEAWOCK-ZEDEK, F.

- [Jee92] Interpolation scheme by C^1 cubic splines on a nonuniform type-2 triangulation of a rectangular domain, *C. R. Acad. Sci. Paris Sr. I Math.* **314** (1992), 413–418.
- [Jee94] Operator norm and error bounds for interpolating quadratic splines on a non-uniform type-2 triangulation of a rectangular domain, *Approx. Theory Appl.* **10** (1994), 1–16.

JENKINS, W. A.

- [Jen27] Graduation based on a modification of osculatory interpolation, *Trans. Actuar. Soc. Amer.* **28** (1927), 198.

JENTZSCH, G., G. LANGE, AND O. ROSENBACH

- [JenLR74] Anwendung der Spline-Funktionen zur Bearbeitung geophysikalischer Messreihen, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), New York, Academic Press, 1974, 99–115.

JEROME, J. AND L. L. SCHUMAKER

- [JerS68] A note on obtaining natural spline functions by the abstract approach of Atteia and Laurent, *SIAM J. Numer. Anal.* **5** (1968), 657–663.

JETTER, K.

- [Jet74] Splines und Quadraturformeln, in *Spline-Funktionen*, K. Böhmer, G. Meinardus, and W. Schempp (eds.), Mannheim, Bibliographisches Institut, 1974, 155–163.
- [Jet93] Riesz bounds in scattered data interpolation and L_2 -approximation, in *Multivariate Approximation: From CAGD to Wavelets*, Kurt Jetter and Florencio Utreras (eds.), Singapore, World Scientific Publishing, 1993, 167–177.

JETTER, K. AND J. STÖCKLER

- [JetS97] Topics in scattered data interpolation and non-uniform sampling, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and

- L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 191–208.
- JETTER, K., J. STÖCKLER, AND J. D. WARD
- [JetSW98] Norming sets and scattered data approximation on spheres, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1998, 137–144.
- JIA, R. Q.
- [Jia83] Approximation by smooth bivariate splines on a three-direction mesh, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1983, 539–545.
- [Jia88] Spline interpolation at knot averages, *Constr. Approx.* **4** (1988), 1–7.
- JOE, B.
- [Joe91] Construction of three-dimensional Delaunay triangulations using local transformations, *Comput. Aided Geom. Design* **8** (1991), 123–142.
- JOHNSON, O. G.
- [Joh69] Error bounds for Sturm-Liouville eigenvalue approximations by several piecewise cubic Rayleigh-Ritz methods, *SIAM J. Numer. Anal.* **6** (1969), 317–333.
- JOHNSTON, B. P., J. M. SULLIVAN, AND A. KWASNIK
- [JohSK91] Automatic conversion of a triangular finite meshes to quadrilateral elements, *Intern. J. Numer. Methods Eng.* **31** (1991), 67–84.
- JONES, A. K.
- [Jon87] Shape control of curves and surfaces through constrained optimization, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), Philadelphia, SIAM Publications, 1987, 265–280.
- JUPP, D. L.
- [Jupp78] Approximation to data by splines with free knots, *SIAM J. Numer. Anal.* **15** (1978), 328–343.
- JÜTTLER, B.
- [Jut96] Construction of surfaces by shape preserving approximation of contour data, in *Advanced course on FAIRSHAPE*, J. Hoschek, P. Kaklis (eds.), Stuttgart, Teubner, 1996, 217–227.
- [Jut97] Surface fitting using convex tensor-product splines, *J. Comput. Appl. Math.* **84** (1997), 23–44.
- JÜTTLER, B. AND A. FELIS
- [JutF02] Least-squares fitting of algebraic spline surfaces, *Adv. Comput. Math.* **17** (2002), 135–152.
- KAASA, J. AND G. WESTGAARD
- [KaaW97] Analysis of curvature related surface shape properties, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 211–215.

KAISHEV, V. K.

- [Kai89] Optimal experimental designs for the B-spline regression, *Comp. Stat. Data Anal.* **8** (1989), 39–47.

KAKLIS, P. D. AND D. G. PANDELIS

- [KakP90] Convexity-preserving polynomial splines of non-uniform degree, *IMA J. Numer. Anal.* **10** (1990), 223–234.

KAMMERER, W. J. AND G. W. REDDIEN

- [KamR72] Local convergence of smooth cubic spline interpolates, *SIAM J. Numer. Anal.* **9** (1972), 687–694.

KAMMERER, W. J., G. W. REDDIEN, AND R. S. VARGA

- [KamRV74] Quadratic interpolatory splines, *Numer. Math.* **22** (1974), 241–259.

KAMONT, ANNA

- [Kamo99] Weighted moduli of smoothness and spline spaces, *J. Approx. Theory* **98** (1999), 25–55.

KANSA, E. J.

- [Kan90] Multiquadrics—a scattered data approximation scheme with applications to computational fluid-dynamics—I: surface approximations and partial derivative estimates, *Comput. Math. Appl.* **19** (1990), 127–145.

- [Kan90b] Multiquadrics—a scattered data approximation scheme with applications to computational fluid-dynamics—II: Solutions to parabolic, hyperbolic, and elliptic partial differential equations, *Comput. Math. Appl.* **19** (1990), 147–161.

KAPL, M. AND B. JÜTTLER

- [KapJ09] A multiresolution analysis for tensor-product splines using weighted spline wavelets, *J. Comput. Appl. Math.* **231** (2009), 828–839.

KAPPEL, F. AND D. SALAMON

- [KapS87] Spline approximation for retarded systems and the Riccati equation, *SIAM J. Control Optim.* **25** (1987), 1082–1117.

KARLIN, S. AND J. M. KARON

- [KarK68] A variation diminishing generalized spline approximation method, *J. Approx. Theory* **1** (1968), 255–268.

- [KarK72] On Hermite-Birkhoff interpolation, *J. Approx. Theory* **6** (1972), 90–115.

- [KarK72b] Poised and non-poised Hermite-Birkhoff interpolation, *Indiana Univ. Math. J.* **21** (1972), 1131–1170.

KARLIN, S. AND A. PINKUS

- [KarP76] Interpolation by splines with mixed boundary conditions, in *Studies in Spline Functions and Approximation Theory*, S. Karlin, C. Micchelli, A. Pinkus, and I. Schoenberg (eds.), New York, Academic Press, 1976, 305–325.

KARWEIT, M.

- [Karw80] Optimal objective mapping: a technique for fitting surfaces to scattered data, in *Advanced Concepts in Ocean Measurements for Marine Biology*, F. P. Diemer, F. J. Vernberg, and D. Z. Mirkes (eds.), Columbia SC, Univ. of S.C. Press, 1980, 81–89.
- KEPPEL, E.
 [Kep75] Approximating complex surfaces by triangulation of contour lines, *IBM J. Res. Develop.* **19** (1975), 2–11.
- KERSHAW, D.
 [Ker71] A note on the convergence of natural cubic splines, *SIAM J. Numer. Anal.* **8** (1971), 67–74.
 [Ker72] The orders of approximation of the first derivative of cubic splines at the knots, *Math. Comp.* **26** (1972), 191–198.
- KHATAMOV, A.
 [Kha82] Spline-approximation of functions with a convex derivative (Russian), *Mat. Zametki* **31** (1982), 877–887.
- KILBERTH, K.
 [Kil73] Eine Randbedingung für kubische Spline-funktionen, *Computing* **11** (1973), 59–67.
 [Kil74] Über Typen von kubischen Spline-funktionen, *Z. Angew. Math. Mech.* **54** (1974), 224–225.
- KIM, S. D. AND S. V. PARTER
 [KimP95] Preconditioning cubic spline collocation discretizations of elliptic equations, *Numer. Math.* **72** (1995), 39–72.
- KIMELDORF, G. AND G. WAHBA
 [KimeW70] Spline functions and stochastic processes, *Sankhya* **32** (1970), 173–180.
 [KimeW70b] A correspondence between Bayesian estimation on stochastic processes and smoothing by splines, *Ann. Math. Stat.* **41** (1970), 495–502.
- KIMN, H. J. AND H. KIM
 [KimnK84] On the error analysis of some piecewise cubic interpolating polynomials, *Kyunpook Math. J.* **24** (1984), 55–61.
- KLIMENKO, N. S.
 [Kli78] Smoothing by convex cubic splines (Russian), *Akad. Nauk. Ukrain SSR.* **26** (1978), 3–10.
- KLUCEWICZ, I. M.
 [Klu77] A piecewise C^1 interpolant to arbitrarily spaced data, *Computer Graphics Image Proc.* **8** (1977), 92–112.
- KNUDON, W. AND D. NAGY
 [KnuN74] Discrete data smoothing by spline interpolation with application to geometry of cable nets, *Comput. Meth. Appl. Mech. Eng.* **4** (1974), 321–348.
- KOBZA, J.

- [Kob92] Quadratic splines smoothing the first derivatives, *Appl. Math.* **37** (1992), 149–156.
- [Kob95] Computing local parameters of biquartic interpolatory splines, *J. Comput. Appl. Math.* **63** (1995), 229–236.
- KOBZA, J. AND J. MLCAK
- [KobM94] Biquadratic splines interpolating mean values, *Appl. Math.* **39** (1994), 339–356.
- KOELLING, M. E. V. AND E. H. T. WHITTEN
- [KoeW73] FORTRAN IV program for spline surface interpolation and contour map production, *Geocomprograms* **9** (1973), 1–12.
- KOHLER, M.
- [Koh97] On the universal consistency of a least squares spline regression estimator, *Math. Methods Statist.* **6** (1997), 349–364.
- [Koh98] Nonparametric regression function estimation using interaction least squares splines and complexity regularization, *Metrika* **47** (1998), 147–163.
- [Koh08] A regression-based smoothing spline Monte Carlo algorithm for pricing American options in discrete time, *AStA Adv. Stat. Anal.* **92** (2008), 153–178.
- KONG, V. P. AND B. H. ONG
- [KonO09] Shape preserving approximation by spatial cubic splines, *Comput. Aided Geom. Design* **26** (2009), 888–903.
- KONG, V. P., B. H. ONG, AND K. H. SAW
- [KonOS04] Range restricted interpolation using cubic Bézier triangles, in *Proc. of Computer Graphics, Visualization and Computer Vision*, Science Press, Union Agency, Plzen, 2004, 125–132.
- KOSACHEVSKAJA, L. L., V. V. ROMANOVSTEV, AND I. E. SHPARLINSKI
- [KosRS83] On the spline-based method for experimental data deconvolution, *Comput. Phys. Comm.* **29** (1983), 227–230.
- KOTYCZKA, U. AND P. OSWALD
- [KotO80] Piecewise linear prewavelets of small support, in *Approximation Theory III*, E. W. Cheney (ed.), New York, Academic Press, 1980, 235–242.
- KRAUS, K.
- [Kra72] Film deformation correction with least squares interpolation, *Photogrammetric Engr.* **38** (1972), 487–493.
- KRAUS, K. AND E. M. MIKHAIL
- [KraM72] Linear least squares interpolation, *Photogrammetric Engr.* **38** (1972), 1016–1029.
- KUO, C. S.
- [Kuo74] On the boundary values of the derivatives of splines of degree three, *Acta Math. Sinica* **17** (1974), 234–241.
- [Kuo75] Lacunary interpolation using splines, *Acta Math. Sinica* **18** (1975), 247–253.

KVASOV, B. I.

- [Kva00] *Methods of Shape Preserving Spline Approximation*, World Scientific Publishing Co, Singapore, 2000.
- [Kva13] Monotone and convex interpolation by weighted cubic splines, *Comput. Math. Math. Phys.* **53** (2013), 1428-1439.

LAI, M. J.

- [Lai93] Some sufficient conditions for convexity of multivariate Bernstein-Bézier polynomials and box spline surfaces, *Studia Scientiarum Math. Hungarica* **28** (1993), 363–374.
- [Lai95] Bivariate spline spaces on FVS-triangulations, in *Approximation Theory VIII, Vol. 1: Approximation and Interpolation*, Charles K. Chui and Larry L. Schumaker (eds.), Singapore, World Scientific Publishing Co., Inc., 1995, 309–316.
- [Lai96] Scattered data interpolation and approximation using bivariate C^1 piecewise cubic polynomials, *Comput. Aided Geom. Design* **13** (1996), 81–88.
- [Lai96b] On C^2 quintic spline functions over triangulations of Powell–Sabin’s type, *J. Comput. Appl. Math.* **73** (1996), 135–155.
- [Lai08] Multivariate splines for data fitting and approximation, in *Approximation Theory XII: San Antonio 2007*, M. Neamtu, and L. L. Schumaker (eds.), Brentwood, TN, Nashboro Press, 2008, 210–228.

LAI, M. J. AND L. L. SCHUMAKER

- [LaiS97] Scattered data interpolation using C^2 supersplines of degree six, *SIAM J. Numer. Anal.* **34** (1997), 905–921.
- [LaiS99] On the approximation power of splines on triangulated quadrangulations, *SIAM J. Numer. Anal.* **36** (1999), 143–159.
- [LaiS02] Quadrilateral macro-elements, *SIAM J. Math. Anal.* **33** (2002), 1107–1116.
- [LaiS03] Macro-elements and stable local bases for splines on Powell–Sabin triangulations, *Math. Comp.* **72** (2003), 335–354.
- [LaiS07] *Spline Functions on Triangulations*, Cambridge Univ. Press, Cambridge, 2007.
- [LaiS09] A domain decomposition method for computing bivariate spline fits of scattered data, *SIAM J. Numer. Anal.* **47** (2009), 911-928.

LAI, M. J., C. LIU, AND P. WENSTON

- [LaiLW03] Bivariate spline method for numerical solution of time evolution Navier-Stokes equations over polygons in stream function formulation, *Numer. Methods Partial Differential Equations* **19** (2003), 776-827.

LAI, M. J., C. K. SHUM, V. BARAMIDZE, AND P. WENSTON

- [LaiSBW08] Triangulated spherical splines for geopotential reconstruction, *J. Geodesy* **83** (2008), 695-708.

LAI, M. J. AND L. WANG

- [LaiW13] Bivariate penalized splines for regression, *Statist. Sinica* **23** (2013), 1399-1417.

LAI, M. J. AND P. WENSTON

- [LaiW96] On multilevel bases for elliptic boundary value problems, *J. Comput. Appl. Math.* **71** (1996), 95–113.
- [LaiW98] Bivariate Spline Method for Navier-Stokes Equations: Domain Decomposition Technique, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1998, 153–160.
- [LaiW99] Bivariate spline method for numerical solution of steady state Navier-Stokes equations over polygons in stream function formulation, in *Advances in Computational Mathematics*, Z. Chen, Y. Li, C. Micchelli, and Y. Xu (eds.), New York, Marcel Dekker, 1999, 245–277.
- [LaiW00] On Schwarz’s domain decomposition methods for elliptic boundary value problems, *Numer. Math.* **84** (2000), 475–495.
- [LaiW00b] Bivariate spline method for numerical solution of steady state Navier-Stokes equations over polygons in stream function formulation, *Numer. Methods Partial Differential Equations* **16** (2000), 147–183.
- [LaiW04] Bivariate splines for fluid flows, *Comput. and Fluids* **33** (2004), 1047–1073.
- [LaiW04b] L_1 spline methods for scattered data interpolation and approximation, *Adv. Comput. Math.* **21** (2004), 293–315.

LAI, M. J., P. WENSTON, AND L. YING

- [LaiWY02] Bivariate C^1 cubic splines for exterior biharmonic equations, in *Approximation Theory X: Wavelets, Splines, and Applications*, C. K. Chui, L. L. Schumaker, and J. Stöckler (eds.), Nashville, Vanderbilt University Press, 2002, 385–404.

LAMBERT, J. A.

- [Lam71] Statistical data smoothing by splines, *J. Royal Stat. Soc.* **X** (1971), XX.

LAMNIL, A., H. MRAOUI, AND D. SBIBIH

- [LamMS08] Recursive computation of Hermite spherical spline interpolants, *J. Comput. Appl. Math.* **213** (2008), 439–453.

LANE, J. M. AND R. F. RIESENFELD

- [LanR80] A theoretical development for the computer generation and display of piecewise polynomial surfaces, *IEEE Trans. Pattern Anal. Mach. Intellig.* **2** (1980), 35–46.

LARKIN, F. M.

- [Lar78] A further optimal property of natural polynomial splines, *J. Approx. Theory* **22** (1978), 360–367.

LASSER, D.

- [Las02] Tensor product Bézier surfaces on triangle Bézier surfaces, *Comput. Aided Geom. Design* **19** (2002), 625–643.

LAURENT, P. J.

- [Lau72] *Approximation et Optimisation*, Hermann, Paris, 1972.

LAURENT, P. J. AND F. I. UTRERAS

- [LauU86] Optimal smoothing of noisy broken data, *Approx. Theory Appl.* **2** (1986), 71–94.

LAVERY, JOHN

- [Lav00] Univariate cubic L_p splines and shape-reserving multiscale interpolation by univariate L_1 -splines, *Comput. Aided Geom. Design* **17** (2000), 319–336.
- [Lav04] The state of the art in shape-preserving multiscale modeling by L_1 splines, in *Geometric Modeling and Computing: Seattle, 2003*, M. L. Lucian and M. Neamtu (eds.), Brentwood TN, Nashboro Press, 2004, 365–376.

LAWSON, C. L.

- [Law72] Transforming triangulations, *Discrete Math.* **3** (1972), 365–372.
- [Law77] Software for C^1 surface interpolation, in *Mathematical Software III*, J. R. Rice (ed.), New York, Academic Press, 1977, 161–194.
- [Law84] C^1 surface interpolation for scattered data on a sphere, *Rocky Mountain J. Math.* **14** (1984), 177–202.
- [Law86] Properties of n -dimensional triangulations, *Comput. Aided Geom. Design* **3** (1986), 231–246.

LAYTON, A. T., C. C. CHRISTARA, AND K. R. JACKSON

- [LayCJ06] Quadratic spline methods for the shallow water equations on the sphere: Galerkin, *Math. Comput. Simul.* **71** (2006), 175–186.
- [LayCJ06b] Quadratic spline methods for the shallow water equations on the sphere: collocation, *Math. Comput. Simul.* **71** (2006), 187–205.

LEE, S. L. AND G. M. PHILLIPS

- [LeeP88] Interpolation on the simplex by homogeneous polynomials, in *Numerical Mathematics*, J. Wilson, R. P. Argarwal, and Y. M. Chow (eds.), Basel, ISNM Vol. 86, Birkhäuser Verlag, 1988, 295–305.

LEE, D. T. AND B. J. SCHACHTER

- [LeeS80] Two algorithms for constructing a Delaunay triangulation, *Int. J. Comp. Inf. Sci.* **9** (1980), 219–242.

LEE, E. T. Y. AND R. F. SINCOVEC

- [LeeSi73] Spline function collocation methods for linear boundary value problems, *Bull. Inst. Math. Acad. Sinica* **1** (1973), 41–55.

LEE, S. L. AND H. H. TAN

- [LeeT96] Smooth Bézier surfaces over simple triangular meshes, *Ann. Numer. Math.* **3** (1996), 181–208.

LEE, S., G. WOLBERG, AND S. Y. SHIN

- [LeeWS97] Scattered data interpolation with multilevel B-splines, *IEEE Trans. Visualization Comput. Graphics* **3** (1997), 228–244.

LÉGER, M.

- [Leg97] Interpolation with triangulations and curvature minimization, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L.

Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 263–270.

LEMÉHAUTÉ, A.

[LeM82] Construction of surfaces of class C^k on a domain Ω in \mathbb{R}^2 after triangulation, in *Multivariate Approximation Theory II*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1982, 223–240.

[Lem84] Approximation of derivatives in \mathbb{R}^n application: construction of surfaces in \mathbb{R}^n , in *Approximation Theory and Spline Functions*, S. P. Singh, J. H. W. Burry, and B. Watson (eds.), Dordrecht, Reidel, 1984, 361–378.

LEMÉHAUTÉ, A. AND Y. LAFRANCHE

[LeML89] A knot removal strategy for scattered data in \mathbb{R}^2 , in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1989, 419–426.

LE MÉHAUTÉ, A., L. L. SCHUMAKER, AND L. TRAVERSONI

[LeMST96] Multivariate scattered data fitting, *J. Comput. Appl. Math.* **73** (1996), 1–4.

LEUNG, N. K. AND R. J. RENKA

[LeuR99] C^1 convexity-preserving interpolation of scattered data, *SIAM J. Sci. Comput.* **20** (1999), 1732–1752.

LEVIN, D.

[Lev98] The approximation power of moving least squares, *Math. Comp.* **67** (1998), 1517–1531.

LEVESLEY, J. AND D. L. RAGOZIN

[LevR00] Local approximation on manifolds using radial functions and polynomials, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 2000, 291–300.

LI, A.

[Li99] Convexity preserving interpolation, *Comput. Aided Geom. Design* **16** (1999), 127147.

LI, K.-C.

[Li86] Asymptotic optimality of C_L and generalized cross-validation in ridge regression with application to spline smoothing, *Annals Stat.* **14** (1986), 1101–1112.

LI, W.

[Li97] Unconstrained minimization of quadratic splines and applications, in *Multivariate Approximation and Splines, ISNM 125*, G. Nürnberger, J. W. Schmidt, and G. Walz (eds.), Basel, Birkhäuser, 1997, 113–128.

LIGHT, W. A. AND E. W. CHENEY

[LightC85] *Approximation Theory in Tensor Product Spaces*, Springer-Verlag Lecture Notes 1169, New York, 1985.

LIGHT, W. A., M. V. GOLITSCHKEK, AND E. W. CHENEY

- [LightGC92] Approximation with monotone norms in tensor product spaces, *J. Approx. Theory* **68** (1992), 183–205.
- LIGUN, A. A.
 [Ligun76] Exact inequalities of spline functions and optimal quadrature formula, *Math. Z.* **16** (1976), 913–926.
- LINO, L AND J. WILDE
 [LinW91] Subdivision of triangular Bézier patches into rectangular Bézier patches, *Adv. Design Automation* **32** (1991), 1–6.
- LIPOW, P. R.
 [Lip73] Spline functions and intermediate best quadrature formulas, *SIAM J. Numer. Anal.* **10** (1973), 127–136.
- LIU, R.-J. AND P. HU
 [LiuH11] Algorithm of automatically filling hole on covering surface based on mesh information, *J. of Jilin Univ.(Engineering and Technology Edition)* **41** (2011), 1322–1325.
- LIU, R.-J., Y.-Q. SONG, P. HU, AND W. GUO
 [LiuSHG09] Filling holes algorithm for automobile panel based on BRep, *J. of Jilin Univ.(Engineering and Technology Edition)* **39** (2009), 292–295.
- LIU, X. AND Y. ZHU
 [LiuZ95] A characterization of certain C^2 discrete triangular interpolants, *Comput. Aided Geom. Design* **12** (1995), 329–348.
- LOCKER, J.
 [Loc71] The method of least squares for boundary-value problems, *Trans. Amer. Math. Soc.* **154** (1971), 57–68.
- LOH, R.
 [Loh81] Convex B-spline surfaces, *Computer-Aided Design* **13** (1981), 145–149.
- LORENTE-PARDO, J., P. SABLONNIÈRE, AND M. C. SERRANO-PÉREZ
 [LorSS97] On convexity and subharmonicity of some functions on triangles, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1997, 271–278.
- [LorSS98] On the convexity of Powell–Sabin finite elements, in *Advances in Computational Mathematics*, C. Micchelli, and Y. Xu (eds.), New York, Marcel Dekker, 1998, 395–404.
- [LorSS00] On the convexity of C^1 surfaces associated with some quadrilateral finite elements, *Adv. Comp. Math.* **13** (2000), 271–292.
- [LorSS00b] On the convexity of Bézier nets of quadratic Powell–Sabin splines on 12-fold refined triangulations, *J. Comput. Appl. Math.* **115** (2000), 383–396.
- LOSCALZO, FRANK R.
 [Los69] An introduction to the application of spline functions to initial value problems, in *Theory and Applications of Spline Functions*, T. N. E. Greville (ed.), New York, Academic Press, 1969, 37–64.

LOSCALZO, F. R. AND T. D. TALBOT

- [LosT67] Spline function approximations for solutions of ordinary differential equations, *SIAM J. Numer. Anal.* **4** (1967), 433–445.

LUCAS, T. R.

- [Luc74] Error bounds for interpolating cubic splines under various end conditions, *SIAM J. Numer. Anal.* **11** (1974), 569–584.
- [Luc82] Asymptotic expansions for interpolating periodic splines, *SIAM J. Numer. Anal.* **19** (1982), 1051–1066.
- [Luc83] A posteriori improvements for interpolating periodic splines, *Math. Comp.* **40** (1983), 243–251.

LUCAS, T. R. AND G. W. REDDIEN

- [LucR72] Some collocation methods for nonlinear boundary-value problems, *SIAM J. Numer. Anal.* **9** (1972), 341–356.
- [LucR73] A high order projection method for nonlinear two-point boundary-value problems, *Numer. Math.* **20** (1973), 257–270.

LYCHE, T.

- [Lyc92] Knot removal for spline curves and surfaces, in *Approximation Theory VII*, E. W. Cheney, C. Chui, and L. Schumaker (eds.), New York, Academic Press, 1992, 207–226.

LYCHE, T., E. COHEN, AND K. MØRKEN

- [LycCM85] Knot line refinement algorithms for tensor product B-spline surfaces, *Comput. Aided Geom. Design* **2** (1985), 133–139.

LYCHE, T. AND K. MØRKEN

- [LycM86] Making the Oslo algorithm more efficient, *SIAM J. Numer. Anal.* **23** (1986), 663–675.
- [LycM87] A discrete approach to knot removal and degree reduction algorithms for splines, in *Algorithms for the Approximation of Functions and Data*, J. C. Mason and M. G. Cox (eds.), Oxford, Oxford Univ. Press, 1987, 67–82.
- [LycM88] A data reduction strategy for splines, *IMA J. Numer. Anal.* **8** (1988), 185–208.

LYCHE, T. AND L. L. SCHUMAKER

- [LycS73] On the convergence of cubic interpolating splines, in *Spline Functions and Approximation Theory, ISNM 21*, A. Meir and A. Sharma (eds.), Basel, Birkhäuser Verlag, 1973, 169–189.
- [LycS73b] Computation of smoothing and interpolating natural splines via local bases, *SIAM J. Numer. Anal.* **10** (1973), 1027–1038.
- [LycS74] Procedures for computing smoothing and interpolating natural splines, *Commun. ACM* **17** (1974), 463–467.
- [LycS75] Local spline approximation methods, *J. Approx. Theory* **15** (1975), 294–325.
- [LycS00] A multiresolution tensor spline method for fitting functions on the sphere, *SIAM J. Scient. Computing* **22** (2000), 724–746.

- LYCHE, T., L. L. SCHUMAKER, AND C. K. SEPEHRNOORI
 [LycSS83] Fortran subroutines for computing smoothing and interpolating natural splines, *Advances in Engineering Software* **5** (1983), 2–5.
- MCMAHON, JOHN R. AND R. FRANKE
 [McMaF92] Knot selection for least squares thin plate splines, *SIAM J. Sci. Statist. Comput.* **13** (1992), 484–498.
- MAESS, B. AND G. MAESS
 [MaeM84] Interpolating quadratic splines with norm minimal curvature, *Rostocker Math. Kolloquium* **26** (1984), 83–88.
- MAINAR, E. AND J. PEÑA
 [MaiP06] Running error analysis of evaluation algorithms for bivariate polynomials in barycentric Bernstein form, *Computing* **77** (2006), 97–111.
 [MaiP06b] Evaluation algorithms for multivariate polynomials in Bernstein Bézier form, *J. Approx. Theory* **143** (2006), 44–61.
- MALCOLM, M. A.
 [Mal77] On the computation of nonlinear spline functions, *SIAM J. Numer. Anal.* **14** (1977), 254–282.
- MALVA, L. AND K. SALKAUSKAS
 [MalS00] Enforced drainage terrain models using minimum norm networks and smoothing splines, *Rocky Mountain J. Math.* **30** (2000), 1075–1109.
- MANKE, J. W.
 [Man93] A tensor product B-spline method for numerical grid generation, *J. Comput. Phys.* **108** (1993), 15–26.
- MANN, S.
 [Mann99] Cubic precision Clough-Tocher interpolation, *Comput. Aided Geom. Design* **16** (1999), 85–88.
- MANN, S. AND T. DEROSE
 [MannD95] Computing values and derivatives of Bézier and B-spline tensor products, *Comput. Aided Geom. Design* **12** (1995), 107–110.
- MANN, S., C. LOOP, M. LOUNSBERY, D. MEYERS, J. PAINTER, T. DEROSE, AND K. SLOAN
 [MannL92] A survey of parametric scattered data fitting using triangular interpolants, in *Curve and Surface Design*, H. Hagen (ed.), Philadelphia PA, SIAM Publications, SIAM, 1992, 145–172.
- MANNI, C.
 [Manni96] Monotonicity-preserving interpolation of nongrid data, *Comput. Aided Geom. Design* **13** (1996), 467–495.
 [Manni01] On shape preserving C^2 Hermite interpolation, *BIT* **41** (2001), 127–148.
- MANNI, C. AND P. SABLONNIÉRE
 [ManniS97] Monotone interpolation of order 3 by C^2 cubic splines, *IMA J. Numer. Anal.* **17** (1997), 305–320.

- [ManniS07] Quadratic spline quasi-interpolants on Powell-Sabin partitions, *Adv. Comput. Math.* **26** (2007), 283-304.
- MANSFIELD, LOIS E.
- [Mans72] On the variational characterization and convergence of bivariate splines, *Numer. Math.* **20** (1972), 99-114.
- [Mans74] Error bounds for spline interpolation over rectangular polygons, *J. Approx. Theory* **12** (1974), 113-126.
- [Mans80] Interpolation to scattered data in the plane by locally defined C^1 functions, in *Approximation Theory III*, E. W. Cheney (ed.), New York, Academic Press, 1980, 623-628.
- MARSDEN, M. J.
- [Mar68] An identity for spline functions with applications to variation-diminishing spline approximation, *J. Approx. Theory* **3** (1970), 7-49.
- [Mar72] On uniform spline approximation, *J. Approximation Theory* **6** (1972), 249-253.
- [Mar74] Cubic spline interpolation of continuous functions, *J. Approx. Theory* **10** (1974), 103-111.
- [Mar74b] Quadratic spline interpolation, *Bull. Amer. Math. Soc.* **80** (1974), 903-906.
- [Mar83] Linear and quadratic spline interpolation at knot averages, *J. Approx. Theory* **38** (1983), 201-208.
- MARSDEN, M. AND I. J. SCHOENBERG
- [MarS66] On variation diminishing spline approximation methods, *Mathematica (Cluj)* **8** (1966), 61-82.
- MASON, J. C., G. RODRIGUEZ, AND S. SEATZU
- [MasRS93] Orthogonal splines based on B-splines – with applications to least squares, smoothing and regularization problems, *Numer. Algorithms* **5** (1993), 25-40.
- MCALLISTER, D. F., E. PASSOW, AND J. A. ROULIER
- [McAPR77] Algorithms for computing shape preserving spline interpolants to data, *Math. Comp.* **31** (1977), 717-725.
- MCALLISTER, DAVID F. AND JOHN A. ROULIER
- [McAR78] Interpolation by convex quadratic splines, *Math. Comp.* **32** (1978), 1154-1162.
- [McAR81] An algorithm for computing a shape preserving osculatory quadratic spline, *ACM Trans. Math. Software* **7** (1981), 331-347.
- [McAR81b] Algorithm 574. Shape preserving osculatory quadratic splines, *ACM Trans. Math. Software* **7** (1981), 384-386.
- MCLAIN, D. H.
- [McL74] Drawing contours from arbitrary data points, *Computer J.* **17** (1974), 318-324.
- [McL74b] Computer construction of surfaces through arbitrary points, *Information Processing* **74** (1974), 117-121.

- [McL76] Two dimensional interpolation from random data, *Computer J.* **19** (1976), 178–181.
- MEHLUM, E.
- [Meh64] A curve-fitting method based on a variational criterion, *BIT* **4** (1964), 213–223.
- [Meh74] Non-linear splines, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), New York, Academic Press, 1974, 173–207.
- MEINARDUS, G.
- [Mein79] Computation of the norms of some spline interpolation operators, in *Polynomial and Spline Approximation*, Badri N. Sahney (ed.), Dordrecht, D. Reidel, 1979, 155–161.
- MEINARDUS, G. AND G. MERZ
- [MeinM74] Zur periodischen Spline-Interpolation, in *Spline-Funktionen*, K. Böhmer, G. Meinardus, and W. Schempp (eds.), Mannheim, Bibliographisches Institut, 1974, 177–195.
- MEINARDUS, G., G. NÜRNBERGER, M. SOMMER, AND H. STRAUSS
- [MeinNSS89] Algorithms for piecewise polynomials and splines with free knots, *Math. Comp.* **53** (1989), 235–247.
- MEINARDUS, G. AND G. D. TAYLOR
- [MeinT78] Periodic quadratic spline interpolant of minimal norm, *J. Approx. Theory* **23** (1978), 137–141.
- MEIR, A.
- [Meir79] Approximation by quadratic splines, *Acta Math. Acad. Sci. Hungar.* **33** (1979), 155–157.
- MEIR, A. AND A. SHARMA
- [MeirS68] One-sided spline approximation, *Studia Sci. Math. Hungar.* **3** (1968), 211–218.
- [MeirS68b] Convergence of a class of interpolatory splines, *J. Approx. Theory* **1** (1968), 243–250.
- [MeirS69] On uniform approximation by cubic splines, *J. Approx. Theory* **2** (1969), 270–274.
- [MeirS73] Lacunary interpolation by splines, *SIAM J. Numer. Anal.* **10** (1973), 433–442.
- [MeirS73b] *Spline Functions and Approximation Theory*, Birkhäuser, Basel, 1973.
- MELKMAN, A. A.
- [Melk74] Interpolation by splines satisfying mixed boundary conditions, *Israel J. Math.* **19** (1974), 369–381.
- MERRIEN, J.-L.
- [Mer94] Dyadic Hermite interpolants on a triangulation, *NA* **7** (1994), 391–410.
- MERZ, G.
- [Merz80] Interpolation mit periodischen Spline-Funktionen I, *J. Approx. Theory* **30** (1980), 11–19.

- [Merz80b] Interpolation mit periodischen Spline-Funktionen II, *J. Approx. Theory* **30** (1980), 20–28.
- [Merz82] Interpolation mit periodischen Spline-Funktionen III, *J. Approx. Theory* **34** (1982), 226–236.
- METTKE, H.
- [Mett83] Convex cubic Hermite-spline interpolation, *J. Comput. Appl. Math.* **9** (1983), 205–211.
- [Mett86] Convex interpolation by splines of arbitrary degree, *Math. Comp.* **46** (1986), 567–576.
- METTKE, H., E. PFEIFER, AND E. NEUMAN
- [MettPN82] Quadratic spline interpolation with coinciding interpolation and spline grids, *J. Comput. Appl. Math.* **8** (1982), 57–62.
- MEYERS, L. F. AND A. SARD
- [Mey50] Best interpolation formulas, *J. Math. Phys.* **29** (1950), 198–206.
- MICCHELLI, C. A.
- [Mic84] Interpolation of scattered data: distance matrices and conditionally positive definite functions, in *Approximation Theory and Spline Functions*, S. P. Singh, J. H. W. Burry, and B. Watson (eds.), Dordrecht, Reidel, 1984, 143–145.
- [Mic86] Interpolation of scattered data: distance matrices and conditionally positive definite functions, *Constr. Approx.* **2** (1986), 11–22.
- MICCHELLI, C. A. AND A. PINKUS
- [MicP77] Best mean approximation to a 2–dimensional kernel by tensor products, *Bull. Amer. Math. Soc.* **83** (1977), 400–402.
- [MicP89] Some remarks on nonnegative polynomials on polyhedra, in *Probability, Statistics, and Mathematics*, T. Anderson, K. Athreya and D. Iglehart (eds.), Boston, Academic Press, 1989, 163–186.
- MIROSHNICENKO, V. A.
- [Mir79] On the divergence of interpolatory cubic splines in the space of continuous functions (Russian), *Vycisl. Sist.* **81** (1979), 3–11.
- [Mir84] Exact error bounds for the periodic cubic and parabolic spline interpolation on a uniform mesh, *Math. Balk, New Ser.* **2** (1984), 210–221.
- MISHRA, R. S. AND K. K. MATHUR
- [MisM80] Lacunary interpolation by splines, *Acta Mat. Acad. Sci. Hungar.* **36** (1980), 251–260.
- MITTAL, R. C. AND R. K. JAIN
- [MitJ12] Cubic B-splines collocation method for solving nonlinear parabolic partial differential equations with Neumann boundary conditions, *Commun. Nonlinear Sci. Numer. Simul.* **17** (2012), 4616–4625.
- MITYAGIN, B.
- [Mit83] Quadratic pencils and least-squares piecewise polynomial approximation, *Math. Comp.* **40** (1983), 283–300.

MOLER, C. B. AND L. P. SOLOMON

- [MolS70] Use of splines and numerical integration in geometrical acoustics, *J. Acoustical Soc. America* **48** (1970), 739–744.

MONTÈS, P.

- [Mon94] Smoothing noisy data by kriging with nugget effects, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 371–378.

MORANDI, R., D. SCARAMELLI, AND A. SESTINI

- [MorSS00] A geometric approach for knot selection in convexity-preserving spline approximation, in *Curve and Surface Design: Saint-Malo 99*, P.-J. Laurent, P. Sablonnière, and L. L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 2000, 287–296.

MORGAN, J. AND R. SCOTT

- [MorS75] A nodal basis for C^1 piecewise polynomials of degree $n \geq 5$, *Math. Comp.* **29** (1975), 736–740.

MORSCHÉ, H. G. TER

- [Mors74] On the existence and convergence of interpolating periodic spline functions of arbitrary degree, in *Spline-Funktionen*, K. Böhmer, G. Meinardus, and W. Schempp (eds.), Mannheim, Bibliographisches Institut, 1974, 197–214.

MÖSSNER, B. AND U. REIF

- [MosR08] Stability of tensor product B-splines on domains, *J. Approx. Theory* **154** (2008), 1–19.

MÜLLER, C.

- [Mue66] *Spherical Harmonics*, Lecture Notes in Mathematics Springer-Verlag, Berlin, 1966.

MÜHLIG, H. AND F. STEFAN

- [Muh91] Approximation von Flächen mit Hilfe von B-Splines, *Wiss. Z. Tech. Univ. Dresden* **40** (1991), 169–174.

MULANSKY, B.

- [Mul90] Glättung mittels zweidimensionaler Tensorprodukt-Splinefunktionen, *Wissenschaftl. Zeitschrift der Techn. Univ. Dresden, Separatreihe 2, Nr. 15* **39** (1990), 187–190.

MULANSKY, B. AND J. W. SCHMIDT

- [MulS94] Powell-Sabin splines in range restricted interpolation of scattered data, *Computing* **53** (1994), 137–154.
- [MulS94b] Nonnegative interpolation by biquadratic splines on refined rectangular grids, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 379–386.
- [MulS96] Constructive methods in convex C^2 interpolation using quartic splines, *Numer. Algorithms* **12** (1996), 111–124.

MÜLLER, M. W.

- [Mul77] Degree of L_p -approximation by integral Schoenberg splines, *J. Approx. Theory* **21** (1977), 385–393.

MUNTEANU, M. J. AND L. L. SCHUMAKER

- [MunS73] On a method of Carasso and Laurent for constructing interpolating splines, *Math. Comp.* **27** (1973), 317–325.

NADLER, E. J.

- [Nad93] Non-negativity of a bivariate quadratic function on a triangle, *Comput. Aided Geom. Design* **9** (1993), 195–205.

NAKATA, H. AND H. KANO

- [NakK03] Generation of Japanese cursive sentences using optimal control smoothing splines, *J. Inform. Processing Soc. Japan* **44** (2003), 134–142.

NARCOWICH, F. J. AND J. D. WARD

- [NarW91] Norms of inverses and condition numbers for matrices associated with scattered data, *J. Approx. Theory* **64** (1991), 69–94.
- [NarW92] Norm estimates for the inverses of a general class of scattered-data radial-function interpolation matrices, *J. Approx. Theory* **69** (1992), 84–109.

NARCOWICH, F. J., J. D. WARD, AND H. WENDLAND

- [NarWW05] Sobolev bounds on functions with scattered zeros, with applications to radial basis function surface fitting, *Math. Comp.* **74** (2005), 743–763.
- [NarWW06] Sobolev error estimates and a Bernstein inequality for scattered data interpolation via radial basis functions, *Constr. Approx.* **24(2)** (2006), 175–186.

NEAMTU, M., H. POTTMANN, AND L. L. SCHUMAKER

- [NeaPS98] Designing NURBS cam profiles using trigonometric splines, *ASME J. Mech. Design* **120** (1998), 175–180.

NEAMTU, M. AND L. L. SCHUMAKER

- [NeaS04] On the approximation order of splines on spherical triangulations, *Adv. Comp. Math.* **21** (2004), 3–20.

NETRAVALI, A. N.

- [Net73] Spline approximation to the solution of the Volterra integral equation of the second kind, *Math. Comp.* **27** (1973), 99–106.

NETRAVALI, A. N. AND R. J. P. DE FIGUEIREDO

- [NetF74] Spline approximation to the solution of linear Fredholm equation of the second kind, *SIAM J. Numer. Anal.* **11** (1974), 538–549.

NEUMAN, E.

- [Neu76] Determination of an interpolating quadratic spline function, *Applic. Mathematicae* **15** (1976), 245–250.
- [Neu77] Determination of an interpolating quintic spline function with equally spaced and double knots, *Zastosow. Mat. Polska* **16** (1977), 133–142.

- [Neu78] Determination of an interpolating quadratic spline function, *Zastosow. Mat. Polska* **15** (1978), 245–250.
- [Neu78b] Convex interpolating splines of odd degree, *Utilitas Mat.* **14** (1978), 129–140.
- [Neu78c] Uniform approximation by some Hermite interpolating splines, *J. Comput. Appl. Math.* **4** (1978), 7–9.
- [Neu79] Bounds for the norm of certain spline projections, *J. Approx. Theory* **27** (1979), 135–145.
- [Neu80] Determination of a quadratic spline function with given values of the integrals in subintervals, *Zastosow. Mat. Polska* **16** (1980), 681–689.
- [Neu80b] Quadratic splines and histospline projections, *J. Approx. Theory* **29** (1980), 297–304.
- [Neu80c] Convex interpolating splines of arbitrary degree, in *Numerical Methods of Approximation Theory Vol. 5*, L. Collatz, G. Meinardus, and H. Werner (eds.), Basel, Birkhäuser Verlag, 1980, 211–222.
- [Neu81] Cubic splines with given derivatives at the knots, *Funct. Approx. Comment Math.* **11** (1981), 25–30.
- [Neu82] Bounds for the norm of certain spline projections II, *J. Approx. Theory* **35** (1982), 299–310.
- [Neu82b] Convex interpolating splines of arbitrary degree II, *BIT* **22** (1982), 331–338.
- [Neu86] Convex interpolating splines of arbitrary degree III, *BIT* **26** (1986), 527–536.
- [Neu89] Computation of inner products of some multivariate splines, in *Splines in Numerical Analysis*, J. W. Schmidt and H. Späth (eds.), Berlin, Akademie Verlag, 1989, 97–110.
- NEUMAN, E. AND J. W. SCHMIDT
- [NeuS85] On the convergence of quadratic spline interpolants, *J. Approx. Theory* **45** (1985), 299–309.
- NEWMAN, D. J., E. PASSOW, AND L. RAYMON
- [NewPR72] Piecewise monotone polynomial approximation, *Trans. Amer. Math. Soc.* **172** (1972), 465–472.
- NIELSON, G. M.
- [Nie73] Bivariate spline functions and the approximation of linear functionals, *Numer. Math.* **21** (1973), 138–160.
- [Nie74] Multivariate smoothing and interpolating splines, *SIAM J. Numer. Anal.* **11** (1974), 435–446.
- [Nie83] A method for interpolation of scattered data based upon a minimum norm network, *Math. Comp.* **40** (1983), 253–271.
- [Nie87] Coordinate free scattered data interpolation, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), New York, Academic Press, 1987, 175–184.

- [Nie93] Characterization of an affine invariant triangulation, in *Geometric Modelling, Computing Supplementum 8*, G. Farin, H. Hagen, H. Noltemeir, and W. Knoedel (eds), Berlin, Springer-Verlag, 1993, 191–210.
- NIELSON, G. M., T. A. FOLEY, B. HAMANN, AND D. LANE
- [NieFHL91] Visualizing and modeling scattered multivariate data, *Comp. Graphics and Applics.* **11** (1991), 47–55.
- NIELSON, G. M. AND R. FRANKE
- [NieF83] Surface construction based upon triangulations, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), Amsterdam, North Holland, 1983, 163–177.
- NIELSON, G. M. AND R. RAMARAJ
- [NieR87] Interpolation over a sphere based upon a minimum norm network, *Comput. Aided Geom. Design* **4** (1987), 41–58.
- NILSON, E. N.
- [Nil70] Cubic splines on uniform meshes, *Commun. ACM* **13** (1970), 255–258.
- NITSCHKE, J.
- [Nit69] Verfahren von Ritz und Spline-Interpolation bei Sturm-Liouville-Randwertproblemen, *Numer. Math.* **13** (1969), 260–265.
- [Nit70] Lineare Spline-Funktionen und die Methoden von Ritz für elliptische Randwertprobleme, *Arch. Rat. Mech. Anal.* **36** (1970), 348–355.
- NORD, S.
- [Nor67] Approximation properties of the spline fit, *BIT* **7** (1967), 132–144.
- NORSETT, S. P.
- [Nors84] Splines and collocation for ordinary initial value problems, in *Approximation Theory and Spline Functions*, S. P. Singh, J. H. W. Burry, and B. Watson (eds.), Dordrecht, Reidel, 1984, 397–417.
- NOWACKI, H. AND D. REESE
- [NowR85] Design and fairing of ship surfaces, in *Surfaces in CAGD '84*, R. Barnhill and W. Boehm (eds.), Amsterdam, North Holland, 1985, 121–134.
- NÜRNBERGER, G., V. RAYEVSKAYA, L. L. SCHUMAKER, AND F. ZEILFELDER
- [NurRSZ03] Local Lagrange interpolation with C^2 splines of degree seven on triangulations, in *Advances in Constructive Approximation: Vanderbilt 2003*, M. Neamtu and E. W. Saff (eds.), Brentwood, Nashboro Press, 2004, 345–370.
- NÜRNBERGER, G. AND TH. RIESSINGER
- [NurR92] Lagrange and Hermite interpolation by bivariate splines, *Numer. Func. Anal. Optim.* **13** (1992), 75–96.
- [NurR95] Bivariate spline interpolation at grid points, *Numer. Math.* **71** (1995), 91–119.
- NÜRNBERGER, G., L. L. SCHUMAKER, AND F. ZEILFELDER

- [NurSZ01] Local Lagrange interpolation by bivariate C^1 cubic splines, in *Mathematical Methods for Curves and Surfaces III, Oslo, 2000*, T. Lyche and L. L. Schumaker (eds.), Nashville, Vanderbilt University Press, 2001, 393–403.
- [NurSZ02] Local Lagrange interpolation by C^1 cubic splines on triangulations of separable quadrangulations, in *Approximation Theory X: Wavelets, Splines, and Applications*, C. K. Chui, L. L. Schumaker, and J. Stöckler (eds.), Nashville, Vanderbilt University Press, 2002, 405–424.
- NÜRNBERGER, G. AND F. ZEILFELDER
- [NurZ98] Spline interpolation on convex quadrangulations, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Nashville TN, Vanderbilt University Press, 1998, 259–266.
- OBERLE, H. J. AND G. OPFER
- [ObeO94] Splines with prescribed modified moments, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 343–352.
- [ObeO98] Non-negative splines, in particular of degree five, *Numer. Math.* **79** (1998), 427–450.
- OPFER, G.
- [Opf89] Necessary optimality conditions for splines under constraints, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1989, 511–514.
- OPFER, G. AND H. J. OBERLE
- [OpfO88] The derivation of cubic splines with obstacles by methods of optimization and optimal control, *Numer. Math.* **52** (1988), 17–31.
- OSBORN, T. A. AND D. EYRE
- [Osbe79] Spline function moment methods in three-body scattering, *Nuclear Physics, A* **327** (1979), 125–138.
- OSTAPENKO, V. N. AND N. P. KHAZANKINA
- [OstK69] Piecewise polynomial functions and their applications in the algorithmization of electrotechnical calculations, *Nekofo. Prikl. Vopr. Mat. Kiev* **4** (1969), 268–274.
- OSWALD, P.
- [Osw88] *Multilevel Finite Element Approximation: Theory and Applications*, Teubner, Stuttgart, 1988.
- [Osw92] On a hierarchical basis multilevel method with nonconforming P1 elements, *Numer. Math.* **62** (1992), 189–212.
- PABEL, R., R. KOCH, G. JAGER, AND A. KUNOTH
- [PabKJK10] Fast empirical mode decompositions of multivariate data based on adaptive spline-wavelets and a generalization of the Hilbert-Huang-transformation (HHT) to arbitrary space dimensions, *Adv. Adapt. Data Anal.* **2** (2010), 337–358.

PAGALLO, G. AND V. PEREYRA

- [PagP82] Smooth monotone spline interpolation, in *Numerical Analysis*, Lecture Notes in Math. 909, J. P. Hennart (ed.), Heidelberg, Springer-Verlag, 1982, 142–146.

PAN, Y. AND G. WANG

- [PanW04] A new method for automatically constructing convexity preserving interpolatory splines, *Progr. Natur. Sci. (English Ed.)* **14** (2004), 524–535.

PAPAMICHAEL, N. AND J. R. WHITEMAN

- [PapW73] A cubic spline technique for the one dimensional heat conduction equation, *J. Inst. Math. Applics.* **11** (1973), 111–113.

PAPAMICHAEL, N. AND A. J. WORSEY

- [PapWo81] End conditions for improved cubic spline derivative approximations, *J. Comput. Appl. Math.* **7** (1981), 101–109.

- [PapWo81b] A cubic spline method for the solution of a linear fourth-order two-point boundary value problem, *J. Comput. Appl. Math.* **7** (1981), 187–189.

PARKER, J. B.

- [Par70] Experience with cubic splines in the graduation of neutron cross-section data, in *Numerical Approximation to Functions and Data*, J. G. Hayes (ed.), London, Athlone Press, 1970, 107–110.

PASSOW, E.

- [Pas74] Piecewise monotone spline interpolation, *J. Approx. Theory* **12** (1974), 240–241.

- [Pas77] Monotone quadratic spline interpolation, *J. Approx. Theory* **19** (1977), 143–147.

PASSOW, E. AND L. RAYMON

- [PasR75] The degree of piecewise monotone interpolation, *Proc. Amer. Math. Soc.* **48** (1975), 409–412.

PASSOW, E. AND J. A. ROULIER

- [PasRo76] Shape preserving spline interpolation. Approximation theory, II, in *Approximation Theory, II*, G. G. Lorentz, C. K. Chui, and L. L. Schumaker (eds.), New York, Academic Press, 1976, 503–507.

- [PasRo77] Monotone and convex spline interpolation, *SIAM J. Numer. Anal.* **14** (1977), 904–909.

PATENT, P. D.

- [Pat76] The effect of quadrature errors in the computation of L_2 piecewise polynomial approximations, *SIAM J. Numer. Anal.* **13** (1976), 344–361.

PAVLIDIS, T.

- [Pav75] Optimal piecewise polynomial L_2 -approximation of functions of one and two variables, *IEEE. Trans. Comput. C* **24** (1975), 98–102.

PAVLOV, N. N.

- [Pav81] Boundary conditions in the problem of smoothing by cubic splines (Russian), *Vychisl. Sistemy* **87** (1981), 53–61.

- PELTO, C., T. ELKINS, AND H. BOYD
 [PelEB68] Automatic contouring of irregularly spaced data, *Geophysics* **33** (1968), 424–430.
- PENCE, D. D.
 [Pen79] Hermite-Birkhoff interpolation and monotone approximation by splines, *J. Approx. Theory* **25** (1979), 248–257.
 [Pen80] Best mean approximation by splines satisfying generalized convexity constraints, *J. Approx. Theory* **28** (1980), 333–348.
- PERCELL, P.
 [Per76] On cubic and quartic Clough–Tocher elements, *SIAM J. Numer. Anal.* **13** (1976), 100–103.
- PEREYRA, V. AND G. SCHERER
 [PerS03] Large scale least squares scattered data fitting, *Appl. Numer. Math.* **44** (2003), 225–239.
- PETERS, J. AND M. SITHARAM
 [PetS92] Stability of interpolation from C^1 cubics at the vertices of an underlying triangulation, *SIAM J. Numer. Anal.* **29** (1992), 528–533.
 [PetS92b] On stability of m -variate C^1 interpolation, *Approx. Theory Appl.* **8** (1992), 17–32.
- PETROV, P. P.
 [Pet96] Shape preserving approximation by free knot splines, *East J. Approx.* **2** (1996), 41–48.
- PFEIFLE, R., R. BARTELS, AND R. GOLDMAN
 [PfeBG92] Tensor product slices, in *Mathematical Methods in Computer Aided Geometric Design II*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1992, 431–440.
- PFEIFLE, R. AND H.-P. SEIDEL
 [PfeS95] Spherical triangular B-splines with application to data fitting, in *Computer Graphics Forum, Vol. 14*, F. Post and M. Göbel (eds.), Blackwell, 1995, 89–96.
- PFLUGER, P. AND R. H. J. GMELIG MEYLING
 [PfluG89] An algorithm for smooth interpolation to scattered data in \mathbb{R}^2 , in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1989, 469–480.
- PHILLIPS, G. M.
 [Phi68] Algorithms for piecewise straight line approximations, *Computer J.* **11** (1968), 211–212.
- PHILLIPS, J. L.
 [Phi72] The use of collocation as a projection method for solving linear operator equations, *SIAM J. Numer. Anal.* **9** (1972), 14–28.
- PIERCE, J. G. AND R. S. VARGA

- [PieV72] Higher order convergence results for the Rayleigh-Ritz method applied to eigenvalue problems: I. Estimates relating Rayleigh-Ritz and Galerkin approximations to eigenfunctions, *SIAM J. Numer. Anal.* **9** (1972), 137–151.
- [PieV72b] Higher order convergence results for the Rayleigh-Ritz method applied to eigenvalue problems: II. Improved error bounds for eigenfunctions, *Numer. Math.* **19** (1972), 155–169.
- PLASKOTA, L.
- [Pla93] Optimal approximation of linear operators based on noisy data on functionals, *J. Approx. Theory* **73** (1993), 93–105.
- PLONKA, G.
- [Plo94] Periodic spline interpolation with shifted nodes, *J. Approx. Theory* **76** (1994), 1–20.
- [Plo94b] Spline wavelets with higher defect, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 387–398.
- [Plo96] Generalized spline wavelets, *Constr. Approx.* **12** (1996), 127–155.
- PLONKA, G. AND M. TASCHE
- [PloT92] Efficient algorithms for the periodic Hermite-spline interpolation, *Math. Comp.* **58** (1992), 693–703.
- [PloT95] On the computation of periodic spline wavelets, *Appl. Comput. Harmon. Anal.* **2** (1995), 1–14.
- POPE, S. B. AND R. GADH
- [PopG88] Fitting noisy data using cross-validated cubic smoothing splines, *Comm. Statist. Simulation Comput.* **17** (1988), 349–376.
- POTTMANN, H.
- [Pot91] Scattered data interpolation based upon generalized minimum norm networks, *Constr. Approx.* **7** (1991), 247–256.
- POTTMANN, H. AND M. ECK
- [PotE90] Modified multiquadric methods for scattered data interpolation over a sphere, *Comput. Aided Geom. Design* **7** (1990), 313–321.
- POUZET, J.
- [Pou80] Estimation of a surface with known discontinuities for automatic contouring purposes, *Math. Geol.* **12** (1980), 559–575.
- POWELL, M. J. D.
- [Pow67] On the maximum errors of polynomial approximations defined by interpolation and least squares criteria, *Computer J.* **9** (1967), 404–407.
- [Pow70] Curve fitting by splines in one variable, in *Numerical Approximation to Functions and Data*, J. G. Hayes (ed.), London, Athlone Press, 1970, 65–83.
- [Pow74] Piecewise quadratic surface fitting for contour plotting, in *Software for Numerical Mathematics*, D. J. Evans (ed.), London, Academic Press, 1974, 253–271.

- [Pow77] Numerical methods for fitting functions of two variables, in *The State of the Art in Numerical Analysis*, D. Jacobs (ed.), New York, Academic Press, 1977, 563–604.
- [Pow87] Radial basis functions for multivariable interpolation: a review, in *Algorithms for the Approximation of Functions and Data*, J. C. Mason and M. G. Cox (eds.), Oxford, Oxford Univ. Press, 1987, 143–167.
- [Pow97] A review of methods for multivariable interpolation at scattered data points, *Inst. Math. Appl. Conf. Ser. New Ser.* 63, Oxford Univ. Press, New York, 1997, 283–309.
- POWELL, M. J. D. AND M. A. SABIN
- [PowS77] Piecewise quadratic approximations on triangles, *ACM Trans. Math. Software* **3** (1977), 316–325.
- PRAUTZSCH, H.
- [Pra92] On convex Bézier triangles., *Rev. Française Automat. Informat. Rech. Opér., Anal. Numer.* **26** (1992), 23–36.
- PRAUTZSCH, H., W. BOEHM, AND M. PALUSZNY
- [PraBP02] *Bézier and B-spline Techniques*, Springer, Berlin, 2002.
- PRENTER, P. M.
- [Pre75] *Splines and Variational Methods*, Wiley, New York, 1975.
- PRUESS, S.
- [Pru93] Shape preserving C^2 cubic spline interpolation, *IMA J. Numer. Anal.* **13** (1993), 493–507.
- QUAK, E. AND L. L. SCHUMAKER
- [QuaS89] C^1 surface fitting using data dependent triangulations, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1989, 545–548.
- [QuaS90] Cubic spline fitting using data dependent triangulations, *Comput. Aided Geom. Design* **7** (1990), 293–301.
- [QuaS90b] Calculation of the energy of a piecewise polynomial surface, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), London, Chapman & Hall, 1990, 134–143.
- [Qua91] Least squares fitting by linear splines on data dependent triangulations, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), New York, Academic Press, 1991, 387–390.
- QUAK, E., N. SIVAKUMAR, AND J. D. WARD
- [QuaSW93] Least squares approximations by radial functions, *SIAM J. Math. Anal.* **24** (1993), 1043–1066.
- QUAK, E. AND N. WEYRICH
- [QuaW94] Decomposition and reconstruction algorithms for bivariate spline wavelets on the unit square, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 419–428.

RABUT, C.

- [Rab92] An introduction to Schoenberg's approximation, *Comput. Math. Appl.* **24** (1992), 149–175.

RAGOZIN, D. L.

- [Rag83] Error bounds for derivative estimates based on spline smoothing of exact or noisy data, *J. Approx. Theory* **37** (1983), 335–355.
[Rag85] The discrete k -functional and spline smoothing of noisy data, *SIAM J. Numer. Anal.* **22** (1985), 1243–1254.

RAMASWAMI, S., P. RAMOS, AND G. T. TOUSSAIN

- [RamRT98] Converting triangulations to quadrangulations, *Comp. Geom.* **9** (1998), 257–276.

RAMSAY, T.

- [Rams02] Spline smoothing over difficult regions, *J. R. Statist. Soc. B* **64** (2002), 307–319.

RANA, S. S.

- [Ran89] Quadratic spline interpolation, *J. Approx. Theory* **57** (1989), 300–305.

RAYEVSKAYA, V. AND L. L. SCHUMAKER

- [RayS05] Multi-sided macro-element spaces based on Clough–Tocher triangle splits, *Comput. Aided Geom. Design* **22** (2005), 57–79.

REICHEL, L.

- [Rei86] On polynomial approximation in the uniform norm by the discrete least squares method, *BIT* **26** (1986), 349–368.

REIMER, M. AND D. SIEPMANN

- [ReiS86] An elementary algebraic representation of polynomial spline interpolants for equidistant lattices and its condition, *Numer. Math.* **49** (1986), 55–65.

REINSCH, C. H.

- [Rein67] Smoothing by spline functions, *Numer. Math.* **10** (1967), 177–183.
[Rein71] Smoothing by spline functions. II, *Numer. Math.* **16** (1971), 451–454.

RENKA, R. J.

- [Ren84] Interpolation of data on the surface of a sphere, *ACM Trans. Math. Software* **10** (1984), 417–436.
[Ren84b] Algorithm 623: Interpolation on the surface of a sphere, *ACM Trans. Math. Software* **10** (1984), 437–439.
[Ren84c] Algorithm 624: Triangulation and interpolation of arbitrarily distributed points in the plane, *ACM Trans. Math. Software* **10** (1984), 440–442.
[Ren97] Algorithm 772: STRIPACK: Delaunay triangulation and Voronoi diagram on the surface of a sphere, *ACM Trans. Math. Software* **23** (1997), 416–434.
[Ren04] Algorithm 833: CSRFPACKinterpolation of scattered data with a C1 convexity-preserving surface, *ACM Trans. Math. Software* **30** (2004), 200–211.

RENKA, R. J. AND A. K. CLINE

- [RenC84] A triangle-based C^1 interpolation method, *Rocky Mountain J. Math.* **14** (1984), 223–237.

RICE, J. R. AND M. ROSENBLATT

- [RicR81] Integrated mean squared error of a smoothing spline, *J. Approx. Theory* **33** (1981), 353–369.
- [RicR83] Smoothing splines, regression, derivatives and deconvolution, *Ann. Statist.* **11** (1983), 141–156.

RICHARDS, F. B.

- [Rich73] Best bounds for the uniform periodic spline interpolation operator, *J. Approx. Theory* **7** (1973), 302–317.
- [Rich91] A Gibbs phenomenon for spline functions, *J. Approx. Theory* **66** (1991), 334–351.

RIEDEL, K.

- [Rie97] Piecewise convex function estimation: pilot estimators, *Ann. Statist.* **25** (1997), 2592–2606.

RIPPA, S.

- [Rip90] Minimal roughness property of the Delaunay triangulation, *Comput. Aided Geom. Design* **7** (1990), 489–497.
- [Rip92] Long and thin triangles can be good for linear interpolation, *SIAM J. Numer. Anal.* **29** (1992), 257–270.

RIPPA, S. AND B. SCHIFF

- [RipS90] Minimum energy triangulations for elliptic problems, *Comput. Methods Appl. Mech. Engrg.* **84** (1990), 257–274.

RITTER, K.

- [Rit69] Two dimensional splines and their extremal properties, *Z. Angew. Math. Mech.* **49** (1969), 597–608.

RJABENKI, V. S.

- [Rja75] Local splines, *Comput. Meth. Appl. Mech. Engrg.* **5** (1975), 211–215.

ROGERS, R. F. AND N. G. FOG

- [RogF89] Constrained B-spline curve and surface fitting, *Computer-Aided Design* **21** (1989), 641–648.

ROSENBLATT, M.

- [Ros75] The local behavior of the derivative of a cubic spline interpolator, *J. Approx. Theory* **15** (1975), 382–387.

RYABENKII, V. S.

- [Rya75] Local splines, *Computer Methods in Applied Mechanics and Engineering* **5** (1975), 211–225.

RUSSEL, R. D. AND L. F. SHAMPINE

- [RusS72] A collocation method for boundary value problems, *Numer. Math.* **19** (1972), 1–28.

SABIN, M. A.

- [Sab80] Contouring—a review of methods for scattered data, in *Mathematical Methods in Computer Graphics and Design*, K. W. Brodlie (ed.), New York, Academic Press, 1980, 63–85.
- [Sab85] Contouring: the state of the art, in *Fundamental Algorithms for Computer Graphics*, R. A. Earnshaw (ed.), Heidelberg, Springer-Verlag, 1985, 411–482.

SABLONNIÈRE, P.

- [Sabl85] Bernstein—Bézier methods for the construction of bivariate spline approximants, *Comput. Aided Geom. Design* **2** (1985), 29–36.
- [Sabl87] Error bounds for Hermite interpolation by quadratic splines on an α -triangulation, *IMA J. Numer. Anal.* **7** (1987), 495–508.
- [Sabl03] H-splines and quasi-interpolants on a three directional mesh, in *Advanced Problems in Constructive Approximation (IDoMAT 2001)*, M. D. Buhmann and D. H. Mache (eds.), Basel, ISNM #142, Birkhäuser, 2003, 187–201.
- [Sab03b] On some multivariate quadratic spline quasi-interpolants on bounded domains, in *Modern developments in multivariate approximation, ISNM 145*, W. Haussmann, K. Jetter, M. Reimer, J. Stöckler (eds.), Basel, Birkhäuser, 2003, 263–278.
- [Sab03c] Quadratic spline quasi-interpolants on bounded domains of \mathbb{R}^d , $d = 1, 2, 3$, *Rend. Sem. Univ. Pol. Torino* **61** (2003), 61–78.

SABLONNIÈRE, P. AND F. JEEAWOCK-ZEDEK

- [SablJ94] Hermite and Lagrange interpolation by quadratic splines on non-uniform criss-cross triangulations, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 445–452.

SAKAI, M.

- [Sak70] Spline interpolation and two-point boundary value problems, *Memoirs Fac. Science, Kyushu Univ.* **24** (1970), 17–34.
- [Sak71] Piecewise cubic interpolation and two-point boundary value problems, *Publ. RIMS Kyoto Univ.* **7** (1971), 345–362.
- [Sak73] Ritz method for two-point boundary value problem, *Memoirs Fac. Science, Kyushu Univ.* **27** (1973), 83–97.
- [Sak74] Cubic spline function and difference method, *Memoirs Fac. Science, Kyushu Univ.* **28** (1974), 43–58.
- [Sak75] Numerical solution of boundary value problems for second order functional differential equations by the use of cubic splines, *Memoirs Fac. Science, Kyushu Univ.* **29** (1975), 113–122.
- [Sak77] Two-sided quintic spline approximations for two-point boundary value problems, *Fac. Sci. Kagoshima Univ.* **10** (1977), 1–17.
- [Sak78] Cubic spline interpolation and chopping procedure for two-point boundary value problems, *Fac. Sci. Kagoshima Univ.* **11** (1978), 21–24.

- [Sak78b] Spline interpolation and two-sided approximate methods for two-point boundary value problems, *Fac. Sci. Kagoshima Univ.* **11** (1978), 1–19.
- [Sak80] End conditions for quintic spline interpolation, *Rep. Fac. Sci. Kagoshima Univ.* **13** (1980), 11–13.
- [Sak83] Quadratic spline and two-point boundary value problem, *Publ. RIMS Kyoto Univ.* **19** (1983), 7–13.
- SAKAI, M. AND R. A. USMANI
- [SakU82] Cubic spline interpolation at midpoints, *Congr. Numer.* **34** (1982), 381–400.
- [SakU82b] A note on quadratic spline interpolation at mid-points, *BIT* **22** (1982), 2.261–267;
- [SakU83] Spline solutions for nonlinear fourth-order two-point boundary value problems, *Publ. RIMS Kyoto Univ.* **19** (1983), 135–144.
- SALE, A. H.
- [Sal70] Note on algorithm 42: Interpolation by certain quintic splines, *Computer J.* **13** (1970), 113.
- SALKAUSKAS, K.
- [Salk84] C^1 splines for interpolation of rapidly changing data, *Rocky Mountain J. Math.* **14** (1984), 239–250.
- SALLAM, S.
- [Sall82] On interpolation by quintic splines, *Bull. Fac. Sci. Assint. Univ. A* **11** (1982), 97–106.
- [Sall86] Error bounds for certain classes of quintic splines, *Acta Sci. Math.* **50** (1986), 133–142.
- SANDER, G.
- [San64] Bornes supérieures et inférieures dans l'analyse matricielle des plaques en flexion-torsion, *Bull. Soc. Royale Sciences Liège* **33** (1964), 456–494.
- SANKAR, P. V. AND L. A. FERRARI
- [SanF88] Simple algorithms and architectures for B-spline interpolation, *IEEE Trans. Pattern Anal. and Machine Intelligence* **10** (1988), 271–276.
- SARANEN, J.
- [Sar88] The convergence of even degree spline collocation solution for potential problems in smooth domains in the plane, *Numer. Math.* **53** (1988), 499–512.
- [Sar89] Extrapolation methods for spline collocation solutions to pseudodifferential equations on curves, *Numer. Math.* **56** (1989), 385–407.
- SARD, A. AND S. WEINTRAUB
- [SardW71] *A Book of Splines*, Wiley, New York, 1971.
- SAUER, T.
- [Sau91] Multivariate Bernstein polynomials and convexity, *Comput. Aided Geom. Design* **8** (1991), 465–478.

- [Sau04] Lagrange interpolation on subgrids of tensor product grids, *Math. Comp.* **73** (2004), 181–190.
- SAUNDERS, B. V. AND P. W. SMITH
- [Saun87] Grid generation and optimization using tensor product B-splines, *Approx. Theory Appl.* **3** (1987), 120–152.
- SCHAGEN, I. P.
- [Scha82] Automatic contouring for scattered data points, *Computer J.* **25** (1982), 7–11.
- SCHIEFFOLD, E. AND K. H. SCHLOSSER
- [Sche78] Spline-Funktionen mehrerer Veränderlicher, *J. Approx. Theory* **23** (1978), 242–260.
- SCHEID, F.
- [Schei72] A least squares family of cubic curves with an application to golf handicapping, *SIAM J. Appl. Math.* **22** (1972), 77–83.
- SCHMIDT, J. W.
- [Schm78] Zur Konvergenz von kubischen Interpolationssplines, *Z. Angew. Math. Mech.* **58** (1978), 109–110.
- [Schm86] Convex interval interpolation with cubic splines, *BIT* **26** (1986), 377–387.
- [Schm87] On the convex cubic C^2 -spline interpolation, in *Numerical Methods in Approximation Theory Vol. 8, ISNM 81*, L. Collatz, G. Meinardus, and G. Nürnberger (eds.), Basel, Birkhäuser, 1987, 213–228.
- [Schm99] Range restricted interpolation by cubic C^1 -splines on Clough-Tocher splits, in *Advances in Multivariate Approximation*, Akademie Verlag–Wiley-VCH, Berlin, 1999, 253–267.
- SCHMIDT, R.
- [SchmR82] Eine Methode zur Konstruktion von C^1 -Flächen zur Interpolation unregelmäßig verteilter Daten, in *Multivariate Approximation Theory II*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1982, 343–361.
- SCHMIDT, J. W. AND M. BASTIAN-WALTHER
- [SchmB98] Algorithm for constructing range restricted histosplines, *Numer. Algorithms* **17** (1998), 241–260.
- SCHMIDT, J. W. AND W. HESS
- [SchmH89] Spline interpolation under two-sided restrictions on the derivatives, *Z. Angew. Math. Mech.* **69** (1989), 353–365.
- [SchmH95] An always successful method in univariate convex C^2 interpolation, *Numer. Math.* **71** (1995), 237–252.
- SCHMIDT, J. AND M. WALTHER
- [SchmW97] Tensor product splines on refined grids in S-convex interpolation, Proceedings of the 2nd International Conference on Multivariate Approximation Theory held in Witten-Bommerholz, 1996. W. Haussmann, K. Jetter and M. Reimer (eds), Akademie Verlag, Berlin, 1997, 189–202.

- [SchmW97b] Gridded data interpolation with restrictions on the first order derivatives, in *Multivariate Approximation and Splines, ISNM 125*, G. Nürnberger, J. W. Schmidt, and G. Walz (eds.), Basel, Birkhäuser, 1997, 289–305.
- SCHOENBERG, I. J.
- [Scho58] Spline functions convex curves and mechanical quadratures, *Bull. Amer. Math. Soc.* **64** (1958), 352–357.
- [Scho64] On interpolation by spline functions and its minimal properties, in *On Approximation Theory (Proc. Oberwolfach Conf. 4–10 Aug, 1963)*, P. L. Butzer and J. Korevaar (eds.), Basel, ISNM Vol. 5, Birkhäuser, 1964, 109–129.
- [Scho64b] Spline interpolation and the higher derivatives, *Proc. Nat. Acad. Sci.* **51** (1964), 24–28.
- [Scho64c] Spline interpolation and best quadrature formulae, *Bull. Amer. Math. Soc.* **70** (1964), 143–148.
- [Scho64d] Spline functions and the problem of graduation, *Proc. Amer. Math. Soc.* **52** (1964), 947–950.
- [Scho67] On spline functions (with a supplement by T. N. E. Greville), in *Inequalities I*, O. Shisha (ed.), New York, Academic Press, 1967, 255–291.
- [Scho68] On the Ahlberg-Nilson extension of spline interpolation: the g-splines and their optimal properties, *J. Math. Anal. Appl.* **21** (1968), 207–231.
- [Scho70] A second look at approximate quadrature formulae and spline interpolation, *Advances in Math.* **4** (1970), 277–300.
- [Scho71] On equidistant cubic spline interpolation, *Bull. Amer. Math. Soc.* **77** (1971), 1039–1044.
- [Scho73] Splines and histograms (with an Appendix by C. de Boor), in *Spline Functions and Approximation Theory, ISNM 21*, A. Meir and A. Sharma (eds.), Basel, Birkhäuser Verlag, 1973, 277–327.
- SCHULTZ, M. H.
- [Schul69] Multivariate spline functions and elliptic problems, in *Approximation with Special Emphasis on Spline Functions*, I. J. Schoenberg (ed.), New York, Academic Press, 1969, 279–347.
- [Schul69b] Multivariate L -spline interpolation, *J. Approx. Theory* **2** (1969), 127–135.
- [Schul69c] L^∞ multivariate approximation theory, *SIAM J. Numer. Anal.* **6** (1969), 161–183.
- [Schul69d] L^2 multivariate approximation theory, *SIAM J. Numer. Anal.* **6** (1969), 184–209.
- [Schul69e] L^2 -approximation theory of even order multivariate splines, *SIAM J. Numer. Anal.* **6** (1969), 467–475.
- [Schul69f] Approximation theory of multivariate spline functions in Sobolev spaces, *SIAM J. Numer. Anal.* **6** (1969), 570–582.
- [Schul70] Elliptic spline functions and the Rayleigh-Ritz-Galerkin method, *Math. Comp.* **24** (1970), 65–80.

- [Schul70b] Error bounds for polynomial spline interpolation, *Math. Comp.* **24** (1970), 507–515.
- [Schul71] L^2 error bounds for the Rayleigh–Ritz–Galerkin method, *SIAM J. Numer. Anal.* **8** (1971), 737–748.
- [Schul73] *Spline Analysis*, Prentice–Hall, Englewood Cliffs, NJ, 1973.
- [Schul73b] Error bounds for a bivariate interpolation scheme, *J. Approx. Theory* **8** (1973), 189–194.
- SCHULTZ, M. H. AND R. S. VARGA
- [SchulV67] L -splines, *Numer. Math.* **10** (1967), 345–369.
- SCHUMAKER, L. L.
- [Schum76] Fitting surfaces to scattered data, in *Approximation Theory, II*, G. G. Lorentz, C. K. Chui, and L. L. Schumaker (eds.), New York, Academic Press, 1976, 203–268.
- [Schum76b] Two-stage methods for fitting surfaces to scattered data, in *Quantitative Approximation*, R. Schaback and K. Scherer (eds.), Berlin, Lecture Notes 556, Springer, 1976, 378–389.
- [Schum81] *Spline Functions: Basic Theory*, Wiley, New York, 1981.
- [Schum87] Triangulation methods, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), New York, Academic Press, 1987, 219–232.
- [Schum87b] Numerical aspects of piecewise polynomials on triangulations, in *Algorithms for the Approximation of Functions and Data*, J. C. Mason and M. G. Cox (eds.), Oxford, Oxford Univ. Press, 1987, 373–406.
- [Schum88] Constructive aspects of bivariate piecewise polynomials, in *Mathematics of Finite Elements and Applications VI*, J. Whiteman (ed.), London, Academic Press, 1988, 513–520.
- [Schum89] On super splines and finite elements, *SIAM J. Numer. Anal.* **26** (1989), 997–1005.
- [Schum93] Computing optimal triangulations using simulated annealing, *Comput. Aided Geom. Design* **10** (1993), 329–345.
- [Schum93b] Triangulation methods in CAGD, *IEEE Comp. Graph. Appl.* **13** (1993), 47–52.
- [Schum07] *Spline Functions: Basic Theory 3rd Edition*, Cambridge University Press, Cambridge, 2007.
- [Schum08] Computing bivariate splines in scattered data fitting and the finite-element method, *Numerical Algorithms* **48** (2008), 237–260.
- SCHUMAKER, L. L. AND T. SOROKINA
- [SchumS06] A family of C^r macro-elements on Powell–Sabin-12 splits, *Math. Comp.* **75** (2006), 711–726.
- SCHUMAKER, L. L. AND H. SPELEERS
- [SchumSp10] Nonnegativity preserving macro-element interpolation of scattered data, *Comput. Aided Geom. Design* **27** (2010), 245–261.

- [SchumSp11] Convexity preserving splines over triangulations, *Comput. Aided Geom. Design* **28** (2011), 270–284.
- [SchumSp14] Convexity preserving C^0 splines, *Adv. Comp. Math.* **40** (2014), 117–135.
- SCHUMAKER, L. L. AND S. STANLEY
- [SchumSt96] Shape preserving knot removal, *Comput. Aided Geom. Design* **13** (1996), 851–872.
- SCHUMAKER, L. L. AND C. TRAAS
- [SchumT91] Fitting scattered data on spherelike surfaces using tensor products of trigonometric and polynomial splines, *Numer. Math.* **60** (1991), 133–144.
- SCHUMAKER, L. L. AND F. UTRERAS
- [SchumU90] On generalized cross-validation for tensor smoothing splines, *SIAM J. Sci. Statist. Comput.* **11** (1990), 713–731.
- SCHUMAKER, L. L. AND W. VOLK
- [SchumV86] Efficient evaluation of multivariate polynomials, *Comput. Aided Geom. Design* **3** (1986), 149–154.
- SCHUMAKER, L. L. AND L. WANG
- [SchumW11] Spline spaces on TR-meshes with hanging vertices, *Numer. Math.* **118** (2011), 531–548.
- [SchumW12] Splines on triangulations with hanging vertices, *Constr. Approx.* **36** (2012), 487–511.
- [SchumW12b] Approximation power of polynomial splines on T-meshes, *Comput. Aided Geom. Design* **29** (2012), 599–612.
- [SchumW13] On Hermite interpolation with polynomial splines on T-meshes, *J. Comput. Appl. Math.* **240** (2013), 42–50.
- SCHURER, F.
- [Schur68] A note on interpolating periodic quintic splines with equally spaced nodes, *J. Approx. Theory* **1** (1968), 493–500.
- [Schur70] An application of natural cubic spline functions to numerical integration formulae, in *Constructive Function Theory*, B. Penkov and D. Vacov (eds.), Sofia, Bulgarian Academy of Sciences, 1972, 315–325.
- [Schur70b] A note on interpolating periodic quintic spline functions, in *Approximation Theory*, A. Talbot (ed.), London, Academic Press, 1970, 71–81.
- SCHURER, F. AND E. W. CHENEY
- [SchurC68] On interpolating cubic splines with equally spaced nodes, *Indag. Math.* **30** (1968), 517–524.
- SCHWETLICK, H. AND V. KUNERT
- [SchwK93] Spline smoothing under constraints on derivatives, *BIT* **33** (1993), 512–528.
- SCHWETLICK, H. AND R. SCHÜTZE
- [SchwS95] Least squares approximation by splines with free knots, *BIT* **35** (1995), 361–384.

- [SchwS97] Constrained approximation by splines with free knots, *BIT* **37** (1997), 105-137.
- [SchwS03] Bivariate free knot splines, *BIT* **43** (2003), 153-178.
- SCOTT, D. S.
- [Sco84] The complexity of interpolating given data in three space with a convex function of two variables, *J. Approx. Theory* **42** (1984), 52-63.
- SECRET, D.
- [Sec65] Error bounds for interpolation and differentiation by the use of spline functions, *SIAM J. Numer. Anal.* **2** (1965), 440-447.
- [Sec65b] Numerical integration of arbitrarily spaced data and estimation of errors, *J. Soc. Indust. Appl. Math. Ser. B Numer. Anal.* **2** (1965), 52-68.
- SEITELMAN, L. H.
- [Seit79] Natural cubic splines are unnatural, in *Information Linkage Between Applied Math. and Industry*, P. C. C. Wang, A. L. Schoenstadt, B. I. Russak, and C. Comstock (eds.), New York, Academic Press, 1979, 473-481.
- [Seit84] New user-transparent edge conditions for bicubic spline surface fitting, *Rocky Mountain J. Math.* **14** (1984), 351-371.
- SHA, Z.
- [Sha79] A theorem on lacunary interpolation by splines, *Acta Mat. Sinica* **2** (1979), 1-5.
- [Sha80] The averaging approximation of functions with discontinuous derivatives by splines, *J. Chinese Univ.* **2** (1980), 87-91.
- SHADRIN, A. YU.
- [Shad88] On the error estimates for approximation of functions by smoothing splines (Russian), in *Variational Difference Methods in the Problems of Numerical Analysis*, V. V. Smelov (ed.), Novosibirsk, Computing Center, 1988, 147-162.
- [Shad90] On the approximation of functions by interpolating splines defined on nonuniform nets, *Mat. Sb.* **181** (1990), 1236-1255.
- [Shad93] Convergence of quintic splines in terms of a local mesh ratio, *Bulletin of the Novosibirsk Computing Center, ser. Numerical Analysis* **1** (1993), 87-95.
- SHAH, J. M.
- [Shah70] Two dimensional polynomial splines, *Numer. Math.* **15** (1970), 1-14.
- SHARMA, A. AND A. MEIR
- [SharM66] Degree of approximation of spline interpolation, *J. Math. Mech.* **15** (1966), 759-767.
- [SharM68] Convergence of a class of interpolatory splines, *J. Approx. Theory* **1** (1968), 243-250.
- SHARMA, A. AND J. TZIMBALARIO
- [SharmT77] Quadratic splines, *J. Approx. Theory* **19** (1977), 186-193.

SHEWCHUK, J. R.

[She02] Delaunay refinement algorithms for triangular mesh generation, *Comp. Geom.* **22** (2002), 21–74.

SHIKIN, E. V. AND A. I. PLIS

[ShikP95] *Handbook on Splines for the User*, CRC Press, Boca Raton, FL, 1995.

SHRIDHAR, M. AND N. BALATONI

[ShrB74] A generalized cubic spline technique for identification of multivariable systems, *J. Math. Anal. Appl.* **47** (1974), 78–90.

SIEPMANN, D. AND B. SÜNDERMANN

[SieS83] On a minimal property of cubic periodic Lagrangian splines, *J. Approx. Theory* **39** (1983), 236–240.

SILLIMAN, S. D.

[Sil74] The numerical evaluation by splines of Fourier transforms, *J. Approx. Theory* **12** (1974), 32–51.

SIMPS, S. E.

[Sim78] A note on some convergence properties of spline functions, *Comput. Math. Appl.* **2** (1978), 277–279.

SINCOVEC, RICHARD F.

[Sin72] On the solution of the equations arising from collocation with cubic B-splines, *Math. Comp.* **26** (1972), 893–895.

SINHA, S. S. AND B. G. SCHUNCK

[SinS92] A two-stage algorithm for discontinuity-preserving surface reconstruction, *IEEE Trans. Pattern Anal. and Machine Intelligence* **14** (1992), 36–55.

SIVAKUMAR, N. AND J. D. WARD

[SivW93] On the least squares fit by radial functions to multidimensional scattered data, *Numer. Math.* **65** (1993), 219–243.

SLOAN, I. H., D. TRAN, AND G. FAIRWEATHER

[SloTF93] A fourth-order cubic spline method for linear second-order two-point boundary value problems, *IMA J. Numer. Anal.* **13** (1993), 591–607.

SLOAN, I. H. AND W. L. WENDLAND

[SloW89] A quadrature-based approach to improving the collocation method for splines of even degree, *Z. Anal. Anwendungen* **8** (1989), 361–376.

SONG, C. H.

[Son75] Some considerations on cubic splines, *Subak kamuli* **19** (1975), 29–33.

SONNEVELD, P.

[Sonn69] Errors in cubic spline interpolation, *J. Engrg. Math.* **3** (1969), 107–117.

SPÄTH, H.

[Spa69] Interpolation by certain quintic splines, Algorithm 42, *Computer J.* **12** (1969), 292–293.

[Spa69b] Spline interpolation of degree three, Algorithm 40, *Computer J.* **12** (1969), 198–199.

- [Spa95] *One-dimensional Spline Interpolation Algorithms*, A K Peters, Wellesley, 1995.
- [Spa95b] *Two-dimensional Spline Interpolation Algorithms*, A K Peters, Wellesley, 1995.
- SPECKMAN, P.
- [Spe85] Spline smoothing and optimal rates of convergence in nonparametric regression models, *Ann. Statist.* **13** (1985), 970-983.
- SPELEERS, H.
- [Spe10] A normalized basis for quintic Powell-Sabin splines, *Comput. Aided Geom. Design* **27** (2010), 438-457.
- [Spe10b] A normalized basis for reduced Clough-Tocher splines, *Comput. Aided Geom. Design* **27** (2010), 700-712.
- [Spe12] Interpolation with quintic Powell-Sabin splines, *Appl. Numer. Math.* **62** (2012), 620-635.
- [Spe13] Multivariate normalized Powell-Sabin B-splines and quasi-interpolants, *Comput. Aided Geom. Design* **30** (2013), 2-19.
- SPELEERS, H., P. DIERCKX, AND S.VANDEWALLE
- [SpeDV06] Numerical solution of partial differential equations with Powell-Sabin splines, *J. Comput. Appl. Math.* **189** (2006), 643-659.
- [SpeDV06b] Local subdivision of Powell-Sabin splines, *Comput. Aided Geom. Design* **23** (2006), 446-462.
- [SpeDV07] Powell-Sabin splines with boundary conditions for polygonal and non-polygonal domains, *J. Comput. Appl. Math.* **206** (2007), 55-72.
- [SpeDV08] Multigrid methods with Powell-Sabin splines, *IMA J. Numer. Anal.* **28** (2008), 888-908.
- [SpeDV08b] On the L_p-stability of quasi-hierarchical Powell-Sabin B-splines, in *Approximation Theory XII: San Antonio 2007*, M. Neamtu, and L. L. Schumaker (eds.), Brentwood, TN, Nashboro Press, 2008, 398-413.
- [SpeDV09] Quasi-hierarchical Powell-Sabin B-splines, *Comput. Aided Geom. Design* **26** (2009), 174-191.
- SPRAGUE, T. B.
- [Spra1880] Explanation of a new formula for interpolation, *J. Inst. Actuar.* **22** (1880), 270.
- STEAD, S. E.
- [Ste84] Estimation of gradients from scattered data, *Rocky Mountain J. Math.* **14** (1984), 265-279.
- STEVENSON, R. P.
- [Stev03] Locally supported, piecewise polynomial biorthogonal wavelets on nonuniform meshes, *Constr. Approx.* **19** (2003), 477-508.
- STRANG, G.
- [Str73] Piecewise polynomials and the finite element method, *Bull. Amer. Math. Soc.* **79** (1973), 1128-1137.

STRANG, G. AND J. FIX

[StrF73] *An Analysis of the Finite Element Method*, Prentice-Hall, Englewood Cliffs, NJ, 1973.

[StrF73b] A Fourier analysis of the finite element variational method, in *Constructive Aspects of Functional Analysis*, G. Geymonat (ed.), C.I.M.E. II Ciclo 1971, 1973, 793–840.

SUBBOTIN, YU. N.

[Sub70] A certain linear method of approximation of differentiable functions (Russian), *Mat. Zametki* **7** (1970), 423–430.

[Sub90] Dependence of estimates of a multidimensional piecewise-polynomial approximation on the geometric characteristics of the triangulation, *Proc. Steklov Inst. Math.* **189** (1990), 135–159.

SUN, D. X.

[Sun81] A cubic spline interpolation with convexity (Chinese), *Numer. Math. J. Chinese Univ.* **3** (1981), 370–372.

SWARTZ, B. K.

[Swa68] $\mathcal{O}(h^{2n+2-l})$ bounds on some spline interpolation errors, *Bull. Amer. Math. Soc.* **74** (1968), 1072–1078.

SWARTZ, B. K. AND R. VARGA

[SwaV72] Error bounds for spline and L -spline interpolation, *J. Approx. Theory* **6** (1972), 6–49.

[SwaV73] A note on lacunary interpolation by splines, *SIAM J. Numer. Anal.* **10** (1973), 443–447.

TAKAGI, S.

[Tak71] Numerical differentiation by spline functions applied to a lake temperature observation, *J. Comput. Phys.* **8** (1971), 285–291.

TAN, T.-S.

[Tan96] An optimal bound for high-quality conforming triangulations, *Discrete Comput. Geom.* **15** (1996), 169–193.

TAO, W.

[Tao82] On the convexity-preserving spline interpolation, *Math. Numer. Sinica* **4** (1982), 346–355.

TARAZI, M. N. AND S. SALLAM

[TarS87] On quartic splines with applications to quadratures, *Computing* **38** (1987), 355–361.

TASCHE, MANFRED

[Tas94] Orthogonal periodic spline wavelets, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 475–484.

TEWARSON, R. P.

[Tew80] On the use of splines for the numerical solution of non-linear two-point boundary value problems, *BIT* **20** (1980), 223–232.

THEILHEIMER, FEODOR AND WILLIAM STARKWEATHER

- [TheS61] The fairing of ship lines on a high-speed computer, *Math. Comp.* **15** (1961), 338–355.

THOMAS, D. H.

- [Tho76] A natural tensor product interpolation formula and the pseudoinverse of a matrix, *Linear Algebra Appl.* **13** (1976), 239–250.

TÖPFER, H.-J. AND W. VOLK

- [TopV80] Die numerische Behandlung von Integralgleichungen zweiter Art mittels Splinefunktionen, in *Numerische Behandlung von Integralgleichungen*, J. Albrecht and L. Collatz (eds.), Basel, Birkhäuser, 1980, 228–243.

TRAAS, C. R.

- [Tra87] Smooth approximation of data on the sphere with splines, *Computing* **38** (1987), 177–184.

TRAVERSONI, L.

- [Tra93] An algorithm for natural spline interpolation, *Numer. Algorithms* **5** (1993), 63–70.

TZIMBALARIO, J.

- [Tzi78] On a class of interpolatory splines, *J. Approx. Theory* **23** (1978), 142–145.

UBHAYA, V. A.

- [Uby87] An $O(n)$ algorithm for least squares quasi-convex approximation, *Comput. Math. Appl.* **14** (1987), 583–590.

UNSER, M., A. ALDROUBI, AND M. EDEN

- [UnsAE91] Fast B-spline transforms for continuous image representation and interpolation, *IEEE Trans. Pattern Anal. and Machine Intelligence* **13** (1991), 277–285.

- [UnsAE92] Polynomial spline signal approximations: filter design and asymptotic equivalence with Shannon’s sampling theorem, *IEEE Trans. Inform. Theory* **38** (1992), 95–103.

- [UnsAE92b] Polynomial splines and wavelets—a signal processing perspective, in *Wavelet Analysis and Applications.*, Academic Press, Boston, MA, 1992, 91–122.

- [UnsAE92c] On the asymptotic convergence of B-spline wavelets to Gabor functions, *IEEE Trans. Inform. Theory* **38** (1992), 864–872.

USMANI, R. A.

- [Usm80] Spline solutions for nonlinear two-point boundary value problems, *Internat. J. Math. Math. Sci.* **3** (1980), 151–167.

- [Usm87] On quadratic spline interpolation, *BIT* **27** (1987), 615–622.

- [Usm96] Error bounds for periodic quartic spline interpolation, *Approx. Theory Appl.* **12** (1996), 1–9.

USMANI, R. A. AND M. SAKAI

- [UsmS82] A note on quadratic spline interpolation at midpoints, *BIT* **22** (1982), 261–267.
- UTRERAS, F.
- [Utr81] Optimal smoothing of noisy data using spline functions, *SIAM J. Sci. Statist. Comput.* **2** (1981), 349–362.
- [Utr81b] On computing robust splines and applications, *SIAM J. Sci. Statist. Comput.* **2** (1981), 153–163.
- [Utr82] Convergence rates for monotone cubic spline interpolation, *J. Approx. Theory* **36** (1982), 86–90.
- [Utr85] Positive thin plate splines, *Approx. Theory Appl.* **1** (1985), 77–108.
- [Utr85b] Smoothing noisy data under monotonicity constraints: Existence, characterization and convergence rates, *Numer. Math.* **47(4)** (1985), 611–625.
- [Utr86] Positive smoothing splines, in *Approximation Theory V*, C. Chui, L. Schumaker, and J. Ward (eds.), New York, Academic Press, 1986, 603–606.
- [Utr87] On generalized cross-validation for multivariate smoothing spline functions, *SIAM J. Sci. Statist. Comput.* **8** (1987), 630–643.
- [Utr88] Convergence rates for multivariate smoothing spline functions, *J. Approx. Theory* **52** (1988), 1–27.
- [Utr90] Recent results on multivariate smoothing splines, in *Multivariate Approximation and Interpolation, ISNM 94*, W. Haussmann and K. Jetter (eds.), Basel, Birkhäuser, 1990, 299–312.
- UTRERAS, F. I. AND L. VARAS
- [UtrV91] Monotone interpolation of scattered data in \mathbb{R}^s , *Constr. Approx.* **7** (1991), 49–68.
- VARAH, J. M.
- [Var77] On the condition number of local bases for piecewise cubic polynomials, *Math. Comp.* **31** (1977), 37–44.
- VARAS, M. L.
- [Var87] On the computation of the monotone cubic spline function, *Approx. Theory Appl.* **3** (1987), 91–105.
- VARGA, R. S.
- [Varg66] Hermite interpolation-type Ritz methods for two-point boundary value problems, in *Numerical Solution of Partial Differential Equations*, Academic Press (New York), 1966, 365–373.
- [Varg69] Error bounds for spline interpolation, in *Approximation with Special Emphasis on Spline Functions*, I. J. Schoenberg (ed.), New York, Academic Press, 1969, 367–388.
- VARMA, A. K.
- [Varm78] Lacunary interpolation by splines I, *Acta Math. Acad. Sci. Hung.* **31** (1978), 185–192.
- [Varm78b] Lacunary interpolation by splines. II. (0,4) and (0,1,3) cases, *Acta Math. Acad. Sci. Hungar.* **31** (1978), 193–203.

VARMA, A. K. AND K. L. KATSIFARAKIS

- [VarmK85] Optimal error bounds for cubic spline interpolation, in *Approximation Theory and Applications* (St. John's, Nfld., 1984), Pitman, Boston, MA, 1985, 214-229.

VELDHUIZEN, M. VAN

- [Vel88] Convergence results for invariant curve algorithms, *Math. Comp.* **51** (1988), 677-697.

VELIKIN, V. L.

- [Veli72] Approximation by cubic splines in the classes of continuously differentiable functions, *Mat. Zametki* **11** (1972), 215-226.

VERMEULEN, A. H., R. H. BARTELS, AND G. R. HEPPLER

- [VerBH92] Integrating Products of B-Splines, *SIAM J. Sci. Statist. Comput.* **13(4)** (1992), 1025-1038.

VIGO, M., P. NÚRIA, AND J. COTRIA

- [VigNC02] Regular triangulations of dynamic sets of points, *Comput. Aided Geom. Design* **19** (2002), 127-149.

VILLALOBOS, M. A. AND G. WAHBA

- [VilW87] Inequality constrained multivariate smoothing splines with application to the estimation of posterior probabilities, *J. Amer. Stat. Assoc.* **82** (1987), 239-248.

VILLIERS, J. M. DE

- [Vil93] A convergence result in nodal spline interpolation, *J. Approx. Theory* **74** (1993), 266-279.

VILLIERS, J. M. DE AND C. H. ROHWER

- [VilR87] Optimal local spline interpolants, *J. Comput. Appl. Math.* **18** (1987), 107-119.

VILLIERS, J. M. DE AND C. H. ROHWER

- [VilR87] Optimal local spline interpolants, *Special issue on the 11th South African J. Comput. Appl. Math.* **18** (1987), 107-119.

- [VilR91] A nodal spline generalization of the Lagrange interpolant, in *Progress in Approximation Theory*, P. Nevai and A. Pinkus (eds.), New York, Academic Press, 1991, 201-211.

- [VilR94] Sharp bounds for the Lebesgue constant in quadratic nodal spline interpolation, in *Approximation and Computation* (West Lafayette, IN, 1993), Birkhäuser Boston, Boston, MA, 1994, 157-168.

VOLKOV, YU. S.

- [Vol05] Unconditional convergence of one more middle derivative for odd-degree spline interpolation, *Doklady Mathematics* **71** (2005), 250-252.

WAHBA, G.

- [Wah75] Smoothing noisy data with spline functions, *Numer. Math.* **24** (1975), 383-393.

- [Wah75b] Interpolating spline methods for density estimation. I. Equi-spaced knots, *Ann. Statist.* **3** (1975), 30–48.
- [Wah78] Improper priors, spline smoothing, and the problem of guarding against model errors in regression, *J. Royal Stat. Soc. B* **40** (1978), 364–372.
- [Wah80] Spline bases, regularization, and generalized cross validation for solving approximation problems with large quantities of noisy data, in *Approximation Theory III*, E. W. Cheney (ed.), New York, Academic Press, 1980, 905–912.
- [Wah81] Spline interpolation and smoothing on the sphere, *SIAM J. Sci. Statist. Comput.* **2** (1981), 5–16.
- [Wah82] Errata: Spline interpolation and smoothing on the sphere, *SIAM J. Sci. Statist. Comput.* **3** (1982), 385–386.
- [Wah82b] Vector splines on the sphere, with application to the estimation of vorticity and divergence from discrete, noisy data, in *Multivariate Approximation Theory II*, W. Schempp and K. Zeller (eds.), Basel, Birkhäuser, 1982, 407–429.
- [Wah83] Bayesian “confidence intervals” for the cross-validated smoothing spline, *J. Roy. Statist. Soc. Ser. B* **45** (1983), 133–150.
- [Wah84] Surface fitting with scattered noisy data on Euclidean d -space and on the sphere, *Rocky Mountain J. Math.* **14** (1984), 281–299.
- [Wah90] *Spline Models for Observational Data*, CBMS NSF Regional Conference Series in Applied Mathematics 59, SIAM, Philadelphia, 1990.
- WAHBA, G. AND J. WENDELBERGER
- [WahW80] Some new mathematical methods for variational objective analysis using splines and cross validation, *Mon. Wea. Rev.* **108** (1980), 1122–1143.
- WAHBA, G. AND S. WOLD
- [WahWo75] Periodic splines for spectral density estimation. The use of cross validation for determining the degree of smoothing, *Comm. Statist.* **4** (1975), 125–141.
- [WahWo75b] A completely automatic French curve fitting spline function by cross validation, *Comm. Statist.* **4** (1975), 1–17.
- [WahWo76] Histosplines with knots which are order statistics, *J. Roy. Statist. Soc. Ser. B* **38** (1976), 140–151.
- WALDRON, S.
- [Wal88] The error in linear interpolation at vertices of a simplex, *SIAM J. Numer. Anal.* **35(3)** (1998), 1191–1200.
- WALSH, J. L., J. H. AHLBERG, AND E. N. NILSON
- [WalAN62] Best approximation properties of the spline fit, *J. Math. Mech.* **11** (1962), 225–234.
- [WalAN65] Best approximation and convergence properties of higher-order spline approximations, *J. Math. Mech.* **14** (1965), 231–243.
- WANG, J. Y.

- [Wan79] A spline interpolation with convexity (Chinese), *Math. Num. Sinica* **1** (1979), 233–243.
- WANG, R. H.
- [Wan01] *Multivariate Spline Functions and their Applications*, Translated from the 1994 Chinese original by Shao-Ming Wang, Kluwer, Dordrecht, 2001.
- WANG, T.
- [Wang92] A C^2 -quintic spline interpolation scheme on a triangulation, *Comput. Aided Geom. Design* **9** (1992), 379–386.
- WANG, Z. B. AND Q. M. LIU
- [WangL88] An improved condition for the convexity and positivity of Bernstein–Bézier surfaces over triangles, *Comput. Aided Geom. Design* **5** (1988), 269–275.
- WANG, S. G. AND G. R. WANG
- [WanW80] On cubic spline interpolation for derivative values (Chinese), *J. Shanghai Norm. Univ. Nat. Sci. Ed.* **2** (1980), 7–15.
- WATSON, G. S.
- [Wat84] Smoothing and interpolation by kriging and with splines, *Math. Geol.* **16(6)** (1984), 601–615.
- WEGMAN, E. J. AND I. W. WRIGHT
- [WegW83] Splines in Statistics, *J. Amer. Stat. Assoc.* **78** (1983), 351–365.
- WEINERT, H. L., U. B. DESAI, AND G. S. SIDHU
- [WeiDS79] ARMA splines, system inverses, and least-squares estimates, *SIAM J. Control Optimiz.* **17** (1979), 525–536.
- WEINERT, H. AND J. KAILATH
- [WeiK74] Stochastic interpretations and recursive algorithms for spline functions, *Ann. Stat.* **2** (1974), 787–794.
- [WeiK76] A spline-theoretic approach to minimum-energy control, *IEEE Trans. Automatic Control* **AC-21** (1976), 391–393.
- WENDLAND, H.
- [Wen05] *Scattered Data Interpolation*, Cambridge University Press, Cambridge, 2005.
- WERNER, H.
- [Wer75] Interpolation and integration of initial value problems of ordinary differential equations by regular splines, *SIAM J. Numer. Anal.* **12** (1975), 255–271.
- WEYRICH, N.
- [Wey92] Bivariate spline approximation by penalized least squares, in *Mathematical Methods in Computer Aided Geometric Design II*, T. Lyche and L. L. Schumaker (eds.), New York, Academic Press, 1992, 607–614.
- WHELAN, T.
- [Whe86] A representation of a C^2 interpolant over triangles, *Comput. Aided Geom. Design* **3** (1986), 53–66.

WHITEN, W. J.

[Whi71] The use of multi-dimensional cubic spline functions for regression and smoothing, *Austral. Computer J.* **3** (1971), 81–88.

[Whi72] The use of periodic spline functions for regression and smoothing, *Austral. Comput. J.* **4** (1972), 31–34.

WHITTEN, E. H. T. AND M. E. V. KOELLING

[WhitK73] Spline surface interpolation, spatial filtering, and trend surfaces for geologically mapped variables, *Math. Geol.* **5** (1973), 111–126.

WILLEMANS, K. AND P. DIERCKX

[WillD94] Constrained surface fitting using Powell-Sabin splines, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Wellesley MA, A. K. Peters, 1994, 511–520.

[WillD94b] Surface fitting using convex Powell-Sabin splines, *J. Comput. Appl. Math.* **56** (1994), 263–282.

[WillD95] Nonnegative surface fitting with Powell-Sabin splines, *Numer. Algorithms* **9** (1995), 263–276.

[WillD96] Smoothing scattered data with a monotone Powell-Sabin spline surface, *Numer. Algorithms* **12** (1996), 215–232.

WILSON, F. W., R. K. GOODRICH, AND W SPRATTE

[WilGS88] Lawson’s triangulation is nearly optimal for controlling error, *SIAM J. Numer. Anal.* **27** (1990), 190–197.

WOLD, S.

[Wol74] Spline functions in data analysis, *Technometrics* **16** (1974), 1–11.

WOLTRING, H. J.

[Wol85] On optimal smoothing and derivative estimation from noisy displacement data in biomechanics, *Human Movement Sc.* **4** (1985), 229–245.

WOODFORD, C. H.

[Woo70] An algorithm for data smoothing using spline functions, *BIT* **10** (1970), 501–510.

WRIGHT, I. W. AND E. J. WEGMAN

[WriW80] Isotonic, convex and related splines, *Ann. Statist.* **8(5)** (1980), 1023–1035.

WU, Z.-M.

[Wu88] A suitable method for the interpolation of multivariate scattered data, and its convergence rate, *Chinese Quarterly Journal of Mathematics* **3** (1988), 105–110.

[Wu92] Hermite-Birkhoff interpolation of scattered data by radial basis functions, *Approx. Theory Appl.* **24** (1992), 201–215.

WU, D. B.

[Wud93] Dual bases of a Bernstein polynomial basis on simplices, *Comput. Aided Geom. Design* **10** (1993), 483–489.

WU, Z.-M. AND R. SCHABACK

- [WuS93] Local error estimates for radial basis function interpolation to scattered data, *IMA J. Numer. Anal.* **13** (1993), 13–27.

WU, Z., X. SUN, AND L. MA

- [WuSM13] Sampling scattered data with Bernstein polynomials: stochastic and deterministic error estimates, *Adv. Comput. Math.* **38** (2013), 187–305.

XIE, S. Q.

- [Xie84] Quadratic spline interpolation, *J. Approx. Theory* **40** (1984), 66–80.

XIONG, Z.

- [Xio80] Splines of $(2n + 1)$ -th degree with coefficients expressed by even-order derivatives (Chinese), *Math. Numer. Sinica* **2** (1980), 69–76.

XU, S. Y.

- [Xu79] The convergence of cubic spline interpolants (Chinese), *Acta Math. Appl. Sinica* **2** (1979), 231–235.

- [Xu81] Convergence of periodic quadratic spline interpolants (Chinese), *Numer. Math. Sinica* **3** (1981), 188–191.

YAN, Z.

- [Yan87] Piecewise cubic curve fitting algorithm, *Math. Comp.* **49** (1987), 203–213.

YANG, Y. AND Q. SONG

- [YangS14] Jump detection in time series nonparametric regression models: a polynomial spline approach, *Ann. Inst. Statist. Math.* **66** (2014), 325–344.

YANG, Y., Y. XU, AND Q. SONG

- [YangXS12] Spline confidence bands for variance functions in nonparametric time series regressive models, *J. Nonparametr. Stat.* **24** (2012), 699714.

YE, M.

- [Ye93] Optimal error bounds for the cubic spline interpolation of lower smooth functions (I), *Approx. Theory Appl.* **9** (1993), 46–54.

YOON, J.

- [Yoo01] Approximation on $L_p(\mathbb{R}^d)$ from a space spanned by the scattered shifts of a radial basis function, *Constr. Approx.* **17** (2001), 227–247.

YOUNG, J. D.

- [You67] Numerical applications of cubic spline functions, *The Logistics Review* **3** (1967), 9–14.

- [You70] Function and first derivative fitting by modified quintic splines, *The Logistics Review* **6** (1970), 33–39.

- [You70b] An optimal cubic spline, *The Logistics Review* **6** (1970), 33–37.

YU, X. M. AND S. P. ZHOU

- [YuZ94] On monotone spline approximation, *SIAM J. Math. Anal.* **25** (1994), 1227–1239.

YUILLE, I. M.

- [Yui70] A system for on-line computer aided design of ships – prototype system and future possibilities, *Trans. Royal Inst. Naval Arch* **112** (1970), 443–463.
- ZAMANI, N. G.
- [Zam81] A least square finite element method applied to B-splines, *J. Franklin Inst.* **311** (1981), 195–208.
- ZANSYKBAEV, A. A.
- [Zan73] Sharp estimates for the uniform approximation of continuous periodic functions by r -th order splines, *Mat. Zametki* **13** (1973), 807–816.
- [Zan74] Approximation of certain classes of differentiable periodic functions by interpolatory splines in a uniform decomposition, *Mat. Zametki* **15** (1974), 955–966.
- ZARRABEITIA, L. AND V. HERNANDEZ MEDEROS
- [ZarH13] Multiresolution terrain modeling using level curve information, *J. Comput. Appl. Math.* **240** (2013), 87–98.
- ZAVIALOV, Y. S.
- [Zav69] Interpolation with piecewise polynomial functions in one and two variables, *Math. Probl. Geofiz.* **1** (1969), 125–141.
- [Zav70] An optimal property of bicubic spline functions and the problem of smoothing (Russian), *Vycisl. Sistemy* **42** (1970), 109–158.
- [Zav70b] Interpolation with bicubic splines, *Vycisl. Sistemy* **38** (1970), 74–101.
- [Zav70c] Interpolation with cubic splines, *Vycisl. Sistemy* **38** (1970), 23–73.
- [Zav70d] An extremal property of cubic spline functions and a smoothing problem, *Vycisl. Sistemy* **42** (1970), 89–108.
- ZAVIALOV, YU. S., B. I. KVASOV, AND V. L. MIROSHNICHENKO
- [ZavKM80] *Methods of Spline-Functions (Russian)*, Nauka, Moscow, 1980.
- ZEDEK, F.
- [Zed91] Lagrange interpolation by quadratic splines on a quadrilateral domain of \mathbb{R}^2 , in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), New York, Academic Press, 1991, 511–514.
- ŽENIŠEK, A.
- [Zen70] Interpolation polynomials on the triangle, *Numer. Math.* **15** (1970), 283–296.
- [Zen73] Hermite interpolation on simplexes and the finite element method, in *Proc. Equadiff III, Brno*, 1973, 271–277.
- [Zen74] A general theorem on triangular finite C^m elements, *Rev. Française Automat. Informat. Rech. Opér., Ser. Rouge* **8** (1974), 119–127.
- [Zen95] Maximum-angle condition and triangular finite elements of Hermite type, *Math. Comp.* **64** (1995), 929–941.
- ZHANG, J. J.
- [Zha80] A note on the bounds of second derivatives of cubic splines (Chinese), *Math. Numer. Sinica* **2** (1980), 195–196.

- [Zhan83] On some classes of interpolating splines, *J. Math. Res. Expo.* **1** (1983), 135–136.
- ZHANLAV, T.
- [Zhanl81] Representation of interpolating cubic splines by B-splines (Russian), *Vycisl. Systemi* **87** (1981), 3–10.
- ZHAO, K. AND J. C. SUN
- [ZhaoS88] Dual bases of multivariate Bernstein–Bézier polynomials, *Comput. Aided Geom. Design* **5** (1988), 119–125.
- ZHELUDEV, V. A.
- [Zhe83] Asymptotic formulas for local spline approximation on a uniform mesh, *Soviet Math. Dokl.* **27** (1983), 415–419.
- [Zhe85] Local quasi-interpolating splines and Fourier transforms, *Sov. Math. Doklady* **31** (1985), 573–577.
- [Zhe87] Local spline approximation on a uniform grid, *Comp. Math. Math. Phys.* **27** (1987), 8–19.
- [Zhe90] An operational calculus connected with periodic splines, *Soviet Math. Dokl.* **42** (1990), 162–167.
- [Zhe90b] Representation of the approximations error term and sharp estimates for some local splines, *Mat. Zametki* **48** (1990), 54–65.
- [Zhe90c] Spline-operational calculus and inverse problem for heat equations, *Colloquia Math. Soc. János Bolyai* **58** (1990), 763–783.
- [Zhe91] Local smoothing splines with a regularizing parameter, *Comp. Math. Math. Phys.* **31** (1991), 11–25.
- ZHENG, J. J.
- [Zhe93] The convexity of parametric Bézier triangular patches of degree 2, *Comput. Aided Geom. Design* **10** (1993), 521–530.
- ZHENSYKBAEV, A. A.
- [Zhen73] Exact bounds for the uniform approximation of continuous periodic functions by r th order splines, *Math. Notes* **13** (1973), 130–136.
- ZHOU, T. AND D. HAN
- [ZhoH08] A weighted least squares method for scattered data fitting, *J. Comput. Appl. Math.* **217** (2008), 56–63.
- [ZhoH09] Hermite scattered data fitting by the penalized least squares method, *J. Comput. Math.* **27** (2009), 802–811.
- ZHOU, T., D. HAN, AND M.-J. LAI
- [ZhoHL08] Energy minimization method for scattered data Hermite interpolation, *Appl. Numer. Math.* **58** (2008), 646–659.
- ZHOU, T. AND M.-J. LAI
- [ZhoL13] Scattered data interpolation by bivariate splines with higher approximation order, *J. Comput. Appl. Math.* **242** (2013), 125–140.
- ZLAMAL, M
- [Zla68] On the finite element method, *Numer. Math.* **12** (1968), 394–409.

- [Zla70] A finite element procedure of the second order of accuracy, *Numer. Math.* **14** (1970), 394–402.
- ZMATRAKOV, N. L.
- [Zma77] Uniform convergence of the third derivatives of interpolating cubic splines (Russian), *Vycisl. Sistemy* **72** (1977), 10–29.
- [Zma77b] Convergence of an interpolation process for parabolic and cubic splines, *Proc. Steklov. Inst. Math.* **138** (1977), 75–99.
- [Zma82] Divergence of the third derivatives in interpolating cubic in L_p -metrics, *Mat. Zametki* **31** (1982), 707–722.
- ZWART, P. B.
- [Zwa73] Multivariate splines with non-degenerate partitions, *SIAM J. Numer. Anal.* **10** (1973), 665–673.