

Multivariate Spline Bibliography

21 December 2006

This bibliography serves as a supplement to the book *Splines on Triangulations* by Ming-Jun Lai and Larry L. Schumaker, Cambridge University Press, 2007. It includes many more papers than were cited in the book, and in particular contains many papers on applications of multivariate splines. This bibliography is meant to be continuously updated, and the reader is urged to email us with corrections and or additions (larry.schumaker@vanderbilt.edu). A similar bibliography of univariate splines can be found on this web page. Readers wishing to download TeX files for the entries in either bibliography, or to search an even larger data base of spline references should consult the online spline bibliography of de Boor and Schumaker.

ADAM, MARTIN HANSJÖRG

(1995) Bivariate Spline-Interpolation auf Crosscut-Partitionen, dissertation, Universität Mannheim (Germany).

ADAMS, R. A.

(1975) *Sobolev Spaces*, New York, Academic Press.

AHLIN, A. C.

(1964) A bivariate generalization of Hermite's interpolation formula, *Math. Comp.* **18(86)**, 264–273.

AKIMA, H.

(1974) A method of bivariate interpolation and smooth surface fitting based on local procedures, *Commun. ACM* **17**, 18–20.

(1975) Comments on 'optimal contour mapping using universal Kriging' by Ricardo A. Olea, *J. Geophy. Res.* **80**, 832–836.

(1978) Algorithm 526: bivariate interpolation and smooth fitting for irregularly distributed data points, *ACM Trans. Math. Software* **4**, 160–164.

(1978) A method of bivariate interpolation and smooth surface fitting for irregularly distributed data points, *ACM Trans. Math. Software* **4**, 144–159.

(1984) On estimating partial derivatives for bivariate interpolation of scattered data, *Rocky Mountain J. Math.* **14**, 41–52.

AKL, S. G. AND G. T. TOUSSAINT

(1978) A fast convex Hull algorithm, *Information Processing Letters* **7**, 219–222.

ALAYLIOGLU, A., D. EYRE, M. BRANNIGAN, AND J. P. SVENNE

- (1986) Spline-Galerkin solution of integral equations for three-body scattering above breakup, *J. Comput. Phys.* **62**, 383–399.

ALBOUL, L. AND R. VAN DAMME

- (1996) Polyhedral metrics in surface reconstruction, in *The Mathematics of Surfaces VI*, G. Mullineux (ed.), Clarendon Press, Oxford, UK, 171–200.
- (1997) Polyhedral metrics in surface reconstruction: tight triangulations, in *The Mathematics of Surfaces VII*, T.N.T. Goodman (ed.), Clarendon Press, Oxford, UK, 309–336.

ALBRECHT, GUDRUN

- (1999) *Rational Triangular Bézier Surfaces – Theory and Applications*, Aachen, Habilitationsschrift, TU München, Shaker Verlag.

ALFELD, P.

- (1984) A bivariate C^2 Clough–Tocher scheme, *Comput. Aided Geom. Design* **1**, 257–267.
- (1984) A trivariate Clough–Tocher scheme for tetrahedral data, *Comput. Aided Geom. Design* **1**, 169–181.
- (1984) A discrete C^1 interpolant for tetrahedral data, *Rocky Mountain J. Math.* **14**, 5–16.
- (1985) Multivariate perpendicular interpolation, *SIAM J. Numer. Anal.* **22**, 95–106.
- (1985) Derivative generation from multivariate scattered data by functional minimization, *Comput. Aided Geom. Design* **2**, 281–296.
- (1986) On the dimension of multivariate piecewise polynomials, in *Numerical Analysis 1985*, D. F. Griffiths and G. A. Watson (eds.), Longman Scientific and Technical, Essex, 1–23.
- (1986) Trivariate adaptive cubature, in *Approximation Theory V*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 231–234.
- (1987) A case study of multivariate piecewise polynomials, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), SIAM Publications, Philadelphia, 149–159.
- (1989) Scattered data interpolation in three or more variables, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 1–33.
- (1996) Upper and lower bounds on the dimension of multivariate spline spaces, *SIAM J. Numer. Anal.* **33**, 571–588.

(2000) Bivariate splines and minimal determining sets, *J. Comput. Appl. Math.* **119**, 13–27.

ALFELD, P., D. EYRE, AND L. L. SCHUMAKER

(1987) Machine-Aided Investigation of Multivariate Spline Spaces, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 1–4.

ALFELD, P., M. NEAMTU, AND L. L. SCHUMAKER

(1995) Circular Bernstein–Bézier polynomials, in *Mathematical Methods for Curves and Surfaces*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 11–20.

(1996) Bernstein–Bézier polynomials on spheres and sphere-like surfaces, *Comput. Aided Geom. Design* **13**, 333–349.

(1996) Fitting scattered data on sphere-like surfaces using spherical splines, *J. Comput. Appl. Math.* **73**, 5–43.

(1996) Dimension and local bases of homogeneous spline spaces, *SIAM J. Math. Anal.* **27**, 1482–1501.

ALFELD, P., B. PIPER, AND L. L. SCHUMAKER

(1987) Minimally supported bases for spaces of bivariate piecewise polynomials of smoothness r and degree $d \geq 4r + 1$, *Comput. Aided Geom. Design* **4**, 105–123.

(1987) Spaces of bivariate splines on triangulations with holes, *Approx. Theory Appl.* **3**, 1–10.

(1987) An explicit basis for C^1 quartic bivariate splines, *SIAM J. Numer. Anal.* **24**, 891–911.

ALFELD, P. AND L. L. SCHUMAKER

(1987) The dimension of bivariate spline spaces of smoothness r for degree $d \geq 4r + 1$, *Constr. Approx.* **3**, 189–197.

(1990) On the dimension of bivariate splines spaces of smoothness r and degree $d = 3r + 1$, *Numer. Math.* **57**, 651–661.

(2000) Non-existence of star-supported spline bases, *SIAM J. Math. Anal.* **31**, 455–465.

(2002) Smooth macro-elements based on Clough–Tocher triangle splits, *Numer. Math.* **90**, 597–616.

(2002) Smooth macro-elements based on Powell–Sabin triangle splits, *Advances in Comp. Math.* **16**, 29–46.

(2003) Upper and lower bounds on the dimension of superspline spaces, *Constr. Approx.* **19**, 145–161.

(2005) A C^2 trivariate macro-element based on the Clough–Tocher split of a tetrahedron, *Comput. Aided Geom. Design* **22**, 710–721.

- (2005) A C^2 trivariate double-Clough–Tocher macro-element, in *Approximation Theory XI: Gatlinburg 2004*, C. K. Chui, M. Neamtu, and L. L. Schumaker (eds.), Nashboro Press, Brentwood, TN, 1–14.
- (2005) A C^2 trivariate macro-element based on the Worsey-Farin split of a tetrahedron, *SIAM J. Numer. Anal.* **43**, 1750–1765.
- (2006) Bounds on the dimension of trivariate spline spaces, manuscript.
- ALFELD, P., L. L. SCHUMAKER, AND M. SIRVENT
 (1992) On dimension and existence of local bases for multivariate spline spaces, *J. Approx. Theory* **70**, 243–264.
- ALFELD, P., L. L. SCHUMAKER, AND W. WHITELEY
 (1993) The generic dimension of the space of C^1 splines of degree $d \geq 8$ on tetrahedral decompositions, *SIAM J. Numer. Anal.* **30**, 889–920.
- ALFELD, P. AND M. SIRVENT
 (1989) A recursion formula for the dimension of super spline spaces of smoothness r and degree $d > r2^k$, in *Multivariate Approximation Theory IV, ISNM 90*, C. Chui, W. Schempp, and K. Zeller (eds.), Birkhäuser Verlag, Basel, 1–8.
- (1991) The structure of multivariate superspline spaces of high degree, *Math. Comp.* **57**, 299–308.
- ANTES, H.
 (1974) Bicubic fundamental splines in plate bending, *Internat. J. Numer. Meth. Engr.* **8**, 503–511.
- APPRATO, D.
 (1987) Approximation de surfaces paramétrées par éléments finis, dissertation, Univ. of Pau.
- APPRATO, D., R. ARCANGELI, AND J. GACHES
 (1983) Fonctions spline par moyennes locales sur un ouvert borne de \mathbb{R}^n , *Annales Fac. Sci. Toulouse* **5**, 61–87.
- APPRATO, D., R. ARCANGELI, AND R. MANZANILLA
 (1987) Sur la construction de surfaces de classe C^k à partir d’un grand nombre de données de Lagrange, *Math. Modelling and Numer. Anal.* **21**, 529–555.
- (1997) Ajustement spline sur des morceaux de surfaces, *C. R. Acad. Sci. Paris* **325**, 445–448.
- (1998) Noise removal in Medical Imaging, CPAM no. 1000, UC Berkeley.
- APPRATO, D. AND C. GOUT

- (2000) A result about scale transformation families in approximation: application to surface fitting from rapidly varying data, *Numerical Algorithms* **23(2,3)**, 263–279.
- APPRATO, D., C. GOUT, AND P. SENECHAL
 (2000) C^k reconstruction of surfaces from partial data, *Mathematical Geology* **32 (8)**, 969–983.
 (1982) Computable finite element error bounds for Poisson’s equation, *IMA J. Numer. Anal.* **2**, 475–479.
- ARCANGÉLI, R., M. CRUZ LÓPEZ DE SILANES, AND J. J. TORRENS
 (2004) *Multidimensional Minimizing Splines*, Dordrecht, Kluwer.
- ARGAWAL, R. P. AND P. J. Y. WONG
 (1993) *Error Inequalities in Polynomial Interpolation and Their Applications*, Dordrecht/Boston/London, Kluwer Academic Publ..
- ASATURYAN, S. AND K. UNSWORTH
 (1989) A C^1 monotonicity preserving surface interpolation scheme, in *Mathematics of Surfaces III*, D. C. Handscomb (ed.), Clarendon Press, Oxford, 243–266.
- ATTÉIA, M.
 (1970) Fonctions spline et méthode d’éléments finis, *Rev. Française Automat. Informat. Rech. Opér., Anal. Numer.* **R-2**, 13–40.
 (1977) Evaluation de l’erreur dans la méthode des éléments finis, *Numer. Math.* **28**, 295–306.
- ATTEIA, M.
 (1989) Approximation with barycentric coordinates: the Hilbertian case, in *Multivariate Approximation Theory IV, ISNM 90*, C. Chui, W. Schempp, and K. Zeller (eds.), Birkhäuser Verlag, Basel, 9–14.
- AUBIN, J. P.
 (1968) Interpolation et approximation optimales et spline functions, *J. Math. Anal. Appl.* **24**, 1–24.
 (1982) *Nonlinear Analysis on Manifolds. Monge-Ampère Equations*, Berlin, Springer.
 (1991) Approximation and geometric modeling with simplex B-splines associated with irregular triangles, *Comput. Aided Geom. Design* **8**, 67–87.
- AWANOU, G. AND M. J. LAI
 (2002) C^1 quintic spline interpolation over tetrahedral partitions, in *Approximation Theory X: Wavelets, Splines, and Applications*, C. K.

- Chui, L. L. Schumaker, and J. Stöckler (eds.), Vanderbilt University Press, Nashville, 1–16.
- BABUŠKA, I. AND A. K. AZIZ
 (1976) On the angle condition in the finite element method, *SIAM J. Numer. Anal.* **13(2)**, 214–226.
- BALARAS, C. A. AND S. M. JETER
 (1990) A surface fitting method for three dimensional scattered data, *Intern. J. for Numer. Meth. in Engineering* **29**, 633–645.
- BALL, A. A.
 (1983) The improved bicubic patch – natural surface counterpart of the parametric cubic segment, *IMA J. Numer. Anal.* **3**, 373–380.
- BALL, A. A. AND D. J. T. STORRY
 (1986) A matrix approach to the analysis of recursively generated B-spline surfaces, *Computer-Aided Design* **18**, 437–442.
 (1988) Conditions for tangent plane continuity over recursively generated B-spline surfaces, *ACM Trans. on Graphics* **7**, 83–102.
- BAMBERGER, L.
 (1985) Zweidimensionale Splines auf regulären Triangulationen, dissertation, University of Munich.
- BARAMIDZE, V. AND M. J. LAI
 (2005) Error bounds for minimal energy interpolatory spherical splines, in *Approximation Theory XI: Gatlinburg 2004*, C. K. Chui, M. Neamtu, and L. L. Schumaker (eds.), Nashboro Press, Brentwood, TN, 25–50.
- BARGHIEL, C., R. BARTELS, AND D. FORSEY
 (1995) Pasting spline surfaces, in *Mathematical Methods for Curves and Surfaces*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 31–40.
- BARNETTE, D.
 (33) Generating triangulations of the projective plane, *J. Combinatorial Theory B* **1982**, 222–230.
- BARNHILL, R. E.
 (1974) Smooth interpolation over triangles, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), Academic Press, New York, 45–70.
 (1976) Blending function finite elements for curved boundaries, in *Mathematics of Finite Elements and Applications II*, J. Whiteman (ed.), Academic Press, London, 67–76.

- (1977) Blending function interpolation: a survey and some new results, in *Constructive Theory of Functions of Several Variables, Oberwolfach 1976*, W. Schempp and K. Zeller (eds.), Springer Lecture Notes in Math. 571, Springer-Verlag, Berlin, 43–89.
- (1977) Representation and approximation of surfaces, in *Mathematical Software III*, J. R. Rice (ed.), Academic Press, New York, 68–119.
- (1982) Coons' patches, *Computers in Industry* **3**, 37–43.
- (1983) A survey of the representation and design of surfaces, *IEEE Comp. Graph. Appl.* **3(7)**, 9–16.
- (1983) Computer aided surface representation and design, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 1–24.
- (1985) Surfaces in computer aided geometric design: A survey with new results, *Comput. Aided Geom. Design* **2**, 1–17.
- BARNHILL, R. E., G. BIRKHOFF, AND W. J. GORDON
 (1973) Smooth interpolation in triangles, *J. Approx. Theory* **8**, 114–128.
- BARNHILL, R. E. AND W. BOEHM
 (1983) *Surfaces in Computer Aided Geometric Design*, Amsterdam, North Holland.
 (1985) *Surfaces in CAGD '84*, Amsterdam, North Holland.
- BARNHILL, B., W. BOEHM, AND J. HOSCHEK
 (1990) *Curves and surfaces in CAGD '89*, Amsterdam, North-Holland.
- BARNHILL, R. E. AND G. FARIN
 (1981) C^1 quintic interpolation over triangles: two explicit representations, *Int. J. Numer. Meth. Engr.* **17**, 1763–1778.
- BARNHILL, R. E. AND J. A. GREGORY
 (1975) Polynomial interpolation to boundary data on triangles, *Math. Comp.* **29(131)**, 726–735.
 (1975) Compatible smooth interpolation in triangles, *J. Approx. Theory* **15**, 214–225.
 (1976) Interpolation remainder theory from Taylor expansions on triangles, *Numer. Math.* **25**, 401–408.
 (1976) Sard kernel theorems on triangular domains with application to finite element error bounds, *Numer. Math.* **25**, 215–229.
- BARNHILL, R. E. AND F. F. LITTLE
 (1984) Three- and four-dimensional surfaces, *Rocky Mountain J. Math.* **14**, 77–102.

- BARNHILL, R. E., G. T. MAKATURA, AND S. E. STEAD
 (1987) A new look at higher dimensional surfaces through computer graphics, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), SIAM Publications, Philadelphia, 123–130.
- BARNHILL, R. E. AND L. MANSFIELD
 (1974) Error bounds for smooth interpolation in triangles, *J. Approx. Theory* **11**, 306–318.
- BARNHILL, R. E., B. R. PIPER, AND S. E. STEAD
 (1985) Surface representation for the graphical display of structured data, *The Visual Computer* **1**, 108–111.
- BARNHILL, R. E. AND R. F. RIESENFELD
 (1977) Surface representation for computer aided design, in *Data Structures, Computer Graphics, and Pattern Recognition*, A. Klinger, K. Fu, and T. Kunii (ed.), Academic Press, New York, 413–426.
- BARNHILL, R. E. AND S. STEAD
 (1984) Multistage trivariate surfaces, *Rocky Mountain J. Math.* **14**, 103–118.
- BARNHILL, R. E. AND T. WHELAN
 (1984) A geometric interpretation of convexity conditions for surfaces, *Comput. Aided Geom. Design* **1**, 285–287.
- BARNHILL, R. E. AND J. R. WHITEMAN
 (1975) Error analysis of finite element methods with triangles for elliptic boundary value problems, in *Mathematics of Finite Elements and Applications*, J. Whiteman (ed.), Academic Press, London, 83–112.
- BARNHILL, R. E. AND J. A. WIXOM
 (1969) An error analysis for the bivariate interpolation of analytic functions, *SIAM J. Numer. Anal.* **6**, 450–457.
- BARNHILL, R. E. AND A. J. WORSEY
 (1984) Smooth interpolation over hypercubes, *Comput. Aided Geom. Design* **1**, 101–113.
- BARRAR, R. B. AND H. L. LOEB
 (1985) A necessary condition for the controlled approximation, *Numer. Func. Anal. Optim.* **8**, 193–205.
- BARTELS, R. H., J. C. BEATTY, AND B. A. BARSKY
 (1987) *An Introduction to Splines for Use in Computer Graphics & Computer Modeling*, Los Altos, CA, Morgan Kaufmann Publ..

- BASZENSKI, G. AND L. L. SCHUMAKER
 (1991) Use of simulated annealing to construct triangular facet surfaces, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Academic Press, New York, 27–32.
- BEATSON, R. AND Z. ZIEGLER
 (1985) Monotonicity preserving surface interpolation, *SIAM J. Numer. Anal.* **22**, 401–411.
- BERENS, H., H. J. SCHMID, AND YUAN XU
 (1992) Bernstein-Durrmeyer polynomials on a simplex, *J. Approx. Theory* **68**, 247–261.
- BERTIN, E. AND J.-M. CHASSERY
 (1994) A 3D generalized Voronoi diagram for a set of polyhedra, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 43–50.
- BEZHAEV, A. Y. AND V. A. VASILENKO
 (2001) *Variational Theory of Splines*, Dordrecht, Kluwer.
- BÉZIER, P. E.
 (1993) The first years of CAD/CAM and the UNISURF CAD system, in *Fundamental Developments of Computer-Aided Geometric Modeling*, Les Piegl (ed.), Academic Press, London, 13–26.
- BÉZIER, P. AND S. SIOUSSIOU
 (1983) Semi-automatic system for defining free-form curves and surfaces, *Computer-Aided Design* **15(2)**, 65–72.
- BILLERA, L. J.
 (1988) Homology of smooth splines: Generic triangulations and a conjecture of Strang, *Trans. Amer. Math. Soc.* **310**, 325–340.
 (1989) The algebra of continuous piecewise polynomials, *Advances of Math.* **76**, 170–183.
- BILLERA, L. J. AND L. L. ROSE
 (1989) Gröbner basis methods for multivariate splines, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 93–104.
 (1991) A dimension series for multivariate splines, *Discrete Computat. Geom.* **6**, 107–128.
- BINEV, PETER G.
 (1987) Error estimate for box spline interpolation, in *Constructive Theory of Functions '87*, B. Sendov, P. Petrushev, K. Ivanov, and R. Maleev

(eds.), Bulgarian Academy of Sciences, Sofia, 50–55.

BINEV, PETER G. AND K. JETTER

- (1991) Euler splines from 3-directional box splines, in *Constructive Theory of Functions '91*, K. Ivanov et al. (eds.), Bulgarian Academy of Sciences, Sofia, 1–8.
- (1992) Cardinal interpolation with shifted 3-directional box splines, Proc. Roy. Soc. Edinburgh Sect. A **122A**, 205–220.
- (1992) Estimating the condition number for multivariate interpolation problems, in *Numerical Methods in Approximation Theory, ISNM 105*, D. Braess, L. L. Schumaker (eds.), Birkhäuser, Basel, 39–50.

BIRKHOFF, G.

- (1969) Piecewise bicubic interpolation and approximation in polygons, in *Approximation with Special Emphasis on Spline Functions*, I. J. Schoenberg (ed.), Academic Press, New York, 185–221.
- (1971) Tricubic polynomial interpolation, Proc. Nat. Acad. Sci. **68**, 1162–1164.

BIRKHOFF, G.

- (1979) The algebra of multivariate interpolation, in *Constructive approaches to mathematical models*, C. V. Coffman and G. J. Fix (eds.), Academic Press, New York, 345–363.

BIRKHOFF, G. AND H. GARABEDIAN

- (1960) Smooth surface interpolation, J. Math. Phys. **39**, 258–268.

BLAKE, J.

- (1989) Flächenapproximation durch nicht-uniforme B-Splines, Diplomarbeit, Ludwig Maximilian Univ., Munich.

BLAGA, P. AND G. COMAN

- (1979) On some bivariate spline operators, Anal. Numer. Th. Approx. **8**, 143–153.

BOEHM, W.

- (1976) Parameterdarstellung kubischer und bikubischer Splines, Computing **17**, 87–92.
- (1977) Cubic B-spline curves and surfaces in computer aided geometric design, Computing **19**, 29–34.
- (1981) Generating the Bézier points of B-spline curves and surfaces, Computer-Aided Design **13(6)**, 365–366.
- (1983) Subdividing multivariate splines, Computer-Aided Design **15(6)**, 345–352.

- (1985) Curvature continuous curves and surfaces, *Comput. Aided Geom. Design* **2**, 313–323.
- (1986) Multivariate spline algorithms, in *The Mathematics of Surfaces*, J. A. Gregory (ed.), Clarendon Press, Oxford, 197–215.
- (1986) Multivariate spline methods in CAGD, *Computer-Aided Design* **18(2)**, 102–104.
- (1986) Curvature continuous curves and surfaces, *Computer-Aided Design* **18(2)**, 105–106.
- (1987) Smooth curves and surfaces, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), SIAM Publications, Philadelphia, 175–184.
- BOEHM, W., G. FARIN, AND J. KAHMANN
 (1984) A survey of curve and surface methods in CAGD, *Comput. Aided Geom. Design* **1**, 1–60.
- BOEHM, W. AND A. MÜLLER
 (1999) On de Casteljau’s algorithm, *Comput. Aided Geom. Design* **16**, 587–605.
- BOEHM, W., H. PRAUTZSCH, AND P. ARNER
 (1987) On triangular splines, *Constr. Approx.* **3**, 157–167.
- BÖHMER, K. AND GH. COMAN
 (1980) On some approximation schemes on triangles, *Mathematica Cluj* **22**, 231–235.
- BOJANOV, B. D., H. A. HAKOPIAN, AND A. A. SAHAKIAN
 (1993) *Spline Functions and Multivariate Interpolations*, Dordrecht, The Netherlands, Kluwer Academic Publishers.
- BOLANDI, G., F. ROCCA, AND S. ZANOLETTI
 (1976) Automatic contouring of faulted subsurfaces, *Geophysics* **41**, 1377–1393.
- BOOR, C. DE
 (1962) Bicubic spline interpolation, *J. Math. Phys.* **41**, 212–218.
 (1968) On uniform approximation by splines, *J. Approx. Theory* **1**, 219–235.
 (1973) The quasi-interpolant as a tool in elementary polynomial spline theory, in *Approximation Theory*, G. G. Lorentz *et al.* (eds.), Academic Press, New York, 269–276.
 (1978) *A Practical Guide to Splines*, New York, Springer.
 (1982) Topics in multivariate approximation theory, in *Topics in Numerical Analysis*, P. Turner (ed.), Lecture Notes 965, Springer, Berlin,

39–78.

- (1987) B -form basics, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), SIAM Publications, Philadelphia, 131–148.
- (1987) The polynomials in the linear span of integer translates of a compactly supported function, *Constr. Approx.* **3**, 199–208.
- (1988) What is a multivariate spline?, in *Proc. First Intern. Conf. Industr. Applied Math., Paris 1987*, J. McKenna and R. Temam (eds.), SIAM, Philadelphia, 90–101.
- (1989) A local basis for certain smooth bivariate pp spaces, in *Multivariate Approximation Theory IV, ISNM 90*, C. Chui, W. Schempp, and K. Zeller (eds.), Birkhäuser Verlag, Basel, 25–30.
- (1990) Quasiinterpolants and approximation power of multivariate splines, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Kluwer, Dordrecht, Netherlands, 313–345.
- (1992) Approximation order without quasi-interpolants, in *Approximation Theory VII*, E. W. Cheney, C. Chui, and L. Schumaker (eds.), Academic Press, New York, 1–18.
- (1993) Multivariate piecewise polynomials, *Acta Numerica*, 65–109.
- (1993) B(asic)-spline basics, in *Fundamental Developments of Computer-Aided Geometric Modeling*, Les Piegl (ed.), Academic Press, London, 27–49.
- (1993) On the evaluation of box splines, *Numer. Algorithms* **5**, 5–23.
- (1997) The error in polynomial tensor-product, and Chung-Yao interpolation, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 35–50.

BOOR, C. DE AND R. DEVORE

- (1983) Approximation by smooth multivariate splines, *Trans. Amer. Math. Soc.* **276**, 775–788.
- (1985) Partitions of unity and approximation, *Proc. Amer. Math. Soc.* **93**, 705–709.

BOOR, C. DE, R. DEVORE, AND K. HÖLLIG

- (1983) Approximation order from smooth bivariate pp functions, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 353–357.

BOOR, C. DE, R. DEVORE, AND A. RON

- (1993) On the construction of multivariate (pre)wavelets, *Constr. Approx.* **9**, 123–166.

- (1994) The structure of finitely generated shift-invariant spaces in $L_2(\mathbb{R}^d)$, *J. Funct. Anal.* **119**(1), 37–78.
- (1998) Approximation orders of FSI spaces in $L_2(\mathbb{R}^d)$, *Constr. Approx.* **14**, 631–652.

BOOR, C. DE AND G. J. FIX

- (1973) Spline approximation by quasi-interpolants, *J. Approx. Theory* **8**, 19–45.

BOOR, C. DE AND K. HÖLLIG

- (1982) B-splines from parallelepipeds, *J. Analyse Math.* **42**, 99–115.
- (1983) Approximation order from bivariate C^1 -cubics: a counterexample, *Proc. Amer. Math. Soc.* **87**, 649–655.
- (1983) Bivariate box splines and smooth pp functions on a three direction mesh, *J. Comput. Appl. Math.* **9**, 13–28.
- (1987) Minimal support for bivariate splines, *Approx. Theory Appl.* **3**, 11–23.
- (1988) Approximation power of smooth bivariate pp functions, *Math. Z.* **197**, 343–363.
- (1991) Box-spline tilings, *Amer. Math. Monthly* **98**, 793–802.

BOOR, C. DE, K. HÖLLIG, AND S. RIEMENSCHNEIDER

- (1983) Bivariate cardinal interpolation, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 359–363.
- (1985) The limits of multivariate cardinal splines, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 47–50.
- (1985) Bivariate cardinal interpolation by splines on a three-direction mesh, *Illinois J. Math.* **29**, 533–566.
- (1985) Convergence of bivariate cardinal interpolation, *Constr. Approx.* **1**, 183–193.
- (1984) On bivariate cardinal interpolation, in *Constructive Theory of Functions '84*, B. Sendov, P. Petrushev, R. Maleev, and S. Tashev (eds.), Bulgarian Academy of Sciences, Sofia, 254–259.
- (1986) Convergence of cardinal series, *Proc. Amer. Math. Soc.* **98**, 457–460.
- (1993) *Box Splines*, New York, Springer.

BOOR, C. DE AND R. Q. JIA

- (1985) Controlled approximation and a characterization of the local approximation order, *Proc. Amer. Math. Soc.* **95**, 547–553.

- (1993) A sharp upper bound on the approximation order of smooth bivariate pp function, *J. Approx. Theory* **72**, 24–33.
- BOOR, C. DE AND A. RON
 (1992) Fourier analysis of the approximation power of principal shift-invariant spaces, *Constr. Approx.* **8**, 427–462.
- BOS, LEN
 (1983) Bounding the Lebesgue function for Lagrange interpolation on a simplex, *J. Approx. Theory* **38**, 43–59.
 (1989) On a characteristic of points in \mathbb{R}^2 having Lebesgue function of polynomial growth, *J. Approx. Theory* **56**, 155–162.
 (1990) Some remarks on the Fejer problem for Lagrange interpolation in several variables, *J. Approx. Theory* **60**, 133–140.
 (1991) On certain configurations of points in \mathbb{R}^n which are unisolvent for polynomial interpolation, *J. Approx. Theory* **64**, 271–280.
- BOSE, P., S. RAMASWAMI, G. TOUSSAINT, AND A. TURKI
 (2002) Experimental results on quadrangulations of sets of fixed points, *Comput. Aided Geom. Design* **19**, 533–552.
- BOSE, P. AND G. TOUSSAINT
 (1997) Characterizing and efficiently computing quadrangulations of planar point sets, *Comput. Aided Geom. Design* **14**, 763–785.
- BOZZINI, M., F. DE TISI, AND M. ROSSINI
 (1994) Irregularity detection from noisy data with wavelets, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 59–66.
- BRAESS, D.
 (1997) *Finite Elements*, Cambridge, Cambridge University Press.
- BRAMBLE, J. H. AND S. R. HILBERT
 (1970) Estimation of linear functionals on Sobolev spaces with application to Fourier transforms and spline interpolation, *SIAM J. Numer. Anal.* **7**, 112–124.
 (1971) Bounds for a class of linear functionals with applications to Hermite interpolation, *Numer. Math.* **16**, 362–369.
- BRENNER, S. C. AND L. R. SCOTT
 (1994) *The Mathematical Theory of Finite Element Methods*, New York, Springer.
- BROWN, J. L. AND A. J. WORSEY

- (1992) Problems with defining barycentric coordinates for the sphere, *Math. Model. Numer. Anal.* **26**, 37–49.
- BRUNET, P. AND A. VINACUA
 (1991) Surfaces in solid modeling, in *Geometric Modeling, Methods and Applications*, H. Hagen and D. Roller (eds.), Springer Verlag, Berlin, 17–34.
- BRUNIE, L. AND P. CINQUIN
 (1994) An energy-based paradigm for multimodal images fusion, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 83–91.
- BRUNETT, GUIDO H.
 (1992) Properties of minimal-energy splines, in *Curve and Surface Design*, H. Hagen (ed.), SIAM Publications, SIAM, Philadelphia PA, 3–22.
- BRUNETT, GUIDO, HANS HAGEN, AND PAULO SANTARELLI
 (1993) Variational design of curves and surfaces, *Surv. Math. Ind* **3**, 1–27.
- BUHMANN, M. D., O. DAVYDOV, AND T. N. T. GOODMAN
 (2001) Prewavelets of small support, *J. Approx. Theory* **112**, 16–27.
 (113–133) Cubic spline prewavelets on the four-directional mesh, *Found. Comput. Math.* **3** (2003).
- BURT, P. J. AND E. H. ADELSON
 (1983) A multiresolution spline with application to image mosaics, *ACM Trans. on Graphics* **2**, 217–236.
- CABRELLI, C., C. HEIL, AND U. MOLTER
 (1998) Accuracy of lattice translates of several multidimensional refinable functions, *J. Approx. Theory* **95**, 5–52.
- CANONNE, J. C.
 (1994) A necessary and sufficient condition for the C^k continuity of triangular rational surfaces, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 75–82.
- CAO, Y. AND X. HUA
 (1991) The convexity of quadratic parametric triangular Bernstein-Bézier surfaces, *Comput. Aided Geom. Design* **8**, 1–6.
- CARAMANLIAN, C., K. A. SELBY, AND G. T. HILL
 (1978) A quintic conforming plate bending triangle, *Internat. J. Numer. Meth. Engr.* **12**, 1109–1130.

CARLSON, R. E. AND F. N. FRITSCH

- (1985) Monotone piecewise bicubic interpolation, *SIAM J. Numer. Anal.* **22**, 386–400.
- (1989) An algorithm for monotone piecewise bicubic interpolation, *SIAM J. Numer. Anal.* **26**, 230–238.
- (1991) A bivariate interpolation algorithm for data which are monotone in one variable, *SIAM J. Sci. Statist. Comput.* **12**, 859–866.

CARLSON, R. E. AND C. A. HALL

- (1971) On piecewise polynomial interpolation in rectangular polygons, *J. Approx. Theory* **4**, 37–53.
- (1972) Bicubic spline interpolation in rectangular polygons, *J. Approx. Theory* **6**, 366–377.
- (1973) Error bounds for bicubic spline interpolation, *J. Approx. Theory* **7**, 41–47.
- (1973) Bicubic spline interpolation in L -shaped domains, *J. Approx. Theory* **8**, 62–68.

CARNICER, J. M.

- (1995) Multivariate convexity preserving interpolation by smooth functions, *Advances in Comp. Math.* **3**, 395–404.

CARNICER, J. M. AND W. DAHMEN

- (1992) Convexity preserving interpolation and Powell–Sabin elements, *Comput. Aided Geom. Design* **9**, 279–289.
- (1994) Characterization of local strict convexity preserving interpolation methods by C^1 functions, *J. Approx. Theory* **77**, 2–30.

CARNICER, J. M., M. S. FLOATER, AND J. M. PEÑA

- (1997) Linear convexity conditions for rectangular and triangular Bernstein–Bézier surfaces, *Comput. Aided Geom. Design* **15**, 27–38.

CARNICER, J. M. AND M. GASCA

- (1989) On finite element interpolation problems, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 105–113.
- (1989) On the evaluation of multivariate Lagrange formulae, in *Multivariate Approximation Theory IV, ISNM 90*, C. Chui, W. Schempp, and K. Zeller (eds.), Birkhäuser Verlag, Basel, 65–72.
- (1990) Evaluation of multivariate polynomials and their derivatives, *Math. Comp.* **54(189)**, 231–243.
- (2003) On Chung and Yao’s geometric characterization for bivariate polynomial interpolation, in *Curve and Surface Design: Saint-Malo 2002*,

Tom Lyche, Marie-Laurence Mazure, and Larry L. Schumaker (eds.),
Nashboro Press, Brentwood TN, 11–30.

(2004) Classification of bivariate GC configurations for interpolation, *Advances in Comp. Math.* **20**, 5–16.

(2005) Generation of lattices of points for bivariate interpolation, *Numer. Algorithms* **39(1-3)**, 69–79.

CARNICER, J. M., M. GASCA, AND T. SAUER

(2006) Interpolation lattices in several variables, *Numer. Math.* **102**, 559–581.

CARNICER, J. M. AND J. M. PEÑA

(1993) Shape preserving representations and optimality of the Bernstein basis, *Advances in Comp. Math.* **1**, 173–196.

(1994) Least supported bases and local linear independence, *Numer. Math.* **67**, 289–301.

CASTELJAU, P. DE

(1959) *Outillage méthodes calcul*, Paris, André Citroën Automobiles.

(1963) *Courbes et Surfaces à Pôles*, Paris, André Citroën Automobiles SA.

(1993) Polar forms for curve and surface modeling as used at Citroën, in *Fundamental Developments of Computer-Aided Geometric Modeling*, Les Piegl (ed.), Academic Press, London, 1–12.

(1994) Splines focales, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 91–103.

CHANG, G. Z. AND F. L. CHEN

(1991) A short proof of a converse theorem of convexity for Bernstein polynomials over simplices (Chinese), *J. Math. Res. Exposition* **11**, 275–277.

CHANG, G. Z. AND P. J. DAVIS

(1984) The convexity of Bernstein polynomials over triangles, *J. Approx. Theory* **40**, 11–28.

CHANG, G. Z. AND Y. Y. FENG

(1983) Error bound for Bernstein–Bézier triangular approximations, *J. Comput. Math.* **4**, 335–340.

(1984) An improved condition for the convexity of Bernstein–Bézier surfaces over triangles, *Comput. Aided Geom. Design* **1**, 279–283.

(1985) A new proof for the convexity of the Bernstein–Bézier surfaces over triangles, *Chin. Ann. of Math.* **6B**, 171–176.

- (1989) A pair of compatible variations for Bernstein triangular polynomials, *Approx. Theory Appl.* **5**, 1–10.
- CHANG, G. Z. AND J. HOSCHEK
 (1985) Convexity and variation diminishing property of Bernstein polynomials over triangles, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 61–71.
- CHANG, G. Z. AND T. SEDERBERG
 (1994) Nonnegative quadratic Bézier triangular patches, *Comput. Aided Geom. Design* **11**, 113–116.
- CHANG, G. Z. AND B. SU
 (1985) Families of adjoint patches for a Bézier triangular surface, *Comput. Aided Geom. Design* **2**, 37–42.
- CHANG, G. Z. AND J. H. WU
 (1981) Mathematical foundations of Bézier's technique, *Computer-Aided Design* **13**, 134–136.
- CHANG, G. AND J. ZHANG
 (1990) Converse theorems of convexity for Bernstein polynomials over triangles, *J. Approx. Theory* **61**, 265–278.
- CHEN, F. L. AND Y. Y. FENG
 (1993) Limit of iterates for Bernstein polynomials defined on a triangle, *Gaoxiao Yingyong Shuxue Xuebao Ser. B* **8**, 45–53.
- CHEN, F. AND J. KOZAK
 (1996) On computing zeros of a bivariate Bernstein polynomial, *J. Comput. Math.* **14**, 237–248.
- CHOI, B. K., H. Y. SHIN, Y. I. YOON, AND J. W. LEE
 (1988) Triangulation of scattered data in 3D space, *Computer-Aided Design* **20(5)**, 239–248.
- CHOU, Y. S., L. Y. SU, AND R. H. WANG
 (1985) The dimensions of bivariate spline spaces over triangulations, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 71–83.
- CHRISTARA, C. C.
 (1994) Quadratic spline collocation methods for elliptic partial differential equations, *BIT* **34(1)**, 33–61.
- CHRISTARA, C. C. AND B. F. SMITH
 (1997) Multigrid and multilevel methods for quadratic spline collocation, *BIT* **34(4)**, 781–803.

- CHRISTIE, M. A. AND K. J. MORIARTY
 (1979) A bicubic spline interpolation of unequally spaced data, *Comp. Phys. Comm.* **17**, 357–364.
- CHUI, C. K.
 (1984) Bivariate quadratic splines on crisscross triangulations, *Proc. First Army Conf. Appl. Math. Comp.* **1**, 877–882.
 (1985) B-splines on nonuniform triangulations, *Trans. Second Army Conf. Appl. Math. Comp.* **2**, 939–942.
 (1988) *Multivariate Splines*, Philadelphia, CBMS-NSF Reg. Conf. Series in Appl. Math., vol. 54, SIAM.
 (1987) A natural formulation of quasi-interpolation by multivariate splines, *Proc. Amer. Math. Soc.* **99**, 643–646.
- CHUI, C. K. AND HARVEY DIAMOND
 (1990) A characterization of multivariate quasi-interpolation formulas and its applications, *Numer. Math.* **57**, 105–121.
 (1991) A general framework for local interpolation, *Numer. Math.* **58**, 569–581.
- CHUI, C. K., H. DIAMOND, AND L. A. RAPHAEL
 (1984) Best local approximation in several variables, *J. Approx. Theory* **40**, 343–350.
 (1984) On best data approximation, *Approx. Theory Appl.* **1**, 37–56.
 (1988) Convexity-preserving quasi-interpolation and interpolation by box spline surfaces, in *Transactions of the Fifth Army Conference on Applied Mathematics and Computing*, xxx (ed.), U.S. Army Res. Office, Research Triangle Park NC, 301–310.
 (1988) Interpolation by multivariate splines, *Math. Comp.* **51(183)**, 203–218.
 (1989) Shape-preserving quasi-interpolation and interpolation by box spline surfaces, *J. Comput. Appl. Math.* **25**, 169–198.
- CHUI, C. K. AND T. X. HE
 (1987) On the location of sample points in C^1 quadratic bivariate spline interpolation, in *Numerical Methods in Approximation Theory Vol. 8, ISNM 81*, L. Collatz, G. Meinardus, and G. Nürnberger (eds.), Birkhäuser, Basel, 30–42.
- CHUI, C. K. AND T. X. HE
 (1988) On minimal and quasi-minimal supported bivariate splines, *J. Approx. Theory* **52**, 217–238.
 (1989) On the dimension of bivariate super-spline spaces, *Math. Comp.* **53**, 219–234.

- (1990) Bivariate C^1 quadratic finite elements and vertex splines, *Math. Comp.* **54**, 169–187.
- (1990) Corrigenda: On the dimension of bivariate superspline spaces, *Math. Comp.* **55**, 407–409.
- (1990) Computation of minimal and quasi-minimal supported bivariate splines and quasi-minimal supported bivariate splines, *J. Comput. Math.* **8**, 108–117.
- CHUI, C. K., T. X. HE, AND R. H. WANG
- (1987) Interpolation by bivariate linear splines, in *Alfred Haar Memorial Conference*, J. Szabados and K. Tandori (eds.), North-Holland, Amsterdam, 247–255.
- CHUI, C. K., T. X. HE, AND R. H. WANG
- (1987) The C^2 quartic spline space on a four-directional mesh, *Approx. Theory Appl.* **3**, 32–36.
- CHUI, C. K. AND D. HONG
- (1996) Construction of local C^1 quartic spline elements for optimal-order approximation, *Math. Comp.* **65(213)**, 85–98.
- (1997) Swapping edges of arbitrary triangles to achieve the optimal order of approximation, *SIAM J. Numer. Anal.* **34(4)**, xx–xx.
- CHUI, C. K., D. HONG, AND R. Q. JIA
- (1995) Stability of optimal-order approximation by bivariate splines over arbitrary triangulations, *Trans. Amer. Math. Soc.* **347**, 3301–3318.
- CHUI, C. K., D. HONG, AND S. T. WU
- (1994) On the degree of multivariate Bernstein polynomial operators, *J. Approx. Theory* **78**, 77–86.
- CHUI, C. K., K. JETTER, AND J. D. WARD
- (1987) Cardinal interpolation by multivariate splines, *Math. Comp.* **48(178)**, 711–724.
- CHUI, C.K. AND Y-S. HU
- (1983) Geometric properties of certain bivariate splines, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 407–412.
- CHUI, C. K. AND M. J. LAI
- (1985) On bivariate vertex splines, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 84–115.
- (1987) Vandermonde determinants and Lagrange interpolation in \mathbb{R}^s , in *Nonlinear and Convex Analysis*, B. L. Lin and S. Simons (eds.), Marcel

Dekker, New York, 23–32.

- (1987) A multivariate analog of Marsden’s identity and a quasi-interpolation scheme, *Constr. Approx.* **3**, 111–122.
- (1987) Computation of box splines and B-splines on triangulations of nonuniform rectangular partitions, *Approx. Theory Appl.* **3**, 37–62.
- (1987) On multivariate vertex splines and applications, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 19–36.
- (1990) Multivariate vertex splines and finite elements, *J. Approx. Theory* **60**, 245–343.
- (1990) On bivariate super vertex splines, *Constr. Approx.* **6**, 399–419.
- (1992) Algorithms for generating B-nets and graphically displaying box spline surfaces, *Comput. Aided Geom. Design* **8**, 479–493.

CHUI, C. K. AND A. RON

- (1991) On the convolution of a box spline with a compactly supported distribution: linear independence for the integer translates, *Canad. J. Math.* **43**, 19–33.

CHUI, C. K. AND L. L. SCHUMAKER

- (1982) On spaces of piecewise polynomials with boundary conditions, I. Rectangles, in *Multivariate Approximation Theory II*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 69–80.

CHUI, C. K., L. L. SCHUMAKER, AND R. H. WANG

- (1983) On spaces of piecewise polynomials with boundary conditions, II, Type-1 triangulations, *Canad. Math. Soc. Conf. Proceedings* **3**, 51–66.
- (1983) On spaces of piecewise polynomials with boundary conditions, III, Type-2 triangulations, *Canad. Math. Soc. Conf. Proceedings* **3**, 67–80.

CHUI, C. K., J. STÖCKLER, AND J. D. WARD

- (1989) Cardinal interpolation with shifted box-splines, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 141–144.
- (1991) Invertibility of shifted box spline interpolation operators, *SIAM J. Math. Anal.* **22**, 543–553.
- (1992) A Faber series approach to cardinal interpolation, *Math. Comp.* **58(197)**, 255–273.
- (1992) Compactly supported box spline wavelets, *Approx. Theory Appl.* **8**, 77–100.

CHUI, C. K. AND R. H. WANG

- (1982) A generalization of univariate splines with equally spaced knots to multivariate splines, *J. Math. Res. Exposit.* **2**, 99–104.
- (1982) Bases of bivariate spline spaces with cross-cut grid partitions, *J. Math. Res. Exposit.* **2**, 1–4.
- (1983) Multivariate spline spaces, *J. Math. Anal. Appl.* **94**, 197–221.
- (1983) Multivariate B-splines on triangulated rectangles, *J. Math. Anal. Appl.* **92**, 533–551.
- (1983) On smooth multivariate spline functions, *Math. Comp.* **41**, 131–142.
- (1983) Bivariate cubic B-splines relative to cross-cut triangulations, *Chinese Ann. Math.* **4**, 509–523.
- (1983) Bivariate B-splines on triangulated rectangles, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 413–418.
- (1984) Spaces of bivariate cubic and quartic splines on type-1 triangulations, *J. Math. Anal. Appl.* **101**, 540–554.
- (1984) On a bivariate B-spline basis, *Sci. Sinica* **27**, 1129–1142.
- (1984) Concerning C^1 B-splines on triangulations of non-uniform rectangular partitions, *Approx. Theory Appl.* **1**, 11–18.
- CHUI, C. K. AND J. Z. WANG
- (1994) Quasi-interpolation functionals on spline spaces, *J. Approx. Theory* **76(3)**, 303–325.
- CHUNG, K. C. AND T. H. YAO
- (1977) On lattices admitting unique Lagrange interpolations, *SIAM J. Numer. Anal.* **14**, 735–743.
- CIARLET, PHILIPPE G.
- (1978) *The Finite Element Method for Elliptic Problems*, Amsterdam, North Holland.
- (1978) Interpolation error estimates for the reduced Hsieh–Clough–Tocher triangle, *Math. Comp.* **32**, 335–344.
- CIARLET, P. G. AND P. A. RAVIART
- (1971) Interpolation de Lagrange dans \mathbb{R}^n , *C. R. Acad. Sci. Paris* **273**, 578–581.
- (1972) General Lagrange and Hermite interpolation in \mathbb{R}^N with applications to finite element methods, *Arch. Rational Mech. Anal.* **46**, 177–199.
- (1972) Interpolation de Lagrange sur des éléments finis courbes dans \mathbb{R}^n , *C. R. Acad. Sci. Paris* **274**, 640–643.

- (1972) Interpolation theory over curved elements, with applications to finite element methods, *Computer Methods in Appl. Mech. Eng.* **1**, 217–249.
- CIARLET, P. AND C. WAGSCHAL
 (1971) Multipoint Taylor formulas and applications to the finite element method, *Numer. Math.* **17**, 84–100.
- CIAVALDINI, J. F. AND J. C. NEDELEC
 (1974) Sur l'élément de Fraeijs de Veubeke et Sander, *Rev. Française Automat. Informat. Rech. Opér., Anal. Numer.* **2**, 29–45.
- CIESIELSKI, Z.
 (1975) Spline bases in function spaces, in *Approximation Theory*, C. Ciesielski and J. Musielak (eds.), Reidel, Dordrecht, 49–54.
 (1975) Constructive function theory and spline systems, *Studia Math.* **53**, 277–302.
- CIESIELSKI, Z. AND T. FIGIEL
 (1982) Spline bases in classical function spaces on compact manifolds, *Studia Math.* **LXXV**, 13–36.
 (1983) Spline bases in classical function spaces on compact C^∞ manifolds, Part II, *Studia Mathematica* **76**, 95–136.
- CINQUIN, PH
 (1983) Optimal reconstruction of surfaces using parametric spline functions, *Lect. Notes in Pure Appl. Math.* **86**, 187–195.
- CLARK, J. H.
 (1976) Designing surfaces in 3-D, *Commun. ACM* **19**, 454–563.
 (1979) A fast algorithm for rendering parametric surfaces, *Computer Graphics* **13(2)**, 7–12.
- CLINE, A. K. AND R. L. RENKA
 (1984) A storage-efficient method for construction of a Thiessen triangulation, *Rocky Mountain J. Math.* **14**, 119–139.
 (1990) A constrained two-dimensional triangulation and the solution of closest node problems in the presence of barriers, *SIAM J. Numer. Anal.* **27**, 1305–1321.
- COATMÉLEC, CHRISTIAN
 (1966) Approximation et interpolation des fonctions différentiables de plusieurs variables, *Ann. Sci. Ecole Norm. Sup.* **83(3)**, 271–341.
- CLOUGH, R. AND J. TOCHER

- (Wright–Patterson Air Force Base, 1965) Finite element stiffness matrices for analysis of plates in bending, in *Proc. of Conference on Matrix Methods in Structural Analysis*.
- COATMELEC, C.
 (1966) Approximation et interpolation des fonctions différentiables de plusieurs variables, *Ann. Sci. Ecole Norm. Sup.* **83**, 271–341.
- COHEN, E., T. LYCHE, AND R. RIESENFELD
 (1984) Discrete box splines and refinement algorithms, *Comput. Aided Geom. Design* **1**, 131–148.
 (1987) Cones and recurrence relations for simplex splines, *Constr. Approx.* **3**, 131–141.
- COHEN, E., R. RIESENFELD, AND G. ELBER
 (2001) *Geometric Modelling with Splines*, Natick, MA, AK Peters.
- COHEN, E. AND L. L. SCHUMAKER
 (1985) Rates of convergence of control polygons, *Comput. Aided Geom. Design* **2**, 229–235.
- COONS, S. A
 (1974) Surface patches and B-spline curves, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), Academic Press, New York, 1–16.
- COSTANTINI, P. AND F. FONTANELLA
 (1990) Shape preserving bivariate interpolation, *SIAM J. Numer. Anal.* **27**, 488–506.
- COSTANTINI, P. AND C. MANNI
 (1996) On a class of polynomial triangular macro-elements, *J. Comput. Appl. Math.* **73**, 45–64.
 (2000) Interpolating polynomial macro-elements with tension properties, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 143–152.
- COTTIN, C. AND R. VAN DAMME
 (1994) 3D reconstruction of closed objects by piecewise cubic triangular Bezier patches, in *Mathematics of Surfaces IV*, J.C. Mason, M.G. Cox (eds.), Clarendon, Oxford, 395–410.
 (1994) Construction of a VC1 interpolant over triangles via edge deletion, *Comput. Aided Geom. Design* **11**, 675–686.
- COURANT, D.

- (1943) Variational methods for the solution of problems of equilibrium and vibration, *Bull. Amer. Math. Soc.* **49**, 1–23.
- COURANT, D. AND D. HILBERT
 (1953) *Methods of Mathematical Physics, Vol. 1*, New York, Interscience.
- COX, D., L. LITTLE, AND D. OSHEA
 (1998) *Using Algebraic Geometry*, New York, Springer.
- CROUZEIX, M. AND V. THOMÉE
 (1987) The stability in L_p and W_p^1 of the L_2 -projection onto finite element function spaces, *Math. Comp.* **48**, 521–532.
- CURRY, H. B. AND I. J. SCHOENBERG
 (1966) On Pólya frequency functions IV: the fundamental spline functions and their limits, *J. Analyse Math.* **17**, 71–107.
- DAGNINO, C. AND P. LAMBERTI
 (2001) On the approximation power of bivariate quadratic C^1 splines, *J. Comput. Appl. Math.* **131**, 321–332.
- DÆHLEN, M.
 (1987) An example of bivariate interpolation with translates of C^0 -quadratic box-splines on a three direction mesh, *Comput. Aided Geom. Design* **4**, 251–255.
 (1989) On the evaluation of box-splines, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 167–179.
- DÆHLEN, MORTEN AND TOM LYCHE
 (1988) Bivariate interpolation with quadratic box splines, *Math. Comp.* **51(183)**, 219–230.
 (1991) Box splines and applications, in *Geometric Modeling, Methods and Applications*, H. Hagen and D. Roller (eds.), Springer Verlag, Berlin, 35–93.
- DÆHLEN, M. AND V. SKYTH
 (1989) Modelling non-rectangular surfaces using box-splines, in *Mathematics of Surfaces III*, D. C. Handscomb (ed.), Clarendon Press, Oxford, 287–300.
- DAHLBERG, B. E. J.
 (1989) Construction of surfaces of prescribed shape, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 157–159.

DAHLKE, S., W. DAHMEN, AND V. LATOUR

- (1995) Smooth refinable functions and wavelets obtained by convolution products, *Appl. Comput. Harmonic Anal.* **2**, 68–84.

DAHLKE, S., K. GRÖCHENIG, AND V. LATOUR

- (1997) Biorthogonal box spline wavelet bases, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 83–92.

DAHMEN, W.

- (1979) Multivariate B-splines — Recurrence relations and linear combinations of truncated powers, in *Multivariate Approximation Theory*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 64–82.
- (1979) Polynomials as linear combinations of multivariate B-splines, *Math. Z.* **169**, 93–98.
- (1980) Approximations by smooth multivariate splines on non-uniform grids, in *Quantitative Approximation*, R. DeVore and K. Scherer (eds.), Academic Press, New York, 99–114.
- (1980) Konstruktion mehrdimensionaler B-splines und ihre Anwendung auf Approximationsprobleme, in *Numerical Methods of Approximation Theory Vol. 5*, L. Collatz, G. Meinardus, and H. Werner (eds.), Birkhäuser Verlag, Basel, 84–110.
- (1980) On multivariate B-splines, *SIAM J. Numer. Anal.* **17**, 179–191.
- (1981) Approximation by linear combinations of multivariate B-splines, *J. Approx. Theory* **31**, 299–324.
- (1981) Multivariate B-splines, ein neuerer Ansatz im Rahmen der konstruktiven mehrdimensionalen Approximationstheorie, Habilitation, Bonn.
- (1982) Adaptive approximation by multivariate smooth splines, *J. Approx. Theory* **36**, 119–140.
- (1986) Subdivision algorithms converge quadratically, *J. Comput. Appl. Math.* **16**, 145–158.
- (1989) Smooth piecewise quadric surfaces, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 181–193.
- (1990) Subdivision algorithms – recent results, some extensions and further developments, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), Chapman & Hall, London, 21–49.
- (1991) Convexity and Bernstein–Bézier polynomials, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Academic Press, New York, 107–134.

DAHMEN, W., R. DEVORE, AND K. SCHERER

- (1980) Multidimensional spline approximations, *SIAM J. Numer. Anal.* **17**, 380–402.
- DAHMEN, W., A. DRESS, AND C. A. MICCHELLI
 (1996) On multivariate splines, matroids, and the Ext-functor, *Advances in Appl. Math.* **17(3)**, 251–307.
- DAHMEN, W., T. N. T. GOODMAN, AND C. A. MICCHELLI
 (1988) Compactly supported fundamental functions for spline interpolation, *Numer. Math.* **52**, 639–664.
- DAHMEN, W., R. JIA, AND C. MICCHELLI
 (1989) Linear dependence of cube splines revisited, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 161–164.
 (1991) On linear dependence relations for integer translates of compactly supported distributions, *Math. Nachrichten* **151**, 303–310.
- DAHMEN, W. AND C. A. MICCHELLI
 (1980) Numerical algorithms for least squares approximation by multivariate B-splines, in *Numerical Methods of Approximation Theory Vol. 5*, L. Collatz, G. Meinardus, and H. Werner (eds.), Birkhäuser Verlag, Basel, 85–114.
 (1981) On limits of multivariate B-splines, *J. Analyse Math.* **39**, 256–278.
 (1981) Computation of inner-products of multivariate B-splines, *Numer. Func. Anal. Optim.* **3**, 367–375.
 (1982) On entire functions of affine lineage, *Proc. Amer. Math. Soc.* **84**, 344–346.
 (1982) Some remarks on multivariate B-splines, in *Multivariate Approximation Theory II*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 81–87.
 (1982) On the linear independence of multivariate B-splines I. Triangulations of simploids, *SIAM J. Numer. Anal.* **19**, 992–1012.
 (1983) On the linear independence of multivariate B-splines II: complete configurations, *Math. Comp.* **41(163)**, 143–163.
 (1983) Translates of multivariate splines, *Linear Algebra Appl.* **52**, 217–234.
 (1983) Multivariate splines—A new constructive approach, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 191–215.
 (1983) Recent progress in multivariate splines, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 27–121.

- (1984) Subdivision algorithms for the generation of box-spline surfaces, *Comput. Aided Geom. Design* **1**, 115–129.
- (1984) On the optimal approximation rates for criss-cross finite element spaces, *J. Comput. Appl. Math.* **10**, 255–273.
- (1984) On the approximation order from certain multivariate spline spaces, *J. Austral. Math. Society, Ser. B* **26**, 233–246.
- (1984) Subdivision algorithms for the generation of box-spline surfaces, *Comput. Aided Geom. Design* **1**, 115–129.
- (1984) Some results on box splines, *Bull. Amer. Math. Soc.* **11**, 147–150.
- (1984) On the multivariate Euler-Frobenius polynomials, in *Constructive Theory of Functions '84*, B. Sendov, P. Petrushev, R. Maleev, and S. Tashev (eds.), Bulgarian Academy of Sciences, Sofia, 237–243.
- (1985) Combinatorial aspects of multivariate splines, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 130–137.
- (1985) On the solution of certain systems of partial difference equations and linear independence of translates of box splines, *Trans. Amer. Math. Soc.* **292**, 305–320.
- (1985) On the local linear independence of translates of a box spline, *Studia Math.* **82**, 243–263.
- (1985) Line average algorithm: a method for the computer generation of smooth surfaces, *Comput. Aided Geom. Design* **2**, 77–85.
- (1986) On the piecewise structure of discrete box splines, *Comput. Aided Geom. Design* **3**, 185–191.
- (1986) Statistical encounters with B-splines, *Contemporary Math.* **59**, 17–48.
- (1987) Algebraic properties of discrete box splines, *Constr. Approx.* **3**, 209–221.
- (1988) Convexity of multivariate Bernstein polynomials and box spline surfaces, *Studia Scientiarum Math. Hungarica* **23**, 265–287.
- (1988) The number of solutions to linear Diophantine equations and multivariate splines, *TAMS* **308**, 509–532.
- (1990) Local dimension of piecewise polynomial spaces, syzygies, and solutions of systems of partial differential equations, *Mathem. Nachr.* **148**, 117–136.
- (1990) Convexity and Bernstein polynomials on k-simploids, *Acta Mathematicae Applicatae Sinica* **6**, 50–66.
- (1989) Local spline schemes in one and several variables, in *Approximation and Optimization, Lecture Notes in Mathematics* **1354**, A. Gomez, F.

Guerra, M. A. Jimenez, G. Lopez (eds.), Springer-Verlag, New York, 11–24.

DAHMEN, W., C. A. MICCHELLI, AND H.-P. SEIDEL

(1992) Blossoming begets B-spline bases built better by B-patches, *Math. Comp.* **59**, 97–115.

DAHMEN, W., P. OSWALD, AND X. Q. SHI

(1994) C^1 -hierarchical bases, *J. Comput. Appl. Math.* **51**, 37–56.

DAVYDOV, O.

(1998) Locally linearly independent basis for C^1 bivariate splines of degree $q \geq 5$, in *Mathematical Methods for Curves and Surfaces II*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 71–78.

(2001) On the computation of stable local bases for bivariate polynomial splines, in *Trends in Approximation Theory*, Kirill Kopotun, Tom Lyche, and Mike Neamtu (eds.), Vanderbilt University Press, Nashville TN, 83–92.

(2002) Locally stable spline bases on nested triangulations, in *Approximation Theory X: Wavelets, Splines, and Applications*, C. K. Chui, L. L. Schumaker, and J. Stöckler (eds.), Vanderbilt University Press, Nashville, 231–240.

(2002) Stable local bases for multivariate spline spaces, *J. Approx. Theory* **111**, 267–297.

DAVYDOV, O., G. NÜRNBERGER, AND F. ZEILFELDER

(1998) Approximation order of bivariate spline interpolation for arbitrary smoothness, *J. Comput. Appl. Math.* **90**, 117–134.

(1998) Interpolation by cubic splines on triangulations, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 17–25.

(1999) Interpolation by splines on triangulations, in *International Series of Numerical Mathematics, vol 132*, xxx (ed.), Birkhäuser Verlag, Basel, 49–70.

(2000) Cubic spline interpolation on nested polygon triangulations, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 161–170.

(2001) Bivariate spline interpolation with optimal approximation order, *Constr. Approx.* **17**, 181–208.

DAVYDOV, O. AND L. L. SCHUMAKER

- (2000) Locally linearly independent bases for bivariate polynomial spline spaces, *Advances in Comp. Math.* **13**, 355–373.
- (2000) Stable local nodal bases for C^1 bivariate polynomial splines, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 171–180.
- (2002) On stable local bases for bivariate polynomial spline spaces, *Constr. Approx.* **18**, 87–116.
- (2002) Stable approximation and interpolation with C^1 quartic bivariate splines, *SIAM J. Numer. Anal.* **39**, 1732–1748.
- DAVYDOV, O. AND M. SOMMER
- (1998) Interpolation and almost interpolation by weak Chebyshev spaces, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 25–32.
- DAVYDOV, O., M. SOMMER, AND H. STRAUSS
- (1997) On almost interpolation by multivariate splines, in *Multivariate Approximation and Splines, ISNM 125*, G. Nürnberger, J. W. Schmidt, and G. Walz (eds.), Birkhäuser, Basel, 45–58.
- (1997) Locally linearly independent systems and almost interpolation, in *Multivariate Approximation and Splines, ISNM 125*, G. Nürnberger, J. W. Schmidt, and G. Walz (eds.), Birkhäuser, Basel, 59–72.
- (1999) On almost interpolation and locally linearly independent bases, *East J. Approx.* **5**, 67–88.
- DECHEVSKI, L. T. AND E. QUAK
- (1990) On the Bramble-Hilbert lemma, *Numer. Func. Anal. Optim.* **11** (5&6), 485–495.
- DENG, J. S., Y. Y. FENG, AND J. KOZAK
- (2000) A note on the dimension of the bivariate spline space over the Morgan-Scott triangulation, *SIAM J. Numer. Anal.* **37**, 1021–1028.
- DERRIENNIC, M.-M.
- (1985) On multivariate approximation by Bernstein-type polynomials, *J. Approx. Theory* **45(2)**, 155–166.
- DEVORE, R., B. JAWERTH, AND V. POPOV
- (1992) Compression of wavelet decompositions, *Amer. J. Math.* **114**, 737–785.
- DEY, T. K., K. SUGIHARA, AND C. L. BAJAJ

- (1992) Delaunay triangulations in three dimensions with finite precision arithmetic, *Comput. Aided Geom. Design* **9**, 457–470.
- DIAMOND, H., L. RAPHAEL, ?. ARAKELIAN, AND D. A. WILLIAMS
 (1994) A quasi-interpolant box-spline formulation for image compression and reconstruction, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 221–228.
- DIENER, D.
 (1990) Instability in the spaces of bivariate piecewise polynomials of degree $2r$ and smoothness order r , *SIAM J. Numer. Anal.* **27**, 543–551.
 (1997) Geometry dependence of the dimension of spaces of piecewise polynomials on rectilinear partitions, *Comput. Aided Geom. Design* **14**, 43–50.
- DIERCKX, P.
 (1981) An algorithm for surface fitting with spline functions, *IMA J. Numer. Anal.* **1**, 267–283.
 (1982) A fast algorithm for smoothing data on a rectangular grid while using spline functions, *SIAM J. Numer. Anal.* **19**, 1286–1304.
 (1984) Algorithms for smoothing data on the sphere with tensor product splines, *Computing* **32**, 319–342.
 (1993) *Curve and Surface Fitting with Splines*, Oxford, England, Monographs on Numerical Analysis, Oxford University Press.
- DIERCKX, P., P. SUETENS, AND D. VANDERMEULEN
 (1988) An algorithm for surface reconstruction from planar contours using smoothing splines, *J. Comput. Appl. Math.* **23**, 367–388.
- DIERCKX, P., S. VAN LEEMPUT, AND T. VERMEIRE
 (1992) Algorithms for surface fitting using Powell-Sabin splines, *IMA J. Numer. Anal.* **12(2)**, 271–299.
- DIERCKX, P. AND JORIS WINDMOLDERS
 (2000) From PS-splines to NURPS, in *Curve and Surface Design: Saint-Malo 99*, P.-J. Laurent, P. Sablonnière, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 45–54.
- DOUGLAS JR., J., T. DUPONT, AND L. WAHLBIN
 (1975) Optimal L_∞ error estimates for Galerkin approximations to solutions of two-point boundary value problems, *Math. Comp.* **29(130)**, 475–483.
 (1975) The stability in L^q of the L^2 projection into finite element function spaces, *Numer. Math.* **23**, 193–197.

DYN, N., I. GOREN, AND S. RIPPA

- (1993) Transforming triangulations in polygonal domains, *Comput. Aided Geom. Design* **10**, 31–536.

DYN, N., D. LEVIN, AND S. RIPPA

- (1990) Algorithms for the construction of data dependent triangulations, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), Chapman & Hall, London, 185–192.
- (1990) Data dependent triangulations for piecewise linear interpolation, *IMA J. Numer. Anal.* **10**, 137–154.
- (1992) Boundary corrections for data dependent triangulations, *J. Comput. Appl. Math.* **39**, 179–192.

EDELSBRUNNER, H.

- (1987) *Algorithms for Combinatorial Geometry*, Heidelberg, Springer-Verlag.
- (2001) *Geometry and Topology for Mesh Generation*, Cambridge, Cambridge University Press.

EWING, D. J. E., A. J. FAWKES, AND J. R. GRIFFITHS

- (1970) Rules governing the numbers of nodes and elements in a finite element mesh, *Internat. J. Numer. Meth. Engr.* **2**, 597–600.

FABIAN, VÁCLAV

- (1988) Polynomial estimation of regression functions with the supremum norm error, *Ann. Statistics* **16(4)**, 1345–1368.
- (1990) Spline estimation of non-parametric regression functions, with error measured by the supremum norm, *Prob. Th. Rel. Fields* **85**, 57–64.
- (1990) Complete cubic spline estimation of non-parametric regression functions, *Probab. Th. Rel. Fields* **85**, 57–64.

FARIN, G.

- (1977) Konstruktion und Eigenschaften von Bézier-Kurven und Bézier-Flächen, Diplom-Arbeit, University of Braunschweig.
- (1979) Subsplines über Dreiecken, dissertation, Braunschweig.
- (1980) Bézier polynomials over triangles and the construction of piecewise C^r polynomials, Technical Report TR/91, Brunel University.
- (1982) Designing C^1 surfaces consisting of triangular cubic patches, *Computer-Aided Design* **14**, 253–256.
- (1982) Visually C^2 cubic splines, *Computer-Aided Design* **14**, 137–139.
- (1982) A construction for the visual C^1 continuity of polynomial surface patches, *Computer Graphics Image Proc.* **20**, 272–282.

- (1983) Smooth interpolation to scattered 3D data, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 43–64.
- (1985) A modified Clough-Tocher interpolant, *Comput. Aided Geom. Design* **2**, 19–27.
- (1986) Triangular Bernstein–Bézier patches, *Comput. Aided Geom. Design* **3**, 83–127.
- (1986) Piecewise triangular C^1 surface strips, *Computer-Aided Design* **18(1)**, 45–47.
- (1988) *Curves and Surfaces for Computer Aided Geometric Design*, NY, Academic Press.
- (1989) Surfaces over Dirichlet tessellations, *Comput. Aided Geom. Design* **7(1-4)**, 281–292.
- (1991) *NURBS for Curve and Surface Design*, Philadelphia, SIAM.
- FARIN, G., J. HOSCHEK, AND M. S. KIM (EDS).
(2002) *Handbook of CAGD*, Amsterdam, North Holland.
- FARIN, G., B. PIPER, AND A. WORSEY
(1987) The octant of a sphere as a nondegenerate triangular Bézier patch, *Comput. Aided Geom. Design* **4**, 329–332.
- FARIN, G. AND N. SAPIDIS
(1989) Curvature and the fairness of curves and surfaces, *IEEE Comp. Graph. Appl.* **9(2)**, 52–57.
- FARMER, K. W. AND M. J. LAI
(1998) Scattered Data Interpolation by C^2 Quintic Splines Using Energy Minimization, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 47–54.
- FAROUKI, R. T.
(1986) The approximation of non-degenerate offset surfaces, *Comput. Aided Geom. Design* **3**, 15–43.
- FAROUKI, R. T. AND T. N. T. GOODMAN
(1996) On the optimal stability of the Bernstein basis, *Math. Comp.* **65**, 1553–1566.
- FAROUKI, R. T., T. N. T. GOODMAN, AND T. SAUER
(2003) Construction of orthogonal bases for polynomials in Bernstein form on triangular and simplex domains, *Comput. Aided Geom. Design* **20**, 209–230.

FAROUKI, R. T. AND V. T. RAJAN

- (1988) Algorithms for polynomials in Bernstein form, *Comput. Aided Geom. Design* **5**, 1–26.

FASSHAUER, G. AND L. L. SCHUMAKER

- (1996) Minimal energy surfaces using parametric splines, *Comput. Aided Geom. Design* **13**, 45–79.
- (1998) Scattered data fitting on the sphere, in *Mathematical Methods for Curves and Surfaces II*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 117–166.

FENG, D. Y. AND R. F. RIESENFELD

- (1980) Some new surface forms for computer-aided geometric design, *Computer J.* **23**, 324–331.

FENG, Y. Y.

- (1987) Rates of convergence of Bézier net over triangles, *Comput. Aided Geom. Design* **4**, 245–249.

FENG, Y. Y., F. L. CHEN, AND H. L. ZHOU

- (1994) The invariance of weak convexity conditions of B -nets with respect to subdivision, *Comput. Aided Geom. Design* **11**, 97–107.

FENG, Y. Y. AND J. KOZAK

- (1991) The convexity of families of adjoint patches for a Bézier triangular surface, *Contemp. Math.* **9**, 301–304.
- (1992) Asymptotic expansion formula for Bernstein polynomials defined on a simplex, *Constr. Approx.* **8**, 49–58.
- (1994) On convexity and Schoenberg's variation diminishing splines, *Journal of China University of Science and Technology* **24**, 129–134.
- (1996) The theorem on the B-B polynomials defined on a simplex in the blossoming form, *J. Comput. Math.* **14**, 64–70.

FENG, Y. Y., J. KOZAK, AND Z. MING

- (1996) On the dimension of the C^1 spline space for the Morgan–Scott triangulation from the blossoming approach, in *Advanced Topics in Multivariate Approximation*, F. Fontanella, K. Jetter, and P.-J. Laurent (eds.), World Scientific Publishing Co., Singapore, 71–86.

FENG, Y. Y. AND D.-XU QI

- (1983) On the Haar and Walsh systems on a triangle, *J. Comput. Math.* **1**, 223–232.

FENG, Y. Y., J. KOZAK, AND M. ZHANG

- (1996) On the dimension of the C^1 spline space for the Morgan–Scott triangulation from the blossoming approach, in *Advanced Topics in Multivariate Approximation*, F. Fontanella, K. Jetter, and P.-J. Laurent (eds.), World Scientific Publishing Co., Singapore, 71–86.
- FIELD, D. A.
 (1986) Implementing Watson’s algorithm in three dimensions, Proc. 2nd Annual Symposium on Computational Geometry, 246–259.
- FLOATER, M. S.
 (1997) A counterexample to a theorem about the convexity of Powell–Sabin elements, *Comput. Aided Geom. Design* **14**, 383–385.
- FLOATER, M. S. AND J. M. PEÑA
 (2000) Monotonicity preservation on triangles, *Math. Comp.* **69**, 1505–1519.
- FLOATER, M. S. AND E. G. QUAK
 (1998) A semi-prewavelet approach to piecewise linear prewavelets on triangulations, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 63–70.
 (1999) Piecewise linear prewavelets on arbitrary triangulations, *Numer. Math.* **82**, 221–252.
- FOLEY, T. A.
 (1983) Full Hermite interpolation to multivariate scattered data, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 465–470.
 (1984) Three-stage interpolation to scattered data, *Rocky Mountain J. Math.* **14**, 141–149.
 (1986) A triangular surface patch with optimal error bounds, in *Approximation Theory V*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 343–346.
 (1986) Scattered data interpolation and approximation with error bounds, *Comput. Aided Geom. Design* **3**, 163–177.
 (1987) Interpolation and Approximation of 3-D and 4-D scattered data, *Comp. Maths. Appls* **13**, 711–740.
- FOLEY, T. A. AND H. S. ELY
 (1989) Surface interpolation with tension controls using cardinal bases, *Comput. Aided Geom. Design* **6**, 97–109.
- FOLEY, T. A. AND G. M. NIELSON

- (1980) Multivariate interpolation to scattered data using delta iteration, in *Approximation Theory III*, E. W. Cheney (ed.), Academic Press, New York, 419–424.

FONTANELLA, F.

- (1987) Shape preserving surface interpolation, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 63–78.
- (1990) Shape preserving interpolation, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Kluwer, Dordrecht, Netherlands, 183–214.

FORSEY, D. AND R. BARTELS

- (1988) Hierarchical B-spline refinement, *Computer Graphics* **22**(4), 205–212.

FRAEIJIS DE VEUBEKE, B.

- (1968) A conforming finite element for plate bending, *J. Solids Structures* **4**, 95–108.
- (1974) Variational principles and the patch test, *Intern. J. Numer. Methods Eng.* **8**, 783–801.

FRANKE, R.

- (1982) Scattered data interpolation: tests of some methods, *Math. Comp.* **38**(157), 181–200.
- (1987) Recent advances in the approximation of surfaces from scattered data, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 79–98.

FRANKE, R. AND G. NIELSON

- (1980) Smooth interpolation of large sets of scattered data, *Internat. J. Numer. Meth. Engr.* **15**, 1691–1704.
- (1983) Surface approximation with imposed conditions, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 135–146.
- (1991) Scattered data interpolation and applications: A tutorial and survey, in *Geometric Modeling*, H. Hagen and D. Roller (eds.), Springer Verlag, Berlin, 131–160.

FREDERICKSON, P. O.

- (1970) Triangular spline interpolation, Rpt. 6–70, Lakehead Univ..
- (1971) Quasi-interpolation, extrapolation, and approximation on the plane, in *Proc. Manitoba Conf. Numer. Math.*, R. S. D. Thomas and H. C. Williams (eds.), Utilitas Mathematica Publishing Inc., Winnipeg, 159–167.

- (1971) Generalized triangular splines, Lakehead Rpt. 7.
- FREEDEN, W., T. GERVENS, AND M. SCHREINER
 (1998) *Constructive Approximation on the Sphere*, Oxford, Oxford University Press.
- FRITSCH, F. N. AND R. E. CARLSON
 (1985) Monotonicity preserving bicubic interpolation: a progress report, *Comput. Aided Geom. Design* **2**, 117–121.
- FUCHS, H., A. M. KEDEM, AND S. P. USELTON
 (1977) Optimal surface reconstruction from planar contours, *Commun. ACM* **20**, 693–702.
- GALLIER, J.
 (2000) *Curves and Surfaces in Geometric Modeling*, San Francisco, Morgan Kaufmann.
- GAO, J.
 (1991) A remark on interpolation by bivariate splines, *Approx. Theory Appl.* **7**, 41–50.
 (1991) Interpolation by C^1 quartic bivariate splines, *J. Math. Res. Exposition* **11**, 433–442.
 (1992) A new finite element of C^1 cubic splines, *J. Comput. Appl. Math.* **40**, 305–312.
 (1992) A remark on multivariate polynomial interpolations, *Research Report No. 7*, Wuhan University.
 (1993) A C^2 finite element and interpolation, *Computing* **50**, 69–76.
- GARCÍA-ESNAOLA, M. AND J. M. PEÑA
 (1997) Optimal convexity preserving bases, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 119–126.
- GAREY, M. R., D. S. JOHNSON, F. P. PREPARATA, AND R. E. TARJAN
 (1978) Triangulating a simple polygon, *Inf. Proc. Letters* **7**, 175–179.
 (1990) Multivariate polynomial interpolation, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Kluwer, Dordrecht, Netherlands, 215–236.
- GASCA, M. AND J. I. MAEZTU
 (1982) On Lagrange and Hermite interpolation in \mathbb{R}^k , *Numer. Math.* **39**, 1–14.
- GASCA, M. AND J. J. MARTÍNEZ

- (1987) On the computation of multivariate confluent Vandermonde determinants and its applications, in *The Mathematics of Surfaces II*, R. R. Martin (ed.), Clarendon Press, Oxford, 101–114.
- (1990) On the solvability of bivariate Hermite–Birkhoff interpolation problems, *J. Comput. Appl. Math.* **32**, 77–82.
- (1992) Bivariate Hermite–Birkhoff interpolation and Vandermonde determinants, *Numer. Algorithms* **3**, 193–199.
- (2000) On bivariate Hermite interpolation with minimal degree polynomials, *SIAM J. Numer. Anal.* **37**, 772–798.
- GASCA, M. AND T. SAUER
- (2000) On the history of multivariate polynomial interpolation, *J. Comput. Appl. Math.* **122**, 23–35.
- (2000) Polynomial interpolation in several variables, *Advances in Comp. Math.* **12**, 377–410.
- GMELIG-MEYLING, R. H. J.
- (1987) Approximation by cubic C^1 splines on arbitrary triangulations, *Numer. Math.* **51**, 65–85.
- (1987) On interpolation by bivariate quintic splines of class C^2 , in *Constructive Theory of Functions '87*, B. Sendov, P. Petrushev, K. Ivanov, and R. Maleev (eds.), Bulgarian Academy of Sciences, Sofia, 152–161.
- GMELIG-MEYLING, R. H. J. AND P. R. PFLUGER
- (1985) On the dimension of the spline space $S_2^1(\Delta)$ in special cases, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 180–190;
- (1988) On the dimension of the space of quadratic C^1 splines in two variables, *Approx. Th. and Its Appl.* **4**, 37–54.
- (1990) Smooth interpolation to scattered data by bivariate piecewise polynomials of odd degree, *Comput. Aided Geom. Design* **7**, 439–458.
- GOLD, C. M., T. D. CHARTERS, AND J. RAMSDEN
- (1977) Automated contour mapping using triangular element data structures and an interpolant over each irregular triangular domain, *Computer Graphics* **11**, 170–175.
- GOLDMAN, R. N.
- (1982) Using degenerate Bézier triangles and tetrahedra to subdivide Bézier curves, *Computer-Aided Design* **14(6)**, 307–311.
- (1983) Subdivision algorithms for Bézier triangles, *Computer-Aided Design* **15(3)**, 159–166.
- (1987) Conversion from Bézier rectangles to Bézier triangles, *Computer-Aided Design* **19**, 25–27.

GOLDMAN, R. N. AND P. J. BARRY

- (1992) Wonderful triangle: a simple, unified, algorithmic approach to change of basis procedures in computer aided geometric design, in *Mathematical Methods in Computer Aided Geometric Design II*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 297–320.

GOLITSCHKEK, M. VON, M.-J. LAI, AND L. L. SCHUMAKER

- (2002) Error bounds for minimal energy bivariate polynomial splines, *Numer. Math.* **93**, 315–331.

GOLITSCHKEK, M. VON AND L. L. SCHUMAKER

- (1990) Data fitting by penalized least squares, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), Chapman & Hall, London, 210–227.
- (2002) Bounds on projections onto bivariate polynomial spline spaces with stable bases, *Constr. Approx.* **18**, 241–254.

GONSKA, H. H. AND J. MEIR

- (1983) A bibliography on approximation of functions by Bernstein-type operators (1955–1982), in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 739–785.
- (1986) A bibliography on approximation of functions by Bernstein-type operators: Supplement 1986, in *Approximation Theory V*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 621–654.

GOODMAN, T. N. T.

- (1987) Variation diminishing properties of Bernstein polynomials on triangles, *J. Approx. Theory* **50**, 111–126.
- (1991) Convexity of Bézier nets on triangulations, *Comput. Aided Geom. Design* **2**, 175–180.
- (1990) Polyhedral splines, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Kluwer, Dordrecht, Netherlands, 347–382.
- (1991) Closed surfaces defined from biquadratic splines, *Constr. Approx.* **7**, 149–160.

GOODMAN, T. N. AND S. L. LEE

- (1981) Spline approximation operators of Bernstein-Schoenberg type in one and two variables, *J. Approx. Theory* **33**, 248–263.

GOODMAN, T. N. T. AND J. PETERS

- (1995) Bézier nets, convexity and subdivision on higher-dimensional simplices, *Comput. Aided Geom. Design* **12**, 53–65.

GOODMAN, TIM N. T. AND K. UNSWORTH

- (1986) Manipulating shape and producing geometric continuity in β -spline surfaces, *IEEE Comp. Graph. Appl.* **6**(2), 50–56.

GORMAZ, RAÚL AND P.-J. LAURENT

- (1993) Some results on blossoming and multivariate B-splines, in *Multivariate Approximation: From CAGD to Wavelets*, Kurt Jetter and Florencio Utreras (eds.), World Scientific Publishing, Singapore, 147–165.

GRANDINE, T. A.

- (1987) An iterative method for computing multivariate C^1 piecewise polynomial interpolants, *Comput. Aided Geom. Design* **4**, 307–319.
- (1987) The evaluation of inner-products of multivariate simplex splines, *SIAM J. Numer. Anal.* **24**, 882–886.
- (1987) The computational cost of simplex spline functions, *SIAM J. Numer. Anal.* **24**, 887–890.
- (1988) The stable evaluation of multivariate simplex splines, *Math. Comp.* **50**, 197–205.
- (1989) On convexity of piecewise polynomial functions on triangulations, *Comput. Aided Geom. Design* **6**, 181–187.

GREGORY, J. A.

- (1980) A C^1 Triangular Interpolation Patch for Computer Aided Geometric Design, *Comp. Graphics and Image Proc.* **13**, 80–87.
- (1983) C^1 rectangular and nonrectangular surface patches, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 25–33.
- (1985) Interpolation to boundary data on the simplex, *Comput. Aided Geom. Design* **2**, 43–52.
- (1986) N -sided surface patches, in *The Mathematics of Surfaces*, J. A. Gregory (ed.), Clarendon Press, Oxford, 217–232.

GREGORY, J. A. AND P. CHARROT

- (1980) A C^1 triangular interpolation patch for CAGD, *Computer Graphics Image Proc.* **13**, 80–87.

GREGORY, J. A. AND J. M. HAHN

- (1987) Geometric continuity and convex combination patches, *Comput. Aided Geom. Design* **4**, 79–89.

GREGORY, J., V. LAU, AND J. ZHOU

- (1990) Smooth parametric surfaces and n -sided patches, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.),

Kluwer, Dordrecht, Netherlands, 457–498.

GREGORY, J. A. AND J. W. ZHOU

(1991) Convexity of Bézier nets on sub-triangles, *Comput. Aided Geom. Design* **8**, 207–211.

GREINER, G.

(1994) Variational design and fairing of spline surfaces, *Computer Graphics Forum* **13(3)**, 144–154.

GREINER, G. AND K. HORMANN

(1997) Interpolating and approximating scattered 3D data with hierarchical tensor product B-splines, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 163–172.

GRIEGER, I.

(1985) Geometry cells and surface definition by finite elements, *Comput. Aided Geom. Design* **2**, 213–222.

GUILLET, X.

(1997) Interpolation by new families of B-splines on uniform meshes of the plane, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 183–190.

GUAN, LÜTAI AND Y. LI

(1989) Multivariate polynomial natural spline interpolation to scattered data, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 311–314.

HA, K. V.

(1988) On multivariate simplex B-splines, dissertation, Univ. Oslo.

HABIB, A. W., R. N. GOLDMAN, AND T. LYCHE

(1996) A recursive algorithm for Hermite interpolation over a triangular grid, *J. Comput. Appl. Math.* **73**, 95–118.

HACK, F.

(1987) On bivariate Birkhoff interpolation, *J. Approx. Theory* **49**, 18–30.

HAGEN, H. AND H. POTTMANN

(1989) Curvature continuous triangular interpolants, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 373–384.

HAGEN, H., T. SCHREIBER, AND E. GSCHWIND

- (1990) Methods for surface interrogation, in *Visualization '90*, A. Kaufman (ed.), IEEE Press, Los Alamitos, 187–193.
- HAGEN, H. AND G. SCHULZE
 (1987) Automatic smoothing with geometric surface patches, *Comput. Aided Geom. Design* **4**, 231–235.
- HAHMANN, S., G. P. BONNEAU, AND R. TALEB
 (2000) Smooth irregular mesh interpolation, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 237–246.
- HAHMANN, S. AND S. KONZ
 (1997) Fairing bicubic B-spline surfaces using simulated annealing, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 159–168.
- HAHN, J. M.
 (1989) Filling polygonal holes with rectangular patches, in *Theory and Practice of Geometric Modelling*, W. Strasser and H.-P. Seidel (eds.), Springer, Heidelberg, 81–91.
- HAKOPIAN, H.
 (1982) Multivariate divided differences and multivariate interpolation of Lagrange and Hermite type, *J. Approx. Theory* **34**, 286–305.
 (1982) Multivariate spline functions, B-spline basis and polynomial interpolations, *SIAM J. Numer. Anal.* **18**, 510–517.
 (1983) On fundamental polynomials of multivariate interpolation I of Lagrange and Hermite type, *Bull. Pol. Acad. Sci., Math.* **31(3-4)**, 137–141.
 (1984) On multivariate spline functions, B-spline bases and polynomial interpolation II, *Studia Math.* **79**, 91–102.
 (1984) Multivariate interpolation II of Lagrange and Hermite type, *Studia Math.* **80**, 77–88.
 (1985) Interpolation by polynomials and natural splines on normal lattices, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 218–220.
 (1994) On a theorem on bivariate homogeneous polynomials, *Bull. Acad. Polon. Sci., Ser. Math.* **42**, 129–132.
- HAKOPIAN, A. A. AND A. A. SAAKYAN
 (1988) On a system of differential equations connected with the polynomial class of translates of a box spline, *Mat. Zametki* **44**, 705–724.

- (1988) A system of differential equations that is related to the polynomial class of translates of a box spline, *Math. Notes* **44**, 865–878.
- HALANG, W. A.
 (1980) Approximation durch positive lineare Spline-Operatoren konstruiert mit Hilfe lokaler Integrale, *J. Approx. Theory* **28**, 161–183.
- HALL, C. A.
 (1973) Natural cubic and bicubic spline interpolation, *SIAM J. Numer. Anal.* **10**, 1055–1060.
 (1979) Spline blended approximation of multivariate functions, in *Polynomial and Spline Approximation*, Badri N. Sahney (ed.), D. Reidel, Dordrecht, 17–34.
- HAMANN, B.
 (199x) Curvature approximation for triangulated surfaces, *Computing Suppl.* **8**, 139–153.
 (1992) Modeling contours of trivariate data, *MMNA* **26**, 51–75.
- HÄMMERLIN, G. AND L. L. SCHUMAKER
 (1979) Error bounds for the approximation of Green’s kernels by splines, *Numer. Math.* **33**, 17–22.
 (1980) Procedures for kernel approximation and solution of Fredholm integral equations of the second kind, *Numer. Math.* **34**, 125–141.
- HAN, L. AND L. L. SCHUMAKER
 (1994) Fitting monotone surfaces to scattered data using C^1 piecewise cubics, *SIAM J. Numer. Anal.*
- HANGELBROEK, T., G. NÜRNBERGER, C. RÖSSL, H.-P. SEIDEL, AND F. ZEILFELDER
 (2004) Dimension of C^1 splines on type-6 tetrahedral partitions, *J. Approx. Theory* **131**, 157–184.
- HARTLEY, P. J.
 (1976) Tensor product approximations to data defined on rectangular meshes in n -space, *Computer J.* **19**, 348–352.
- HARTLEY, P. J. AND C. J. JUDD
 (1978) Parametrization of Bézier-type B-spline curves and surfaces, *Computer-Aided Design* **10(2)**, 130–134.
- HAYES, J. G.
 (1970) Fitting data in more than one variable, in *Numerical Approximation to Functions and Data*, J. G. Hayes (ed.), Athlone Press, London, 84–97.

- (1970) *Numerical Approximation to Functions and Data*, London, Athlone Press.
- (1974) Numerical methods for curve and surface fitting, *Bull. Inst. Math. Applics.* **10**, 144–152.
- (1974) Algorithms for curve and surface fitting, in *Software for Numerical Mathematics*, D. J. Evans (ed.), Academic Press, London, 219–233.
- HAYES, J. G. AND J. HALLIDAY
- (1974) The least squares fitting of cubic spline surfaces to general data sets, *J. Inst. Math. Applics.* **14**, 89–103.
- HAZLEWOOD, C.
- (1993) Approximating constrained tetrahedralizations, *Comput. Aided Geom. Design* **10**, 67–87.
- HE, T. X.
- (1991) C^1 quadratic finite element analysis and its applications, dissertation, Texas A&M Univ..
- (1994) Admissible location of sample points of interpolation by bivariate C^1 quadratic splines, in *Approximation, Probability, and Related Fields*, G. Anastassiou and S. T. Rachev (eds.), Plenum, New York, 283–296.
- (1995) Shape criteria of Bernstein–Bézier polynomials over simplexes, *Computers Math. Appl.* **30**, 317–333.
- (1997) Positivity and convexity criteria for Bernstein–Bézier polynomials over simplices, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 169–176.
- HE, W. J. AND M. J. LAI
- (1998) Bivariate box spline wavelets in Sobolev spaces, *Proceedings of SPIE* **3458**, 56–66.
- (1999) Construction of bivariate compactly supported biorthogonal box spline wavelets with arbitrarily high regularities, *Appl. Comput. Harmonic Anal.* **6**, 53–74.
- (2003) Construction of trivariate compactly supported biorthogonal box wavelets, *J. Approx. Theory* **120**, 1–19.
- HEIGHWAY, E.
- (1983) A mesh generator for automatically subdividing irregular polygons into quadrilaterals, *IEEE Trans. Magnetics* **19**, 2535–2538.
- HEINDL, G.
- (1979) Interpolation and approximation by piecewise quadratic C^1 – functions of two variables, in *Multivariate Approximation Theory*, W. Schempp

and K. Zeller (eds.), Birkhäuser, Basel, 146–161.

- (1985) Construction and applications of Hermite interpolating quadratic spline functions of two and three variables, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 232–252.

HERMELINE, F.

- (1982) Triangulation automatique d'un polyedre en dimension n , *RAIRO Anal. Numer.* **76**, 211–212.

HERRON, G.

- (1985) Smooth closed surfaces with discrete triangular interpolants, *Comput. Aided Geom. Design* **2**, 297–306.
- (1985) A characterization of certain C^1 discrete triangular interpolants, *SIAM J. Numer. Anal.* **22**, 811–819.
- (1987) Techniques for visual continuity, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), SIAM Publications, Philadelphia, 163–174.

HESSING, R., H. K. LEE, A. PIERCE, AND E. N. POWERS

- (1972) Automatic contouring using bicubic functions, *Geophysics* **37**, 669–674.

HIGASHI, MASATAKE, HIROTO HARADA, AND MITSURU KURODA

- (2000) Generation of surfaces with smooth highlight lines, in *Curve and Surface Design: Saint-Malo 99*, P.-J. Laurent, P. Sablonnière, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 145–152.

HOFFMANN, C. AND J. HOPCROFT

- (1985) Automatic surface generation in computer aided design, *Visual Computer* **1**, 92–100.
- (1986) Quadratic blending surfaces, *Computer-Aided Design* **18(6)**, 301–306.

HOGERVORST, B. AND R. VAN DAMME

- (1993) Degenerate polynomial patches of degree 11 for almost GC2 interpolation over triangles, in *Numerical Algorithms 5*, M. G. Cox, J. C. Mason (eds.), J. C. Baltzer AG, Basel, 557–568.

HÖLLIG, K.

- (1982) A remark on multivariate B-splines, *J. Approx. Theory* **33**, 119–125.
- (1982) Multivariate splines, *SIAM J. Numer. Anal.* **19**, 1013–1031.
- (1986) Box splines, in *Approximation Theory V*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 71–95.

- (1986) Multivariate splines, in *Approximation Theory, Proc. Symp. Appl. Math.* **36**, C. de Boor (ed.), Amer.Math.Soc., Providence, 103–127.
- (1989) Box-spline surfaces, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 385–402.
- (2003) *Finite Element Methods with B-Splines*, Philadelphia, PA, SIAM.
- HÖLLIG, K., M. J. MARSDEN, AND S. D. RIEMENSCHNEIDER
 (1989) Bivariate cardinal interpolation on the 3-direction mesh: ℓ^p -data, Rocky Mountain J. Math. **19**, 189–198.
- HÖLLIG, K., U. REIF, AND J. WIPPER
 (2001) Weighted extended B-spline approximation of Dirichlet problems, SIAM J. Numer. Anal. **39(2)**, 442–462.
 (2001) Error Estimates for the web-Method, in *Mathematical Methods for Curves and Surfaces III, Oslo, 2000*, T. Lyche and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 195–209.
 (2002) Multigrid methods with web-splines, Numer. Math. **91**, 237–256.
- HONG, D.
 (1991) Spaces of bivariate spline functions over triangulation, Approx. Theory Appl. **7**, 56–75.
 (1995) A new formulation of Bernstein–Bézier based smoothness conditions for pp functions, Approx. Theory Appl. **11**, 67–75.
- HONG, D. AND H. W. LIU
 (2000) Some new formulation of smoothness conditions and conformality conditions for bivariate cubic splines, Computers Math. Appl. **40**, 117–125.
- HONG, C., H. W. LIU, AND R. MOHAPATRA
 (1998) Optimal triangulations and smoothness conditions for bivariate splines, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 129–136.
- HONG, D. AND L. L. SCHUMAKER
 (2004) Surface compression using a space of C^1 cubic splines with a hierarchical basis, Computing **72**, 79–92.
- HOSAKA, M. AND F. KIMURA
 (1984) Non-four-sided patch expressions with control points, Comput. Aided Geom. Design **1**, 75–86.
- HOSCHEK, J.

- (1990) Exact and approximate conversion of spline curves and spline surfaces, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Kluwer, Dordrecht, Netherlands, 73–116.
- HOSCHEK, J. AND D. LASSER
 (1993) *Fundamentals of Computer Aided Geometric Design*, Wellesley, MA, AK Peters.
- HOSCHEK, J. AND F.-J. SCHNEIDER
 (1994) Approximate conversion and data compression of integral and rational B-spline surfaces, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 241–250.
- HOSCHEK, J., F.-J. SCHNEIDER, AND P. WASSUM
 (1989) Optimal approximate conversion of spline surfaces, *Comput. Aided Geom. Design* **6**(4), 293–306.
- HOU, H. S. AND H. C. ANDREWS
 (1977) Least squares image restoration using spline basis functions, *IEEE Trans. Computers* **26**, 856–873.
 (1978) Cubic splines for image interpolation and digital filtering, *IEEE Trans. Acoustic, Speech, and Signal Processing* **17**, 508–517.
- HOUSTIS, E. N., E. A. VAVALIS, AND J. R. RICE
 (1988) Convergence of $O(h^4)$ cubic spline collocation methods for elliptic partial differential equations, *SIAM J. Numer. Anal.* **25**, 54–74.
- HU, C. L. AND L. L. SCHUMAKER
 (1985) Bivariate natural spline smoothing, in *Delay Equations, Approximation and Application*, G. Meinardus & G. Nürnberger (eds.), Birkhäuser, Basel, 165–179.
- HU, S. M.
 (1996) Conversion of a triangulated Bézier patch into three rectangular Bézier patches, *Comput. Aided Geom. Design* **13**, 219–226.
- HUANG, Y.-Z. AND H.-W. LIU
 (2001) Lagrange interpolation of bivariate quadratic splines by $S_2^{1,1}(\Delta_m n^{(2)})$ with boundary conditions, *Guangxi Sciences* **8**, 262–265.
- HULME, B. L.
 (1972) A new bicubic interpolation over right triangles, *J. Approx. Theory* **5**, 66–73.
- IBRAHIM, A. KH.

- (1989) Dimension of superspline spaces defined over rectilinear partitions, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 337–340.
- IBRAHIM, A. AND L. L. SCHUMAKER
 (1991) Super spline spaces of smoothness r and degree $d \geq 3r + 2$, *Constr. Approx.* **7**, 401–423.
- INGRAM, C. K. AND S. MANN
 (2004) Geometric B-splines over triangular domains, in *Geometric Modeling and Computing: Seattle, 2003*, M. L. Lucian and M. Neamtu (eds.), Nashboro Press, Brentwood TN, 329–340.
- IRONS, B. M
 (1969) A conforming quartic triangular element for plate bending, *Internat. J. Numer. Meth. Engr.* **1**, 29–46.
- JANCAITUS, J. R. AND J. L. JUNKINS
 (1973) Modeling irregular surfaces, *Photogrammetric Engr. and Remote Sensing* **39**, 413–420.
 (1974) Modeling in n-dimensions using a weighting function approach, *J. Geophys. Res.* **79**, 3361–3366.
- JENSEN, T.
 (1987) Assembling triangular and rectangular patches and multivariate splines, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), SIAM Publications, Philadelphia, 203–220.
- JETTER, K.
 (1983) Some contributions to bivariate interpolation and cubature, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 533–538.
 (1987) A short survey on cardinal interpolation by box splines, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 125–139.
 (1992) Multivariate approximation from the cardinal interpolation point of view, in *Approximation Theory VII*, E. W. Cheney, C. Chui, and L. Schumaker (eds.), Academic Press, New York, 131–161.
 (1993) Riesz bounds in scattered data interpolation and L_2 -approximation, in *Multivariate Approximation: From CAGD to Wavelets*, Kurt Jetter and Florencio Utreras (eds.), World Scientific Publishing, Singapore, 167–177.
 (1994) Conditionally lower Riesz bounds for scattered data interpolation, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 295–302.

JETTER, K. AND S. RIEMENSCHNEIDER

- (1986) Cardinal interpolation with box splines on submodules of \mathbb{Z}^d , in *Approximation Theory V*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 403–406.
- (1987) Cardinal interpolation, submodules, and the 4-direction mesh, *Constr. Approx.* **3**, 169–188.

JETTER, K., S. D. RIEMENSCHNEIDER, AND Z. SHEN

- (1994) Hermite interpolation on the lattice \mathbb{Z}^d , *SIAM J. Math. Anal.* **25**, 962–975.

JETTER, K. AND J. STÖCKLER

- (1991) Algorithms for cardinal interpolation using box splines and radial basis functions, *Numer. Math.* **60**, 97–114.
- (1997) Topics in scattered data interpolation and non-uniform sampling, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 191–208.

JIA, R. Q.

- (1983) Approximation by smooth bivariate splines on a three-direction mesh, in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 539–545.
- (1984) Linear independence of translates of a box spline, *J. Approx. Theory* **40**, 158–160.
- (1985) Local linear independence of the translates of a box spline, *Constr. Approx.* **1**, 175–182.
- (1986) Approximation order from certain spaces of smooth bivariate splines on a three-direction mesh, *Trans. Amer. Math. Soc.* **295**, 199–212.
- (1986) A counterexample to a result concerning controlled approximation, *Proc. Amer. Math. Soc.* **97**, 647–654.
- (1987) Recent progress in the study of box splines, *Appl. Math. (a journal of Chinese Univ.s)* **3**, 330–342.
- (1988) Local approximation order of box splines, *Scientia Sinica* **31**, 274–285.
- (1988) B -net representation of multivariate splines, *Kexue Tongbao* **33**, 807–811.
- (1989) Dual bases associated with box splines, in *Multivariate Approximation Theory IV, ISNM 90*, C. Chui, W. Schempp, and K. Zeller (eds.), Birkhäuser Verlag, Basel, 209–216.
- (1990) Lower bounds on the dimension of spaces of bivariate splines, in *Multivariate Approximation and Interpolation, ISNM 94*, W. Hauss-

- mann and K. Jetter (eds.), Birkhäuser, Basel, 155–165.
- (1992) Approximation by multivariate splines: An application of Boolean methods, in *Numerical Methods in Approximation Theory, ISNM 105*, D. Braess, L. L. Schumaker (eds.), Birkhäuser, Basel, xxx–xxx.
- (1997) Symmetric magic squares and multivariate splines, *Linear Algebra Appl.* **250**, 69–103.
- (1998) Stability of the shifts of a finite number of functions, *J. Approx. Theory* **95**, 194–202.
- JIA, R. Q. AND Q. JIANG
 (155–178) Approximation power of refinable vectors of functions, in *Wavelet Analysis and Applications (Guangzhou, 1999)*, Amer. Math. Soc., Providence, RI, 2002.
- JIA, R. Q. AND J. J. LEI
 (1993) A new version of the Strang–Fix conditions, *J. Approx. Theory* **74(2)**, 221–225.
- JIA, R. Q. AND S.-T. LIU
 (2006) C^1 spline wavelets on triangulations, manuscript.
- JIA, R.-Q. AND C. A. MICCHELLI
 (1992) On linear independence for integer translates of a finite number of functions, *Proc. Edinburgh Math. Soc.* **36(1)**, 69–85.
- JIA, R.-Q. AND A. SHARMA
 (1991) Solvability of some multivariate interpolation problems, *J. reine angew. Math.* **421**, 73–81.
- JIA, R.-Q. AND N. SIVAKUMAR
 (1990) On the linear independence of integer translates of box splines with rational directions, *Linear Algebra Appl.* **135**, 19–31.
- JIA, R. Q. AND Z. C. WU
 (1988) Bernstein polynomials defined on a simplex (Chinese), *Acta Mathematica Sinica* **31(4)**, 510–522.
- JOE, B.
 (1991) Construction of three-dimensional Delaunay triangulations using local transformations, *Comput. Aided Geom. Design* **8**, 123–142.
- JOE, B. AND A. LIU
 (1994) Relationship between tetrahedron shape measures, *BIT* **34**, 268–287.
- JOHNSON, MICHAEL J.

- (1997) An upper bound on the approximation power of principal shift-invariant spaces, *Constr. Approx.* **13**(2), 155–176.
- (1997) On the approximation power of principal shift-invariant subspaces of $L_p(\mathbb{R}^d)$, *J. Approx. Theory* **91**(3), 279–319.
- JOHNSTON, B. P., J. M. SULLIVAN, AND A. KWASNIK
 (1991) Automatic conversion of a triangular finite meshes to quadrilateral elements, *Intern. J. Numer. Methods Eng.* **31**, 67–84.
- JONES, A. K.
 (1988) Nonrectangular surface patches with curvature continuity, *Computer-Aided Design* **20**(6), 325–335.
- JÜTTLER, B.
 (1996) Construction of surfaces by shape preserving approximation of contour data, in *Advanced course on FAIRSHAPE*, J. Hoschek, P. Kaklis (eds.), Teubner, Stuttgart, 217–227.
- KAHMANN, J.
 (1983) Continuity of curvature between adjacent Bezier patches, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 65–75.
- KAKLIS, P. D. AND M. I. KARAVELAS
 (1995) Shape-preserving interpolation in \mathbb{R}^3 , *IMA J. Numer. Anal.* **xx**, xxx–xxx.
- KALLAY, M. AND B. RAVANI
 (1990) Optimal twist vectors as a tool for interpolating a network of curves with a minimum energy surface, *Comput. Aided Geom. Design* **7**, 465–473.
- KATO, KIYOTAKA
 (2000) N-sided surface generation from arbitrary boundary edges, in *Curve and Surface Design: Saint-Malo 99*, P.-J. Laurent, P. Sablonnière, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 173–182.
- KASHYAP, P.
 (1998) Geometric interpretation of continuity over triangular domains, *Comput. Aided Geom. Design* **15**, 773–786.
- KOCH, P. E.
 (1988) Multivariate trigonometric B-splines, *J. Approx. Theory* **54**, 162–168.

KOCHEVAR, P. D

(1982) A multidimensional analogue of Schoenberg's spline approximation method, Master's Thesis, Univ. Utah.

(1984) An application of multivariate B-splines to computer-aided geometric design, Rocky Mountain J. Math. **14**, 159–175.

KOCHUROV, A. S.

(1995) Approximation by piecewise constant functions on the square, East J. Approx. **1(4)**, 463–478.

KOELLING, M. E. V. AND E. H. T. WHITTEN

(1973) FORTRAN IV program for spline surface interpolation and contour map production, Geocomprograms **9**, 1–12.

KOTYCZKA, U. AND P. OSWALD

(1980) Piecewise linear prewavelets of small support, in *Approximation Theory III*, E. W. Cheney (ed.), Academic Press, New York, 235–242.

KOWALSKI, JAN KRZYSZTOF

(1990) Application of box splines to the approximation of Sobolev spaces, J. Approx. Theory **61**, 53–73.

(1982) The recursion formulas for orthogonal polynomials in n variables, SIAM J. Math. Anal. **13**, 309–315.

(1982) Orthogonality and recursion formulas for polynomials in n variables, SIAM J. Math. Anal. **13**, 316–323.

KRAVCHENKO, A. G., P. MOIN, AND K. R. SHARIFF

(1999) B-spline method and zonal grids for simulation of complex turbulent flows, J. Comput. Phys. **151**, 757–789.

KRIZEK, M.

(1992) On the maximum angle condition for linear tetrahedral elements, SIAM J. Numer. Anal. **29(2)**, 513–520.

KUNKLE, THOMAS

(1992) Lagrange interpolation on a lattice: bounding derivatives by divided differences, J. Approx. Theory **71(1)**, 94–103.

(1996) Multivariate differences, polynomials, and splines, J. Approx. Theory **84(3)**, 290–314.

KVASOV, BORIS I.

(2000) *Methods of Shape Preserving Spline Approximation*, Singapore, World Scientific Publishing Co Pte Ltd.

KYRIAZIS, GEORGE C.

- (1996) Approximation orders of principal shift-invariant spaces generated by box splines, *J. Approx. Theory* **85(2)**, 218–232.

LAGHCHIM-LAHLLOU, M.

- (1998) The C^r -fundamental splines of Clough–Tocher and Powell–Sabin types of Lagrange interpolation on a three direction mesh, *Advances in Comp. Math.* **8**, 353–366.

LAGHCHIM-LAHLLOU, M. AND P. SABLONNIÈRE

- (1989) Composite quadrilateral finite elements of class C^r , in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 413–418.
- (1989) C^r finite elements of HCT, PS and FVS types, in *Proc. Fifth International Symposium on Numerical Methods in Engineering, Vol. 2*, R. Gruber, J. Periaux and R. P. Shaw (eds.), Springer, Berlin, 163–168.
- (1993) Eléments finis polynomiaux composés de classe C^r , *C. R. Acad. Sci. Paris, série I* **136**, 503–508.
- (1994) Triangular finite elements of HCT type and class C^p , *Advances in Comp. Math.* **2**, 101–122.
- (1995) Quadrilateral finite elements of FVS type and class C^p , *Numer. Math.* **70**, 229–243.

LAI, M.

- (1989) On construction of bivariate and trivariate vertex splines on arbitrary mixed grid partitions, dissertation, Texas A&M Univ..
- (1989) A remark on translates of a box spline, *Approx. Theory Appl.* **5**, 97–104.
- (1991) On dual functionals of polynomials in B-form, *J. Approx. Theory* **67**, 19–37.
- (1991) A characteristic theorem of multivariate splines in blossoming form, *Comput. Aided Geom. Design* **8**, 513–521.
- (1992) Asymptotic formulae of multivariate Bernstein approximation, *J. Approx. Theory* **70**, 229–242.
- (1992) Fortran subroutines for B-nets of box splines on three- and four-directional meshes, *Numer. Algorithms* **2**, 33–38.
- (1993) Some sufficient conditions for convexity of multivariate Bernstein–Bézier polynomials and box spline surfaces, *Studia Scientiarum Math. Hungarica* **28**, 363–374.
- (1994) Approximation order from bivariate C^1 cubics on a four directional mesh is full, *Comput. Aided Geom. Design* **11**, 215–223.

- (1994) A serendipity family of locally supported splines in $S_8^2(\Delta)$, *Approx. Theory Appl.* **10(2)**, 43–53.
- (1995) Bivariate spline spaces on FVS-triangulations, in *Approximation Theory VIII, Vol. 1: Approximation and Interpolation*, Charles K. Chui and Larry L. Schumaker (eds.), World Scientific Publishing Co., Inc., Singapore, 309–316.
- (1996) Scattered data interpolation and approximation using bivariate C^1 piecewise cubic polynomials, *Comput. Aided Geom. Design* **13**, 81–88.
- (1996) On C^2 quintic spline functions over triangulations of Powell–Sabin’s type, *J. Comput. Appl. Math.* **73**, 135–155.
- (1996) Bivariate box splines for image processing, in *Wavelet Applications in Signal and Image Processing IV* (proceedings of SPIE, vol. 2825).474–487;
- (1997) Geometric interpretation of smoothness conditions of triangular polynomial patches, *Comput. Aided Geom. Design* **14**, 191–199.
- (2006) Construction of multivariate compactly supported prewavelets in L_2 spaces and pre-Riesz basis in Sobolev spaces, *J. Approx. Theory* **142**, 83–115.
- LAI, M. J. AND A. LEMÉHAUTÉ
- (2004) A new kind of trivariate C^1 spline, *Advances in Comp. Math.* **21**, 273–292.
- LAI, M. J., A. LEMÉHAUTÉ, AND T. SOROKINA
- (2006) An octahedral C^2 macro-element, *Comput. Aided Geom. Design* **23**, 640–654.
- LAI, M. J. AND L. L. SCHUMAKER
- (1997) Scattered data interpolation using C^2 supersplines of degree six, *SIAM J. Numer. Anal.* **34**, 905–921.
- (1998) On the approximation power of bivariate splines, *Advances in Comp. Math.* **9**, 251–279.
- (1999) On the approximation power of splines on triangulated quadrangulations, *SIAM J. Numer. Anal.* **36**, 143–159.
- (2001) Macro-elements and stable local bases for splines on Clough–Tocher triangulations, *Numer. Math.* **88**, 105–119.
- (2002) Quadrilateral macro-elements, *SIAM J. Math. Anal.* **33**, 1107–1116.
- (2003) Macro-elements and stable local bases for splines on Powell–Sabin triangulations, *Math. Comp.* **72**, 335–354.
- (2007) Trivariate C^r polynomial macro-elements, *Constr. Approx.*.

LAI, M. J. AND J. STÖCKLER

- (2006) Construction of multivariate compactly supported tight wavelet frames, *Appl. Comput. Harmonic Anal.* **21**, 324–348.

LAI, M. J. AND P. WENSTON

- (1996) On multilevel bases for elliptic boundary value problems, *J. Comput. Appl. Math.* **71**, 95–113.
- (1998) Bivariate Spline Method for Navier-Stokes Equations: Domain Decomposition Technique, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 153–160.
- (1998) Bivariate spline method for numerical solution of steady state Navier-Stokes equations over polygons in stream function formulation, in *Advances in Computational Mathematics*, Z. Chen, Y. Li, C. Micchelli, and Y. Xu (eds.), Marcel Dekker, New York, 245–277.

LASSER, D.

- (1987) Bernstein–Bézier-Darstellung trivariater Splines, dissertation, University of Darmstadt.
- (2002) Tensor product Bézier surfaces on triangle Bézier surfaces, *Comput. Aided Geom. Design* **19**, 625–643.

LAVERY, JOHN E.

- (2004) The state of the art in shape-preserving multiscale modeling by L_1 splines, in *Geometric Modeling and Computing: Seattle, 2003*, M. L. Lucian and M. Neamtu (eds.), Nashboro Press, Brentwood TN, 365–376.

LAU, W. W.

- (2006) A lower bound for the dimension of trivariate spline spaces, *Constr. Approx.* **23**, 23–31.

LAURENT, P. J. AND P. SABLONNIÈRE

- (2001) Pierre Bézier: An engineer and a mathematician, *Comput. Aided Geom. Design* **18**, 609–617.

LAWSON, C. L.

- (1972) Transforming triangulations, *Discrete Math.* **3**, 365–372.
- (1977) Software for C^1 surface interpolation, in *Mathematical Software III*, J. R. Rice (ed.), Academic Press, New York, 161–194.
- (1984) C^1 surface interpolation for scattered data on a sphere, *Rocky Mountain J. Math.* **14**, 177–202.
- (1986) Properties of n -dimensional triangulations, *Comput. Aided Geom. Design* **3**, 231–246.

LEAF, G. K. AND H. G. KAPER

- (1974) L^∞ error bounds for multivariate Lagrange approximation, *SIAM J. Numer. Anal.* **11**, 363–381.

LEE, D.

- (1986) A note on bivariate box splines on a k -direction mesh, *J. Comput. Appl. Math.* **15**(1), 117–122.
- (1988) Polynomial interpolation at points of a geometric mesh on a triangle, *Proc. Edinburgh Math. Soc. Sect A* **108**(1-2), 75–87.

LEE, S. L. AND G. M. PHILLIPS

- (1987) Interpolating polynomials on the triangle, in *Constructive Theory of Functions '87*, B. Sendov, P. Petrushev, K. Ivanov, and R. Maleev (eds.), Bulgarian Academy of Sciences, Sofia, 288–291.
- (1988) Interpolation on the simplex by homogeneous polynomials, in *Numerical mathematics, Singapore 1988*, xxx (eds.), ISNM 86, Birkhäuser, Basel, 295–305.
- (1991) Construction of lattices for Lagrange interpolation in projective spaces, *Constr. Approx.* **7**, 283–297.
- (1995) Interpolation on the triangle and simplex, *NATO Adv. Sci. Inst. Ser. C Math. Phys. Sci.* **454**, 177–196.

LEE, D. T. AND B. J. SCHACHTER

- (1980) Two algorithms for constructing a Delaunay triangulation, *Int. J. Comp. Inf. Sci.* **9**, 219–242.

LEE, S. L. AND H. H. TAN

- (1996) Smooth Bézier surfaces over simple triangular meshes, *Ann. Numer. Math.* **3**, 181–208.

LEMÉHAUTÉ, A.

- (1981) Taylor interpolation of order n at the vertices of a triangle. Applications for Hermite interpolation and finite elements, in *Approximation Theory and Applications*, Z. Ziegler (ed.), Academic Press, New York, 171–185.
- (1982) Construction of surfaces of class C^k on a domain Ω in \mathbb{R}^2 after triangulation, in *Multivariate Approximation Theory II*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 223–240.
- (1983) On Hermite elements of class C^q in \mathbb{R}^3 , in *Approximation Theory IV*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 581–586.
- (1984) Interpolation et approximation par des fonctions polynomiales par morceaux dans \mathbb{R}^n , dissertation, University of Rennes.

- (1984) Approximation of derivatives in \mathbb{R}^n application: construction of surfaces in \mathbb{R}^n , in *Approximation Theory and Spline Functions*, S. P. Singh, J. H. W. Burry, and B. Watson (eds.), Reidel, Dordrecht, 361–378.
- (1986) Interpolation with minimizing triangular finite elements in \mathbb{R}^2 , in *Methods of Functional Analysis and Approximation Theory*, C. A. Micchelli, D. V. Pai, and B. V. Limaye (eds.), Birkhäuser, Basel, 59–66.
- (1986) Spline technique for differentiation in \mathbb{R}^n , *Approx. Theory Appl.* **2**(4), 79–92.
- (1986) Interpolation d’Hermite itérée, in *Computers and Computing, Informatique et Calcul*, P. Chenin, C. di Crescenzo, and F. Robert (eds.), Wiley-Masson, New York, 77–81.
- (1987) Unisolvent interpolation in \mathbb{R}^n and the simplicial polynomial finite element method, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 141–151.
- (1987) Interpolation with piecewise polynomials in more than one variable, in *Algorithms for the Approximation of Functions and Data*, J. C. Mason and M. G. Cox (eds.), Oxford Univ. Press, Oxford, 181–190.
- (1990) A finite element approach to surface reconstruction, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Kluwer, Dordrecht, Netherlands, 237–274.
- (1990) An efficient algorithm for C^k -simplicial finite element interpolation in \mathbb{R}^d , in *Multivariate Approximation and Interpolation, ISNM 94*, W. Haussmann and K. Jetter (eds.), Birkhäuser, Basel, 179–191.
- LEMÉHAUTÉ, A. AND K. N. ABÉVÉ
- (1994) Rational C^{k+1} finite elements in \mathbb{R}^2 , in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 335–342.
- LEMÉHAUTÉ, A. AND A. BOUHAMIDI
- (1992) $L^{m,\ell,s}$ -splines in \mathbb{R}^d , in *Numerical Methods in Approximation Theory, ISNM 105*, D. Braess, L. L. Schumaker (eds.), Birkhäuser, Basel, 135–154.
- LE MÉHAUTÉ, A., L. L. SCHUMAKER, AND L. TRAVERSONI
- (1996) Multivariate scattered data fitting, *J. Comput. Appl. Math.* **73**, 1–4.
- LEVESLEY, J. AND D. L. RAGOZIN
- (291–300) Local approximation on manifolds using radial functions and polynomials, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen,

C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 2000.

LEVIN, D.

(1986) Multidimensional reconstruction by set-valued approximations, IMA J. Numer. Anal. **6**, 173–184.

LI, S.

(1996) Approximation properties of multivariate Bernstein-Kantorovich operators in $L_p(S)$, Acta Math. Appl. Sinica **19**, 385–394.

LIAN, J. AND Z. X. CHENG

(1992) Calculations of bivariate splines. I. Truncated powers and BM -splines in $S_2^1(\overline{\Delta}_2)$ and $S_4^2(\overline{\Delta}_2)$, Acta Math. Sinica **12**, 203–214.

(1992) Calculations of bivariate splines. II. BM -splines in $S_k^\rho(\Delta_2)$, $S_3^1(\overline{\Delta}_2)$ and $S_4^2(\overline{\Delta}_2)$, Acta Math. Sinica **12**, 215–229.

LIANG, X.-Z. AND C.-M. LU

(1998) Properly posed set of nodes for bivariate Lagrange interpolation, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 189–196.

LIANG, X.-Z.

(1979) Properly posed nodes for bivariate interpolation and the superposed interpolation (Chinese), Jilin Daxue Xuebao, J. Jilin University (Natural Sciences) **1**, 27–32.

LINO, L AND J. WILDE

(1991) Subdivision of triangular Bézier patches into rectangular Bézier patches, Adv. Design Automation **32**, 1–6.

LIONS, J. L. AND E. MAGENES

(1972) *Non-Homogeneous Boundary Value Problems and Applications I*, Berlin, Springer-Verlag.

LITTLE, F. F

(1986) Triangular surfaces, dissertation, Univ. of Utah.

LIU, H.-W.

(1990) The space $\tilde{S}_2^1(\Delta_{mn}^{(2)})$ of bivariate periodic spline functions, Numer. Math. J. Chinese Univ. **12**, 335–341.

(1994) An integral representation of bivariate splines and the dimension of quadratic spline spaces over stratified triangulation, Acta Math. Sinica **37**, 534–543.

- (1994) A note on the recurrence relations of multivariate truncated powers and box splines, *Numer. Math. J. of Chinese Univ. (series B)* **3**, 10–17.
- (1995) An identity of quadratic spline function in space $\tilde{S}_2^1(\bar{\Delta}_{mn}^{(2)})$, *J. Guangxi Univ. for Nationalities* **1**, 25–29.
- LIU, H.-W. AND D. HONG
 (1999) Some smoothness conditions and conformality conditions for bivariate quartic and quintic splines, *CALCOLO* **36**, 43–61.
- LIU, A. AND B. JOE
 (1995) Quality local refinement of tetrahedral meshes based on bisection, *SIAM J. Sci. Comput.* **16**, 1269–1291.
 (1996) Quality local refinement of tetrahedral meshes based on 8-subtetrahedron subdivision, *Math. Comp.* **65**, 1183–1200.
- LIU, X. AND L. L. SCHUMAKER
 (1996) Hybrid Bézier patches on sphere-like surfaces, *J. Comput. Appl. Math.* **73**, 157–172.
- LIU, X. AND Y. ZHU
 (1995) A characterization of certain C^2 discrete triangular interpolants, *Comput. Aided Geom. Design* **12**, 329–348.
- LIVADAS, P. E.
 (1989) A reconstruction of an unknown 3-D surface from a collection of its cross sections; an implementation, *Intern. J. Computer Math.* **26**, 143–160.
- LODHA, S. AND R. GOLDMAN
 (1994) A multivariate generalization of the de Boor-Fix formula, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 301–310.
 (1997) A unified approach to evaluation algorithms for multivariate polynomials, *Math. Comp.* **66**, 1521–1553.
- LOH, R.
 (1981) Convex B-spline surfaces, *Computer-Aided Design* **13**, 145–149.
- LOKAR, M.
 (1989) How to compute a multivariate B-spline, in *VI Conference on Applied Mathematics [Tara, 1988]*, xxx (ed.), Univ. Belgrade, Belgrade, 106–112.
- LOOP, C. AND T. DEROSE
 (1989) A multisided generalization of Bézier surfaces, *Transactions on Graphics* **8**, 204–234.

- (1990) Generalized B-spline surfaces of arbitrary topology, *Computer Graphics (SIGGRAPH'90)* **24(4)**, 347–356.
- LORENTE-PARDO, J., P. SABLONNIÈRE, AND M. C. SERRANO-PÉREZ
- (1997) On convexity and subharmonicity of some functions on triangles, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 271–278.
- (1998) On the convexity of Powell–Sabin finite elements, in *Advances in Computational Mathematics*, C. Micchelli, and Y. Xu (eds.), Marcel Dekker, New York, 395–404.
- (2000) On the convexity of C^1 surfaces associated with some quadrilateral finite elements, *Advances in Comp. Math.* **13**, 271–292.
- (2000) On the convexity of Bézier nets of quadratic Powell–Sabin splines on 12-fold refined triangulations, *J. Comput. Appl. Math.* **115**, 383–396.
- LORENTZ, G. G.
- (1953) *Bernstein Polynomials*, Toronto, University of Toronto Press.
- LORENTZ, R. A.
- (2000) Multivariate Hermite interpolation by algebraic polynomials: a survey, *J. Assoc. Comput. Mach.* **122(1-2)**, 167–201.
- LORENTZ, R. A. AND P. OSWALD
- (1997) Nonexistence of compactly supported box spline prewavelets in Sobolev spaces, in *Surface Fitting and Multiresolution Methods*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 235–244.
- LOTT, N. J. AND D. I. PULLIN
- (1988) Methods for fairing B-spline surfaces, *Computer-Aided Design* **20(10)**, 597–604.
- LUOA, ZHONGXUAN AND R. WANG
- (1994) A nodal bases of C^μ -rational spline functions on triangulations, *Approx. Theory Appl.* **10(4)**, 13–24.
- LUSCHER, N.
- (1987) Die Bernstein-Bézier Technik in der Methode der finiten Elemente, dissertation, Univ. Braunschweig.
- LYCHE, T. AND L. L. SCHUMAKER
- (1975) Local spline approximation methods, *J. Approx. Theory* **15**, 294–325.

MAINAR, E. AND J. PEÑA

(2006) Running error analysis of evaluation algorithms for bivariate polynomials in barycentric Bernstein form, *Computing* **77**, 97–111.

(to appear) Evaluation algorithms for multivariate polynomials in Bernstein Bézier form, *J. Approx. Theory*.

MANN, S.

(1999) Cubic precision Clough-Tocher interpolation, *Comput. Aided Geom. Design* **16(2)**, 85–88.

MANN, S. AND D. DAVIDCHUK

(1998) A parametric hybrid triangular Bezier patch, in *Mathematical Methods for Curves and Surfaces II*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 335–342.

MANN, S. AND T. DEROSE

(1995) Computing values and derivatives of Bezier and B-spline tensor products, *Comput. Aided Geom. Design* **12(1)**, 107–110.

MANN, S., C. LOOP, M. LOUNSBERY, D. MEYERS, J. PAINTER, T. DEROSE, AND K. SLOAN

(1992) A survey of parametric scattered data fitting using triangular interpolants, in *Curve and Surface Design*, H. Hagen (ed.), SIAM Publications, SIAM, Philadelphia PA, 145–172.

MANNI, C.

(1990) The dimension of bivariate spline spaces over special partitions, in *Contributions to the Computation of Curves and Surfaces*, xx (ed.), Puerto de la Cruz, 1989, Monogr. Acad. Ci. Exact. Nat. Zaragoza, Zaragoza, 35–44.

(1991) On the dimension of bivariate spline spaces over rectilinear partitions, *Approx. Theory Appl.* **7**, 23–34.

(1992) On the dimension of bivariate spline spaces on generalized quasi-cross-cut partitions, *J. Approx. Theory* **69**, 141–155.

(1992) Lower bounds on the dimension of bivariate spline spaces and generic triangulations, in *Mathematical Methods in Computer Aided Geometric Design II*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 401–412.

MANNI, C. AND P. SABLONNIÈRE

(1995) C^1 comonotone Hermite interpolation via parametric surfaces, in *Mathematical Methods for Curves and Surfaces*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 333–342.

MANSFIELD, LOIS E.

- (1971) On the optimal approximation of linear functionals in spaces of bivariate functions, *SIAM J. Numer. Anal.* **8**, 115–126.
- (1972) On the variational characterization and convergence of bivariate splines, *Numer. Math.* **20**, 99–114.
- (1972) Optimal approximation and error bounds in spaces of bivariate functions, *J. Approx. Theory* **5**, 77–96.
- (1974) On the variational approach to defining splines on L-shaped regions, *J. Approx. Theory* **12**, 99–112.
- (1974) Error bounds for spline interpolation over rectangular polygons, *J. Approx. Theory* **12**, 113–126.
- (1974) Higher order compatible triangular finite elements, *Numer. Math.* **22**, 89–97.
- (1976) Interpolation to boundary data in triangles with application to compatible finite elements, in *Approximation Theory, II*, G. G. Lorentz, C. K. Chui, and L. L. Schumaker (eds.), Academic Press, New York, 449–455.
- (1976) Interpolation to boundary data in tetrahedra with applications to compatible finite elements, *J. Math. Anal. Appl.* **56**, 137–164.
- (1980) Interpolation to scattered data in the plane by locally defined C^1 functions, in *Approximation Theory III*, E. W. Cheney (ed.), Academic Press, New York, 623–628.

MATVEEV, O. V.

- (1994) Spline interpolation of functions of several variables and bases in Sobolev spaces, *Proc. Steklov Inst. Math.* **198(1)**, 119–146.

MCCLEOD, R. AND J. MITCHELL

- (1972) The construction of basis functions for curved elements in the finite element method, *J. Inst. Math. Applics.* **10**, 382–393.

MCDERMOTT, R. J.

- (1974) Graphical representation of surfaces over triangles and rectangles, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), Academic Press, New York, 89–93.

MCLAIN, D. H.

- (1974) Drawing contours from arbitrary data points, *Computer J.* **17**, 318–324.
- (1974) Computer construction of surfaces through arbitrary points, *Information Processing* **74**, 117–121.
- (1976) Two dimensional interpolation from random data, *Computer J.* **19**, 178–181.

- (1980) Interpolation methods for erroneous data, in *Mathematical Methods in Computer Graphics and Design*, K. W. Brodlie (ed.), Academic Press, New York, 87–104.
- MELKES, FRANTIŠEK
 (1972) Reduced piecewise bivariate Hermite interpolations, *Numer. Math.* **19**, 326–340.
- MERRIEN, J.–L.
 (1994) Dyadic Hermite interpolants on a triangulation, *NA* **7**, 391–410.
- MICCHELLI, C. A.
 (1979) On a numerically efficient method for computing multivariate B-splines, in *Multivariate Approximation Theory*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 211–248.
 (1984) Recent progress in multivariate splines, in *Proceedings of the International Congress of Mathematicians, Vol. 1, 2 (Warsaw, 1983)*, Z. Ciesielski and C. Olech (eds.), PWN, Warsaw, 1523–1524.
 (1995) *Mathematical Aspects of Geometric Modeling*, CMBS-NSF Regional Conference Series in Applied Mathematics v. 65, Philadelphia, SIAM.
- MICCHELLI, C. A. AND A. PINKUS
 (1989) Some remarks on nonnegative polynomials on polyhedra, in *Probability, Statistics, and Mathematics*, T. Anderson, K. Athreya and D. Iglehart (eds.), Academic Press, Boston, 163–186.
- MICCHELLI, C. A. AND G. WAHBA
 (1981) Design problems for optimal surface interpolation, in *Approximation Theory and Applications*, Z. Ziegler (ed.), Academic Press, New York, 329–348.
- MITCHELL, A. R. AND G. M. PHILLIPS
 (1972) Construction of basis functions in the finite element method, *BIT* **12**, 81–89.
- MÖBIUS, A. F.
 (1886) Ueber eine neue Behandlungsweise der analytischen Sphärik, in *Abhandlungen bei Begründung der Königl. Sächs. Gesellschaft der Wissenschaften*, Jablonowski Gesellschaft, Leipzig, 45–86. (See also *A. F. Möbius, Gesammelte Werke*, F. Klein (ed.), vol. 2., Leipzig, 1–54.
- MORGAN, J. AND R. SCOTT
 (1975) A nodal basis for C^1 piecewise polynomials of degree $n \geq 5$, *Math. Comp.* **29**, 736–740.
 (1977) The dimension of the space of C^1 piecewise polynomials, manuscript.

MÜLLER, C.

(1966) *Spherical Harmonics*, Berlin, Lecture Notes in Mathematics Springer-Verlag.

MULANSKY, B. AND N. NEAMTU

(1998) Interpolation and approximation from convex sets, *J. Approx. Theory* **92**(1), 82–100.

MULANSKY, B. AND J. W. SCHMIDT

(1994) Nonnegative interpolation by biquadratic splines on refined rectangular grids, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 379–386.

MUNTEANU, M. J.

(1973) On the construction of multidimensional splines, in *Spline Functions and Approximation Theory, ISNM 21*, A. Meir and A. Sharma (eds.), Birkhäuser Verlag, Basel, 235–265.

MUNTEANU, M. J. AND L. L. SCHUMAKER

(1973) Direct and inverse theorems for multidimensional spline approximation, *Indiana Math. J.* **23**, 461–470.

(1974) Some multidimensional spline approximation methods, *J. Approx. Theory* **10**, 23–40.

NADLER, EDMOND

(1990) Hermite interpolation by C^1 bivariate splines, in *Contributions to the Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. A. Micchelli (eds.), Monografias de la Academia de Ciencias de Zaragoza, Spain, 55–66.

(1993) Non-negativity of a bivariate quadratic function on a triangle, *Comput. Aided Geom. Design* **9**, 195–205.

NAIRN, D., J. PETERS, AND D. LUTTERKORT

(1999) Sharp quantitative bounds on the distance between a polynomial piece and its Bézier control polygon, *Comput. Aided Geom. Design* **16**, 613–631.

(2001) What is the natural generalization of univariate splines to higher dimensions?, in *Mathematical Methods for Curves and Surfaces III, Oslo, 2000*, T. Lyche and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 355–392.

NEAMTU, M.

(1989) Multivariate divided differences and B-splines, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 445–448.

- (1991) Subdividing multivariate polynomials over simplices in Bernstein-Bézier form without de Casteljau algorithm, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Academic Press, New York, 359–362.
- (1991) Multivariate Splines, dissertation, University of Twente (The Netherlands).
- (1992) On discrete simplex splines and subdivision, *J. Approx. Theory* **70(3)**, 358–374.
- (1992) Multivariate divided differences. I. Basic properties, *SIAM J. Numer. Anal.* **29(5)**, 1435–1445.
- (1992) On approximation and interpolation of convex functions, in *Approximation Theory, Spline Functions and Applications*, S. P. Singh (ed.), Kluwer, Dordrecht, Netherlands, 411–418.
- (1996) Homogenous simplex splines, *J. Comput. Appl. Math.* **73**, 173–189.
- (2001) Bivariate simplex B-splines: A new paradigm, in *Proc. Spring Conf. on Computer Graphics, IEEE Computer Soc.*, R. Durikovic and S. Czanner (eds.), Los Alamitos, xxx, 71–78.
- NEAMTU, M. AND P. R. PFLUGER
- (1994) Degenerate polynomial patches of degree 4 and 5 used for geometrically smooth interpolation in \mathbb{R}^3 , *Comput. Aided Geom. Design* **11**, 451–474.
- NEAMTU, M. AND L. L. SCHUMAKER
- (2004) On the approximation order of splines on spherical triangulations, *Advances in Comp. Math.* **21**, 3–20.
- NEAMTU, M. AND C. R. TRAAS
- (1991) On computational aspects of simplicial splines, *Constr. Approx.* **7**, 209–220.
- NEDELEC, J.-C.
- (1976) Curved finite element methods for the solution of singular integral equations on surfaces in R^3 , *Comput. Methods in Appl. Mech. Engrg* **8(1)**, 61–80.
- NEFF, A. AND J. PETERS
- (1992) C^1 interpolation on higher-dimensional analogues of the 4-direction mesh, in *Numerical Methods in Approximation Theory, ISNM 105*, D. Braess, L. L. Schumaker (eds.), Birkhäuser, Basel, 207–220.
- NEUMAN, E.
- (109) Inequalities involving multivariate convex functions. II, *Proc. Amer. Math. Soc.* 1990; 965–974;

NEUMAN, E. AND J. PEČARIĆ

- (1989) Inequalities involving multivariate convex functions, *J. Math. Anal. Appl.* **137**, 541–549.

NICOLAIDES, R. A.

- (1972) On a class of finite elements generated by Lagrange interpolation, *SIAM J. Numer. Anal.* **9**, 435–445.
- (1973) On a class of finite elements generated by Lagrange interpolation. II, *SIAM J. Numer. Anal.* **10(1)**, 182–189.

NIELSON, G. M.

- (1973) Bivariate spline functions and the approximation of linear functionals, *Numer. Math.* **21**, 138–160.
- (1974) Multivariate smoothing and interpolating splines, *SIAM J. Numer. Anal.* **11**, 435–446.
- (1979) Applications of a Mangeron theorem for triangular domains, *Bul. Inst. Polit. DIN IASI* **25**, 65–70.
- (1979) The side-vertex method for interpolation in triangles, *J. Approx. Theory* **25**, 318–336.
- (1979) A Mangeron theorem for triangular domains, *Rev. Roumaine Math. Pures Appl.* **24**, 1–14.
- (1980) Blending methods of minimum norm for triangular domains, *Rev. Roumaine Math. Pures Appl.* **25**, 899–910.
- (1981) Minimum norm interpolation in triangles, *SIAM J. Numer. Anal.* **17**, 44–62.
- (1983) A method for interpolation of scattered data based upon a minimum norm network, *Math. Comp.* **40(161)**, 253–271.
- (1984) A triangle interpolant with linear coefficients based upon the fundamental bilinear interpolant of Mangeron, *Anal. Numer. Approx.* **13**, 155–161.
- (1986) Rectangular ν -splines, *IEEE Comp. Graph. Appl.* **6(2)**, 35–40.
- (1987) Coordinate free scattered data interpolation, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 175–184.
- (1993) Characterization of an affine invariant triangulation, in *Geometric Modelling, Computing Supplementum 8*, G. Farin, H. Hagen, H. Noltemeir, and W. Knoedel (eds.), Springer-Verlag, Berlin, 191–210.

NIELSON, G. M., T. A. FOLEY, B. HAMANN, AND D. LANE

- (1991) Visualizing and modeling scattered multivariate data, *Comp. Graphics and Applics.* **11**, 47–55.

NIELSON, G. M. AND R. FRANKE

(1983) Surface construction based upon triangulations, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 163–177.

(1984) A method for construction of surfaces under tension, *Rocky Mountain J. Math.* **14**, 203–221.

NIELSON, G. M. AND B. HAMANN

(1990) Techniques for the interactive visualization of volumetric data, *IEEE—CH2913-2/90*, p. 45–50.

NIELSON, G. M. AND D. J. MANGERON

(1980) Bilinear interpolation in triangles based upon a Mangeron theorem, *Acta Math. Sinica* **28**, 471–475.

NIELSON, G. M. AND R. RAMARAJ

(1987) Interpolation over a sphere based upon a minimum norm network, *Comput. Aided Geom. Design* **4**, 41–58.

NIELSON, G. M., D. H. THOMAS, AND J. A. WIXOM

(1979) Interpolation in triangles, *Bull. Austral. Math. Soc.* **20**, 115–130.

NÜRNBERGER, G. AND TH. RIESSINGER

(1992) Lagrange and Hermite interpolation by bivariate splines, *Numer. Func. Anal. Optim.* **13**, 75–96.

(1995) Bivariate spline interpolation at grid points, *Numer. Math.* **71(1)**, 91–119.

NÜRNBERGER, G., V. RAYEVSKAYA, L. L. SCHUMAKER, AND F. ZEILFELDER

(2004) Local Lagrange interpolation with C^2 splines of degree seven on triangulations, in *Advances in Constructive Approximation: Vanderbilt 2003*, M. Neamtu and E. W. Saff (eds.), Nashboro Press, Brentwood, 345–370.

NÜRNBERGER, G., L. L. SCHUMAKER, AND F. ZEILFELDER

(2001) Local Lagrange interpolation by bivariate C^1 cubic splines, in *Mathematical Methods for Curves and Surfaces III, Oslo, 2000*, T. Lyche and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville, 393–403.

(2002) Local Lagrange interpolation by C^1 cubic splines on triangulations of separable quadrangulations, in *Approximation Theory X: Wavelets, Splines, and Applications*, C. K. Chui, L. L. Schumaker, and J. Stöckler (eds.), Vanderbilt University Press, Nashville, 405–424.

NÜRNBERGER, G. AND F. ZEILFELDER

- (1998) Spline interpolation on convex quadrangulations, in *Approximation Theory IX, Vol. 2: Computational Aspects*, Charles K. Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 259–266.

ONG, M. E.

- (1994) Uniform refinement of a tetrahedron, *SIAM J. Sci. Comput.* **15**, 1134–1144.

OSWALD, P.

- (1988) *Multilevel Finite Element Approximation: Theory and Applications*, Stuttgart, Teubner.
- (1992) On a hierarchical basis multilevel method with nonconforming P1 elements, *Numer. Math.* **62**, 189–212.
- (1995) Multilevel preconditioners for discretizations of the biharmonic equation by rectangular finite elements, *Linear Algebra Appl.* **2(6)**, xxx–xxx.

PAVLOV, N. N. AND V. V. VERSHININ

- (1988) On the stable approximation of derivatives by splines in the convex set, *Mathematica Balkanica* **2**, 222–229.

PERCELL, PETER

- (1976) On cubic and quartic Clough–Tocher elements, *SIAM J. Numer. Anal.* **13**, 100–103.

PETERS, G. J.

- (1974) Interactive computer graphics application of the parametric bicubic surface to engineering design problems, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), Academic Press, New York, 259–302.
- (1990) Smooth mesh interpolation with cubic patches, *Computer-Aided Design* **22(2)**, 109–120.
- (1990) Local cubic and bicubic C^1 surface interpolation with linearly varying boundary normal, *Comput. Aided Geom. Design* **7**, 499–516.
- (1991) Smooth interpolation of a mesh of curves, *Constr. Approx.* **7**, 221–246.
- (1991) Parametrizing singularly to enclose vertices by a smooth parametric surface, in *Proceedings of Graphics Interface '91*, S. MacKay, E. M. Kidd (eds.), Canadian Man-Computer Communications Society, xxx, 1–7.
- (1992) Joining smooth patches around a vertex to form a C^k surface, *Comput. Aided Geom. Design* **9**, 387–411.

- (1992) Improving G^1 surface joins by using a composite patch, in *Curves and Surfaces in Computer Vision and Graphics III*, J. D. Warren (ed.), xxx, xxx, 345–354.
- (1993) Smooth free-form surfaces over irregular meshes generalizing quadratic splines, *Comput. Aided Geom. Design* **10**, 347–361.
- (199x) Evaluation of multivariate Bernstein polynomials, *ACM Trans. on Graphics* **xx**, xxx–xxx.
- (1995) C^1 free-form surface splines, *SIAM J. Numer. Anal.* **32(2)**, 645–666.
- (1992) Stability of interpolation from C^1 cubics at the vertices of an underlying triangulation, *SIAM J. Numer. Anal.* **29(2)**, 528–533.
- PETERS, J. AND M. SITHARAM
- (1992) On stability of m -variate C^1 interpolation, *Approx. Theory Appl.* **8**, 17–32.
- PETERSEN, C. S.
- (1983) Contours of three and four-dimensional surfaces, M.S. Thesis, Univ. Utah.
- (1984) Adaptive contouring of three dimensional surfaces, *Comput. Aided Geom. Design* **1**, 61–74.
- PETERSON, C. S., B. PIPER, AND A. J. WORSEY
- (1987) Adaptive contouring of a trivariate interpolant, in *Geometric Modeling: Algorithms and New Trends*, G. E. Farin (ed.), SIAM Publications, Philadelphia, 385–396.
- PFEIFLE, R., R. BARTELS, AND R. GOLDMAN
- (1992) Tensor product slices, in *Mathematical Methods in Computer Aided Geometric Design II*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 431–440.
- PFEIFLE, R. AND H.-P. SEIDEL
- (89–96) Spherical triangular B-splines with application to data fitting, in *Computer Graphics Forum, Vol. 14*, F. Post and M. Göbel (eds.), Blackwell, 1995.
- PFLUGER, P. R. AND M. NEAMTU
- (1991) Geometrically smooth interpolation by triangular Bernstein-Bézier patches with coalescent control points, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Academic Press, New York, 363–366.
- (1993) On degenerate surface patches, *Numer. Algorithms* **5**, 569–575.

PHILLIPS, G.

- (1971) Error estimates for certain integration rules on the triangle, in *Applications of Numerical Analysis*, J. Morris (ed.), Springer-Verlag, Berlin, 321–326.

PHILLIPS, G. M. AND D. F. WATSON

- (1982) A precise method for determining contoured surfaces, *Austral. Petro. Expl. Assoc. J.* **22**, 205–212.

PIEGL, L. AND W. TILLER

- (1987) Curve and surface constructions using rational B-splines, *Computer-Aided Design* **19(9)**, 485–498.

PILCHER, D. T.

- (1974) Smooth parametric surfaces, in *Computer Aided Geometric Design*, R. E. Barnhill and R. F. Riesenfeld (eds.), Academic Press, New York, 237–254.

PIPER, B.

- (1993) Properties of local coordinates based on Dirichlet tessellations, in *Geometric Modeling*, G. E. Farin, H. Hagen, and H. Noltemeier (eds.), Springer-Verlag, Vienna, 227–240.

POTTMANN, H.

- (1991) Scattered data interpolation based upon generalized minimum norm networks, *Constr. Approx.* **7**, 247–256.

POUZET, J.

- (1980) Estimation of a surface with known discontinuities for automatic contouring purposes, *Math. Geol.* **12**, 559–575.

POWELL, M. J. D.

- (1977) Numerical methods for fitting functions of two variables, in *The State of the Art in Numerical Analysis*, D. Jacobs (ed.), Academic Press, New York, 563–604.

POWELL, M. J. D. AND M. A. SABIN

- (1977) Piecewise quadratic approximations on triangles, *ACM Trans. Math. Software* **3**, 316–325.

PRAUTZSCH, H.

- (1984) Unterteilungsalgorithmen für multivariate Splines – ein geometrischer Zugang, dissertation, University of Braunschweig.
- (1986) The location of the control points in the case of box splines, *IMA J. Numer. Anal.* **6**, 43–49.

- (1992) On convex Bézier triangles., *Rev. Française Automat. Informat. Rech. Opér., Anal. Numer.* **26**, 23–36.
- PRAUTZSCH, H., W. BOEHM, AND M. PALUSZNY
(2002) *Bézier and B-spline Techniques*, Berlin, Springer.
- PRAUTZSCH, H. AND L. KOBBELT
(1994) Convergence of subdivision and degree elevation, *Adv. Comput. Math.* **2**, 143–154.
- PRAUTZSCH, H. AND G. UMLAUF
(2000) Triangular g^2 -splines, in *Curve and Surface Design: Saint-Malo 99*, P.-J. Laurent, P. Sablonnière, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 335–342.
- PRENTER, P. M.
(1975) *Splines and Variational Methods*, New York, Wiley.
- PREPARATA, F. P. AND M. I. SHAMOS
(1985) *Computational Geometry: An Introduction*, New York, Springer-Verlag.
- PREUSSER, A.
(1984) Algorithm 626: TRICP: A contour plot program for triangular meshes, *ACM Trans. Math. Software* **11**, 473–475.
(1984) Computing contours by successive solution of quintic polynomial equations, *ACM Trans. Math. Software* **11**, 463–472.
(1985) Remark on Algorithm 526, *ACM Trans. Math. Software* **12**, 186–187.
- PRORIOL, J.
(1957) Sur une famille de polynomes à deux variables orthogonaux dans un triangle, *C. R. Acad. Sci. Paris* **245**, 2459–2461.
- QUAK, E. AND L. L. SCHUMAKER
(1989) C^1 surface fitting using data dependent triangulations, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 545–548.
(1990) Cubic spline fitting using data dependent triangulations, *Comput. Aided Geom. Design* **7**, 293–301.
(1990) Calculation of the energy of a piecewise polynomial surface, in *Algorithms for Approximation II*, J. C. Mason and M. G. Cox (eds.), Chapman & Hall, London, 134–143.
(1991) Least squares fitting by linear splines on data dependent triangulations, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Academic Press, New York, 387–390.

RAMARAJ, R.

- (1986) Interpolation and display of scattered data over a sphere, M.S. Thesis, Arizona State University.

RAMASWAMI, S., P. RAMOS, AND G. T. TOUSSAIN

- (1998) Converting triangulations to quadrangulations, *Computat. Geom.* **9**, 257–276.

RAMSHAW, L.

- (1987) Blossoming: a connect-the-dots approach to splines, Techn. Rep., Digital Systems Research Center, Palo Alto.
- (1989) Blossoms are polar forms, *Comput. Aided Geom. Design* **6(4)**, 323–358.

RAYEVSKAYA, V. AND L. L. SCHUMAKER

- (2005) Multi-sided macro-element spaces based on Clough–Tocher triangle splits, *Comput. Aided Geom. Design* **22**, 57–79.

REIF, U.

- (1995) A note on degenerate triangular Bézier patches, *Comput. Aided Geom. Design* **12**, 547–550.
- (1995) Biquadratic G-spline surfaces, *Comput. Aided Geom. Design* **12(2)**, 193–205.
- (2000) Best bounds on the approximation of polynomials and splines by their control structure, *Comput. Aided Geom. Design* **17**, 579–589.

RENKA, R. J.

- (1984) Interpolation of data on the surface of a sphere, *ACM Trans. Math. Software* **10**, 417–436.
- (1984) Algorithm 623: Interpolation on the surface of a sphere, *ACM Trans. Math. Software* **10**, 437–439.
- (1984) Algorithm 624: Triangulation and interpolation of arbitrarily distributed points in the plane, *ACM Trans. Math. Software* **10**, 440–442.
- (1997) Algorithm 772: STRIPACK: Delaunay triangulation and Voronoi diagram on the surface of a sphere, *ACM Trans. Math. Software* **23**, 416–434.

RENKA, R. J. AND A. K. CLINE

- (1984) A triangle-based C^1 interpolation method, *Rocky Mountain J. Math.* **14**, 223–238.
- (1989) Multivariate cardinal interpolation, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 561–580.

- RIEMENSCHNEIDER, S. D., R.-Q. JIA, AND Z. SHEN
 (1990) Multivariate splines and dimensions of kernels of linear operators, in *Multivariate Approximation and Interpolation, ISNM 94*, W. Haussmann and K. Jetter (eds.), Birkhäuser, Basel, 261–274.
- RIEMENSCHNEIDER, S. AND K. SCHERER
 (1987) Cardinal Hermite interpolation with box splines, *Constr. Approx.* **3**, 223–238.
- RIEMENSCHNEIDER, S. D. AND K. SCHERER
 (1991) Cardinal hermite interpolation with box splines II, *Numer. Math.* **58**, 591–602.
 (1991) Box splines, cardinal series, and wavelets, in *Approximation Theory and Functional Analysis*, C. K. Chui (ed.), Academic Press, New York, 133–149.
- RIEMENSCHNEIDER, S. AND Z. W. SHEN
 (1991) Box splines, cardinal series, and wavelets, in *Approximation Theory and Functional Analysis*, C. K. Chui (ed.), Academic Press, New York, 133–149.
 .refJ Riemenschneider, S. D., Shen, Z.; General interpolation on the lattice $h\mathbb{Z}^s$: compactly supported fundamental solutions; *Numer. Math.*; **70**; 1995; 18–38;
- RIPMEESTER, D. J.
 (1995) Upper bounds on the dimension of bivariate spline spaces and duality in the plane, in *Mathematical Methods for Curves and Surfaces*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 455–466.
- RIPPA, S.
 (1990) Minimal roughness property of the Delaunay triangulation, *Comput. Aided Geom. Design* **7**, 489–497.
 (1990) Piecewise linear interpolation and approximation schemes defined over data dependent triangulations, dissertation, Tel-Aviv Univ..
 (1992) Long and thin triangles can be good for linear interpolation, *SIAM J. Numer. Anal.* **29(1)**, 257–270.
 (1978) Surface representation by finite elements, M. S. Thesis, Univ. Calgary.
- RITTER, K.
 (1969) Two dimensional splines and their extremal properties, *Z. Angew. Math. Mech.* **49**, 597–608.
 (1970) Two-dimensional spline functions and best approximations of linear functionals, *J. Approx. Theory* **3**, 352–368.

RIVARA, M. C.

- (1987) Numerical generation of nested series of general triangular grids, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 193–206.

ROGERS, R. F. AND N. G. FOG

- (1989) Constrained B-spline curve and surface fitting, *Computer-Aided Design* **21**, #10, 641–648.

RON, A.

- (98) A characterization of the approximation order of multivariate splines, *Studia Math.*1991; 73–90;

RON, A. AND Z. SHEN

- (1998) Compactly supported tight affine spline frames in $L_2(\mathbb{R}^d)$, *Math. Comp.* **67**, 191–207.

RON, A. AND N. SIVAKUMAR

- (1993) The approximation order of box spline spaces, *Proc. Amer. Math. Soc.* **117**, 473–482.

ROSEN, J. B.

- (1971) Minimum error bounds for multidimensional spline approximation, *J. Comput. Sys. Sci.* **5**, 430–452.

RUDIN, M. E.

- (1958) An unshellable triangulation of a tetrahedron, *Bull. Amer. Math. Soc.* **64**, 90–91.

RUSHING, B.

- (1973) *Topological Embeddings*, New York, Academic Press.

SABIN, M.

- (1968) Conditions for continuity of surface normals between two adjacent parametric patches, Tech. Rep. British Aircraft Corp. Ltd..
- (1972) B-spline interpolation over regular triangular lattices, Report VTO/MS/195, BA Corporation.(available at www.damtp.cam.ac.uk/user/na/people/Malcolm/vtoms)
- (1977) The use of piecewise forms for the numerical representation of shape, dissertation, MTA Budapest.
- (1980) Contouring—a review of methods for scattered data, in *Mathematical Methods in Computer Graphics and Design*, K. W. Brodlie (ed.), Academic Press, New York, 63–85.
- (1983) Non-rectangular surface patches suitable for inclusion in a B-spline surface, in *Eurographics '83*, P. J. W. Ten Hagen (ed.), North-Holland, Amsterdam, 57–69.

- (1985) Contouring: the state of the art, in *Fundamental Algorithms for Computer Graphics*, R. A. Earnshaw (ed.), Springer-Verlag, Heidelberg, 411–482.
- (1989) Open questions in the application of multivariate B-splines, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 529–537.
- (1994) Numerical geometry of surfaces, *Acta Numerica* **3**, 411–466.

SABLONNIÈRE, P.

- (1982) Interpolation by quadratic splines on triangles and squares, *Computers in Industry* **3**, 45–52.
- (1984) A catalog of B-splines of degree ≤ 10 on a three direction mesh, Rpt. ANO-132, Univ. Lille.
- (1985) Bernstein—Bézier methods for the construction of bivariate spline approximants, *Comput. Aided Geom. Design* **2**, 29–36.
- (1985) Composite finite elements of class C^k , *J. Comp. Appl. Math.* **12**, 541–550.
- (1986) Eléments finis triangulaires de degré 5 et de classe C^2 , in *Computers and Computing*, P. Chenin et al (eds.), Wiley, New York, 111–115.
- (1987) Composite finite elements of class C^2 , in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 207–217.
- (1987) Error bounds for Hermite interpolation by quadratic splines on an α -triangulation, *IMA J. Numer. Anal.* **7**, 495–508.
- (1996) Quasi-interpolants associated to H-splines on a three-direction mesh, *J. Comput. Appl. Math.* **66**, 433–442.
- (1996) B-splines on uniform meshes of the plane, in *Advanced Topics in Multivariate Approximation*, F. Fontanella, K. Jetter, and P.-J. Laurent (eds.), World Scientific Publishing Co., Singapore, xxx–xxx.
- (1998) On some families of B-splines on the uniform four-directional mesh of the plane, *Conf. Multivariate Approx. Interp. Applic. in CAGD, Signal and Image Processing, Eilat (Israel)*, 7-11sep.
- (2003) H-splines and quasi-interpolants on a three directional mesh, in *Advanced Problems in Constructive Approximation (IDoMAT 2001)*, M. D. Buhmann and D. H. Mache (eds.), ISNM #142, Birkhäuser, Basel, 187–201.
- (2003) On some multivariate quadratic spline quasi-interpolants on bounded domains, in *Modern developments in multivariate approximation, ISNM 145*, W. Haussmann, K. Jetter, M. Reimer, J. Stöckler (eds.), Birkhäuser, Basel, 263–278.

(2003) Quadratic spline quasi-interpolants on bounded domains of \mathbb{R}^d , $d = 1, 2, 3$, *Rend. Sem. Univ. Pol. Torino* **61**, 61–78.

SABLONNIÈRE, P. AND F. JEEAWOCK-ZEDEK

(1994) Hermite and Lagrange interpolation by quadratic splines on non-uniform criss-cross triangulations, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 445–452.

SABLONNIÈRE, P. AND M. LAGHCHIM-LAHLLOU

(1993) Eléments finis polynomiaux composés de classe C^r , *C. R. Acad. Sci. Paris* **316**, 503–508.

SABLONNIÈRE, P. AND DRISS SBIBIH

(1994) B-splines à supports hexagonaux sur un réseau tridirectionnel régulier du plan, *C. R. Acad. Sci. Paris* **319**, **Série I**, 277–282.

(1995) Some families of B-splines with hexagonal support on a three-direction mesh, in *Mathematical Methods for Curves and Surfaces*, Morten Dæhlen, Tom Lyche, Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville & London, 467–475.

SANDER, G.

(1964) Bornes supérieures et inférieures dans l'analyse matricielle des plaques en flexion-torsion, *Bull. Soc. Royale Sciences Liège* **33**, 456–494.

SAUER, T.

(1991) Multivariate Bernstein polynomials and convexity, *Comput. Aided Geom. Design* **8**, 465–478.

(1992) On the maximum principle of Bernstein polynomials on a simplex, *J. Approx. Theory* **71(1)**, 121–122.

(1994) Axial convexity: a well-shaped shape property, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 419–425.

(1994) The genuine Bernstein–Durrmeyer operator on a simplex, *Results Math.* **26 no. 1–2**, 99–130.

(1995) Computational aspects of multivariate polynomial interpolation, *Advances in Comp. Math.* **3**, 219–237.

(1995) Axially parallel subsimplices and convexity, *Comput. Aided Geom. Design* **12**, 491–505.

(1997) Polynomial interpolation of minimal degree, *Numer. Math.* **78(1)**, 59–85.

(1998) Algebraic aspects of polynomial interpolation in several variables, in *Approximation Theory IX, Vol. 1: Theoretical Aspects*, Charles K.

Chui and Larry L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 287–296.

(2004) Lagrange interpolation on subgrids of tensor product grids, *Math. Comp.* **73**, 181–190.

(2006) Polynomial interpolation in several variables: Lattices, differences, and ideals, in *Multivariate Approximation and Interpolation*, M. Buhmann, W. Hausmann, K. Jetter, W. Schaback, and J. Stöckler (eds.), Elsevier, xxx, 189–228.

SAUER, T. AND Y. XU

(1995) On multivariate Lagrange interpolation, *Math. Comp.* **64**, 1147–1170.

(1995) Multivariate Hermite interpolation, *Advances in Comp. Math.* **4**, 207–259.

(1995) A case study in multivariate Lagrange interpolation, in *Approximation Theory, Wavelets and Applications*, S. P. Singh, Antonio Carbone, and B. Watson (eds.), Kluwer, Dordrecht, Netherlands, 443–452.

SCHAGEN, I. P.

(1979) Interpolation in two dimensions—a new technique, *J. Inst. Math. Applics.* **23**, 53–59.

SCHMIDT, J. W.

(1993) Positive, monotone, and S-convex C^1 -histoplation on rectangular grids, *Computing* **50**, 19–30.

SCHMIDT, J. AND M. WALTHER

(1997) Gridded data interpolation with restrictions on the first order derivatives, in *Multivariate Approximation and Splines, ISNM 125*, G. Nürnberger, J. W. Schmidt, and G. Walz (eds.), Birkhäuser, Basel, 289–306.

SCHMIDT, R. M.

(1982) Eine Methode zur Konstruktion von C^1 -Flächen zur Interpolation unregelmässiger Daten, in *Multivariate Approximation Theory II*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 343–361.

(1983) Fitting scattered surface data with large gaps, in *Surfaces in Computer Aided Geometric Design*, R. E. Barnhill and W. Boehm (eds.), North Holland, Amsterdam, 185–190.

(1985) Ein Beitrag zur Flächenapproximation über unregelmässig verteilten Daten, in *Multivariate Approximation Theory III, ISNM 75*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 363–369.

SCHULTZ, M. H.

- (1969) Multivariate spline functions and elliptic problems, in *Approximation with Special Emphasis on Spline Functions*, I. J. Schoenberg (ed.), Academic Press, New York, 279–347.
- (1969) Multivariate L -spline interpolation, *J. Approx. Theory* **2**, 127–135.
- (1969) L^∞ multivariate approximation theory, *SIAM J. Numer. Anal.* **6**, 161–183.
- (1969) L^2 multivariate approximation theory, *SIAM J. Numer. Anal.* **6**, 184–209.
- (1969) L^2 -approximation theory of even order multivariate splines, *SIAM J. Numer. Anal.* **6**, 467–475.
- (1969) Approximation theory of multivariate spline functions in Sobolev spaces, *SIAM J. Numer. Anal.* **6**, 570–582.
- (1970) Elliptic spline functions and the Rayleigh-Ritz-Galerkin method, *Math. Comp.* **24(109)**, 65–80.
- (1970) Elliptic spline functions and the Rayleigh-Ritz-Galerkin method, *Math. Comp.* **24**, 65–80.
- (1971) L^2 error bounds for the Rayleigh-Ritz-Galerkin method, *SIAM J. Numer. Anal.* **8**, 737–748.
- (1972) Discrete Tchebycheff approximation for multivariate splines, *J. Comput. System Sci.* **6**, 298–304.
- (1973) *Spline Analysis*, Englewood Cliffs, NJ, Prentice-Hall.
- (1973) Error bounds for a bivariate interpolation scheme, *J. Approx. Theory* **8**, 189–194.

SCHUMAKER, L. L.

- (1976) Fitting surfaces to scattered data, in *Approximation Theory, II*, G. G. Lorentz, C. K. Chui, and L. L. Schumaker (eds.), Academic Press, New York, 203–268.
- (1976) Two-stage methods for fitting surfaces to scattered data, in *Quantitative Approximation*, R. Schaback and K. Scherer (eds.), Lecture Notes 556, Springer, Berlin, 378–389.
- (1979) On the dimension of spaces of piecewise polynomials in two variables, in *Multivariate Approximation Theory*, W. Schempp and K. Zeller (eds.), Birkhäuser, Basel, 396–412.
- (1981) *Spline Functions: Basic Theory*, New York, Wiley.
- (1984) On spaces of piecewise polynomials in two variables, in *Approximation Theory and Spline Functions*, S. P. Singh, J. H. W. Burry, and B. Watson (eds.), Reidel, Dordrecht, 151–197.
- (1984) Bounds on the dimension of spaces of multivariate piecewise polynomials, *Rocky Mountain J. Math.* **14**, 251–264.

- (1987) Triangulation methods, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 219–232.
- (1987) Numerical aspects of piecewise polynomials on triangulations, in *Algorithms for the Approximation of Functions and Data*, J. C. Mason and M. G. Cox (eds.), Oxford Univ. Press, Oxford, 373–406.
- (1988) Dual bases for spline spaces on cells, *Comput. Aided Geom. Design* **5**, 277–284.
- (1988) Constructive aspects of bivariate piecewise polynomials, in *Mathematics of Finite Elements and Applications VI*, J. Whiteman (ed.), Academic Press, London, 513–520.
- (1989) On super splines and finite elements, *SIAM J. Numer. Anal.* **26**, 997–1005.
- (1990) Reconstructing 3D objects from cross-sections, in *Computation of Curves and Surfaces*, W. Dahmen, M. Gasca, and C. Micchelli (eds.), Kluwer, Dordrecht, Netherlands, 275–309.
- (1990) Reconstruction of 3D objects using splines, in *Curves and Surfaces in Computer Vision and Graphics*, L. Ferrari and R. de Figueiredo (eds.), Vol. 1251, SPIE, Bellingham, 130–140;
- (1991) Recent progress on multivariate splines, in *Mathematics of Finite Elements and Applications VII*, J. Whiteman (ed.), Academic Press, London, 535–562.
- (1993) Computing optimal triangulations using simulated annealing, *Comput. Aided Geom. Design* **10**, 329–345.
- (1993) Triangulation methods in CAGD, *IEEE Comp. Graph. Appl.* **13**, 47–52.
- (1994) Applications of multivariate splines, in *Proceedings of Symposia in Applied Mathematics*, W. Gautschi (ed.), Vol. 48, AMS, Providence, 177–203.
- SCHUMAKER, L. L. AND T. SOROKINA
- (2004) C^1 quintic splines on type-4 tetrahedral partitions, *Adv. Comp. Math.* **21**, 421–444.
- (2005) A trivariate box macro-element, *Constr. Approx.* **21**, 413–431.
- (2006) A family of C^r macro-elements on Powell–Sabin-12 splits, *Math. Comp.* **75**, 711–726.
- SCHUMAKER, L. L. AND C. TRAAS
- (1991) Fitting scattered data on spherelike surfaces using tensor products of trigonometric and polynomial splines, *Numer. Math.* **60**, 133–144.
- SCHUMAKER, L. L. AND W. VOLK

- (1986) Efficient evaluation of multivariate polynomials, *Comput. Aided Geom. Design* **3**, 149–154.
- SCOTT, L. R. AND S. ZHANG
 (1990) Finite element interpolation of nonsmooth functions satisfying boundary conditions, *Math. Comp.* **54**, 483–493.
- SCOTT, L. R. AND S. ZHANG
 (1990) Finite element interpolation of nonsmooth functions satisfying boundary conditions, *Math. Comp.* **54**, 483–493.
- SEIDEL, H. P.
 (1989) A general subdivision theorem for Bézier triangles, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 573–581.
 (1989) A new multi-affine approach to B-splines, *Comput. Aided Geom. Design* **6**, 23–32.
 (1991) Symmetric recursive algorithms for surfaces: B-patches and the de Boor algorithm for polynomials over triangles, *Constr. Approx.* **7**, 257–279.
 (1993) An introduction to polar forms, *IEEE Comp. Graph. Appl.* **13(1)**, 38–46.
- SEIDEL, H.-P. AND A. H. VERMEULEN
 (1994) Simplex splines support surprisingly strong symmetric structures and subdivision, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 443–455.
- SHA, ZHEN
 (1985) On interpolation by $S_3^1(\Delta_{m,n}^1)$, *Approx. Theory Appl.* **1**, 1–18.
 (1985) On interpolation by $S_2^1(\Delta_{m,n}^2)$, *Approx. Theory Appl.* **1**, 71–82.
- SHAH, J. M.
 (1970) Two dimensional polynomial splines, *Numer. Math.* **15**, 1–14.
- SHI, X. Q.
 (1991) The singularity of Morgan–Scott’s triangulation, *Comput. Aided Geom. Design* **8**, 201–206.
 (1992) The dimension of spline spaces $S_k^r(\Delta_n)$, ($k \geq 2^{n-2}(3r+1)+1$), *Chinese Science Bulletin* **5**, 436–437.
 (1992) Dimensions of spline and their singularity, *J. Comput. Math.* **3**, 224–230.

- SHI, X., S. WANG, W. WANG, AND R. WANG
 (1986) The C' -quadratic spline space on triangulations, Res. Rep., Dept. Math, Inst. Math;, Jilin U. (Changchun, CHINA).
- SHI, Z. C.
 (1984) The generalized patch test for Zienkiewicz's triangles, J. Comput. Math. **2**, 279–286.
 (1986) A unified formation of shape functions for two kinds of nonconforming plate bending elements, Numer. Math. Sinica **8**, 428–434.
 (1987) The F-E-M-Test for convergence of nonconforming finite elements, Math. Comp. **49(180)**, 391–405.
- SHI, Z. C. AND S. C. SHEN
 (1990) A direct analysis of the 9-parameter quasi-conforming plate element, Numer. Math. Sinica **12**, 76–84.
- SHIRMAN, L. AND C. SÉQUIN
 (1987) Local surface interpolation with Bézier patches, Comput. Aided Geom. Design **4**, 279–295.
- SHU, C. AND P. BOULANGER
 (2000) Triangulating trimmed NURBS surfaces, in *Curve and Surface Design: Saint-Malo 99*, P.-J. Laurent, P. Sablonnière, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 381–388.
- SHURE, LOREN, ROBERT L. PARKER, AND GEORGE E. BACKUS
 (1982) Harmonic splines for geomagnetic modelling, Physics of Earth and Planetary Interiors **28**, 215–229.
- SILANES, DE M., C. LOPEZ, AND D. APPRATO
 (1988) Estimations de l'erreur d'approximation sur un domaine borné de R^n par D^m -splines d'interpolation et d'ajustement discrètes, Numer. Math. **53**, 367–376.
- SILANES, DE M., C. LOPEZ, AND R. ARCANGELI
 (xx) Majorations de l'erreur d'approximation par splines d'interpolation et d'ajustement d'ordre (m,s), Analyse Numérique 88/12.
- SINHA, S. S. AND B. G. SCHUNCK
 (1992) A two-stage algorithm for discontinuity-preserving surface reconstruction, IEEE Trans. Pattern Anal. and Machine Intelligence **14**, 36–55.
- SIRVENT, M.
 (1990) The dimension of multivariate spline spaces, dissertation, Department of Mathematics, University of Utah, Salt Lake City, Utah 84112.

SIVAKUMAR, N.

- (1990) On bivariate cardinal interpolation by shifted splines on a three-direction mesh, *J. Approx. Theory* **61**, 178–193.
- (1990) Studies in box splines, dissertation, Edmonton, Alberta, Canada.
- (1991) Concerning the linear dependence of integer translates of exponential box splines, *J. Approx. Theory* **64**, 95–118.

SLOAN, I. H.

- (1997) Interpolation and hyperinterpolation on the sphere, in *Multivariate Approximation: Recent Trends and Results*, W. Haussmann, K. Jetter, M. Reimer (eds.), Akademie Verlag – Wiley VCH, Berlin, 255–268.

SLOAN, I. H. AND R. WOMERSLEY

- (2000) Constructive polynomial approximation on the sphere, *J. Approx. Theory* **103**, 91–118.

SLUSALLEK, PH., R. KLEIN, A. KOLB, AND G. GREINER

- (1994) An object-oriented framework for curves and surfaces with applications, in *Curves and Surfaces in Geometric Design*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 457–466.

SONE, J., K. KONNO, AND H. CHIYOKURA

- (2000) Surface interpolation of non-four-sided and concave area by NURBS boundary Gregory patches, in *Curve and Surface Design: Saint-Malo 99*, P.-J. Laurent, P. Sablonnière, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 389–398.

SPÄTH, H.

- (1971) Algorithmus 10—zweidimensionale glatte Interpolation, *Computing* **4**, 178–182.
- (1971) Berichtigung zu Algorithmus 10, *Computing* **8**, 200–201.
- (1971) Algorithm 16: Two dimensional exponential splines, *Computing* **7**, 364–369.
- (1974) *Spline algorithms for curves and surfaces*, Winnipeg, translated by W. D. Hoskins and H. W. Sager, Utilitas Math..

SPECHT, B.

- (1988) Modified shape functions for the three-node plate bending element passing the patch test, *Intern. J. Numer. Methods Eng.* **26**, 705–715.

SPRINGER, J.

- (1994) Modeling of geological surfaces using finite elements, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 467–474.

STÄMPFLE, MARTIN

- (2000) Optimal estimates for the linear interpolation error on simplices, *J. Approx. Theory* **103**(1), 78–90.

STANCU, D. D.

- (1959) De l'approximation par des polynomes du type Bernstein des fonctions des deux variables, *Comm. Akad. R. P. Romaine* **9**, 773–777.
 (1964) The remainder of certain linear approximation formulas in two variables, *SIAM J. Numer. Anal. Ser. B* **1**, 137–163.
 (1980) Some Bernstein polynomials in two variables and their applications, *Soviet Math.* **1**, 1025–1028.

STEAD, S. E.

- (1984) Estimation of gradients from scattered data, *Rocky Mountain J. Math.* **14**, 265–279.

STEIN, E. M.

- (1970) *Singular Integrals and Differentiability Properties of Functions*, New Jersey, Princeton University Press.

STELZER, J. F.

- (1986) Colour graphics with three-dimensional finite element meshes, *Eng. Comput.* **3**, 295–304.

STÖCKLER, J.

- (1984) Geometrische Ansätze bei der Behandlung von Splinefunktionen mehrerer Veränderlicher, Diplomarbeit, Duisburg.
 (1989) Cardinal interpolation with translates of shifted bivariate box-splines, in *Mathematical Methods in Computer Aided Geometric Design*, T. Lyche and L. L. Schumaker (eds.), Academic Press, New York, 583–592.
 (1989) Minimal properties of periodic box-spline interpolation on a three-direction mesh, in *Multivariate Approximation Theory IV, ISNM 90*, C. Chui, W. Schempp, and K. Zeller (eds.), Birkhäuser Verlag, Basel, 329–336.
 (1991) Multivariate Bernoulli splines and the periodic interpolation problem, *Constr. Approx.* **7**, 105–122.
 (1975) Spline-Funktionen—eine neue Methode zur Darstellung von Lichtstärkeverteilungen, *Lichttechnik* **8**, 320–324.

STORCHAL, V. F.

- (1972) On the approximation of continuous functions of two variables using spline functions in the metric C , *Sb. Issled. Sov. Probl. Summir. Pribl. Funk. i ih Priloj.* **XX**, 66–68.

STRANG, G.

- (1971) The finite element method and approximation theory, in *Numerical Solution of Partial Differential Equations II*, SYNSPADE 70, B. Hubbard (ed.), University of Maryland, College Park, 547–583.
- (1973) Piecewise polynomials and the finite element method, *Bull. Amer. Math. Soc.* **79**, 1128–1137.
- (1974) The dimension of piecewise polynomials, and one-sided approximation, in *Numerical Solution of Differential Equations*, G. A. Watson (ed.), Springer, Berlin, 144–152.

STRANG, G. AND G. FIX

- (1973) A Fourier analysis of the finite element variational method, in *Constructive Aspects of Functional Analysis*, G. Geymonat (ed.), C.I.M.E. II Ciclo 1971,, xx, 793–840.

SUBBOTIN, YU. N.

- (1989) The error in multidimensional piecewise polynomial approximation, *Proc. Steklov Inst. Math.* **180(3)**, 246–248.
- (1990) Dependence of estimates of a multidimensional piecewise-polynomial approximation on the geometric characteristics of the triangulation, *Proc. Steklov Inst. Math.* **189(4)**, 135–159.
- (1990) Error of the approximation by interpolation polynomials of small degrees on n -simplices (Russian), *Mat. Zametki* **48(4)**, 88–98.
- (1990) Error of the approximation by interpolation polynomials of small degrees on n -simplices, *Math. Notes* **48(4)**, 1030–1037.
- (1992) Dependence of estimates of approximation by interpolation polynomials of fifth degree on geometric properties of the triangle, *Trudy Instituta Mathem. and Mechan., Russian Acad. Sci, Ural Branch, Ekaterinburg* **2**, 110–119.

SUGIHARA, K.

- (2002) Voronoi Diagrams, in *Handbook of Computer Aided Geometric Design*, G. Farin, J. Hoschek, and Myung-Soo Kim (eds.), Elsevier Science B.V., xxx, 429–450.

SUTCLIFFE, D. C.

- (1980) Contouring over rectangular and skewed rectangular grids—an introduction, in *Mathematical Methods in Computer Graphics and Design*, K. W. Brodlie (ed.), Academic Press, New York, 39–62.

THEILHEIMER, FEODOR AND WILLIAM STARKWEATHER

- (1961) The fairing of ship lines on a high-speed computer, *Math. Comp.* **15(76)**, 338–355.

THEISEL, HOLGER

- (2000) On properties of contours of trilinear scalar fields, in *Curve and Surface Fitting: Saint-Malo 1999*, A. Cohen, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 403–410.
- (1997) On geometric continuity of isophotes, in *Curves and Surfaces in Geometric Design*, A. LeMéhauté, C. Rabut, and L. L. Schumaker (eds.), Vanderbilt University Press, Nashville TN, 419–426.

THOMANN, J.

- (1970) Obtention de la fonction spline d'interpolation à 2 variables sur une domaine rectangulaire ou circulaire, in *Proc. Algol En Analyse Numerique II*, xxx (ed.), Centre Nat. de la Recherche Sci., Paris, 83–94.

THOMÉE, V.

- (1972) Spline approximation and difference schemes for the heat equation, in *The Mathematical Foundations of the Finite Element Method with Applications to Partial Differential Equations*, A. K. Aziz (ed.), Academic Press, New York, 711–746.

THROSBY, P. W.

- (1969) A finite element approach to surface definition, *Computer J.* **12**, 385–387.

TILLER, W.

- (1983) Rational B-splines for curve and surface representation, *IEEE Comp. Graph. Appl.* **3(6)**, 61–69.

TIPPENHAUER, U. VON

- (1970) Mehrdimensionale Interpolation und Minimaleigenschaften in Hilberträumen, Diplomarbeit, Bochum.
- (1972) Mehrdimensionale invariante Interpolationssysteme in Hilberträumen, *Z. Angew. Math. Mech.* **52**, T222–T224.

TÖPFER, H.-J. AND W. VOLK

- (1980) Die numerische Behandlung von Integralgleichungen zweiter Art mittels Splinefunktionen, in *Numerische Behandlung von Integralgleichungen*, J. Albrecht and L. Collatz (eds.), Birkhäuser, Basel, 228–243.

TORRENS, J. J.

- (1994) Approximation of parametric surfaces with discontinuities by discrete smoothing D^m -splines, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 485–492.

UTRERAS, F.

- (1985) Smoothing noisy data under monotonicity constraints: Existence, characterization and convergence rates, *Numer. Math.* **47(4)**, 611–625.
- (1987) Constrained surface construction, in *Topics in Multivariate Approximation*, C. K. Chui, L. L. Schumaker, and F. Utreras (eds.), Academic Press, New York, 233–254.
- (1988) Convergence rates for multivariate smoothing spline functions, *J. Approx. Theory* **52**, 1–27.
- (1991) The variational approach to shape preservation, in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Academic Press, New York, 461–476.
- (1990) Recent results on multivariate smoothing splines, in *Multivariate Approximation and Interpolation, ISNM 94*, W. Haussmann and K. Jetter (eds.), Birkhäuser, Basel, 299–312.

WIJK, J. J. VAN

- (1986) Bicubic patches for approximating non-rectangular control-point meshes, *Computer-Aided Design* **3**, 1–13.

VERON, M., G. RIS, AND J.-P. MUSSE

- (1976) Continuity of biparametric surface patches, *Computer-Aided Design* **8(4)**, 267–273.

VIGO, M., P. NÚRIA, AND J. COTRIA

- (2002) Regular triangulations of dynamic sets of points, *Comput. Aided Geom. Design* **19**, 127–149.

WACHSPRESS, EUGENE

- (1975) *A Rational Finite Element Basis*, xxx, Academic Press.

WAHBA, GRACE

- (1973) Convergence rates of certain approximate solutions of Fredholm integral equations of the first kind, *J. Approx. Theory* **7(2)**, 167–185.
- (1984) Surface fitting with scattered noisy data on Euclidean d -space and on the sphere, *Rocky Mountain J. Math.* **14**, 281–299.
- (1990) *Spline Models for Observational Data*, Philadelphia, CBMS NSF Regional Conference Series in Applied Mathematics 59, SIAM.

WALKER, M.

- (1994) Interpolation of an arbitrary rectangular mesh with local control and prescribed continuity, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 501–510.

WALZ, G.

- (1997) Trigonometric Bézier and Stancu polynomials over intervals and triangles, *Comput. Aided Geom. Design* **14**, 393–397.

WANG, J. Z.

- (1985) Representations of box-splines by truncated powers, *Math. Numer. Sin.* **7**, 78–89.
- (1986) Biorthogonal functionals of box-splines, *Math. Numer. Sin.* **8**, 75–81.
- (1987) On dual basis of bivariate box-spline, *Approx. Theory Appl.* **3**, 153–163.

WANG, J. AND Y. CHEN

- (1989) A remark on minimal supports for bivariate splines, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 663–666.

WANG, R. H.

- (1975) The structural characterization and interpolation for multivariate splines (Chinese), *Acta Math. Sinica* **18**, 91–106.
- (1979) On the analysis of multivariate splines in the case of arbitrary partition (Chinese), *Sci. Sinica Math.* **1**, 215–226.
- (1980) On the analysis of multivariate splines in the case of arbitrary partition II (Chinese), *Numer. Math. China* **2**, 78–81.
- (1985) The dimension and basis of spaces of multivariate splines, *J. Comput. Appl. Math.* **12**, 163–177.
- (2001) *Multivariate Spline Functions and their Applications*, Translated from the 1994 Chinese original by Shao-Ming Wang, Dordrecht, Kluwer.

WANG, R. H., T. X. HE, X. Y. LIU, AND S. C. WANG

- (1989) An integral method for constructing bivariate spline functions, *Journal of Computational Mathematics. An International Journal on Numerical Methods, Analysis and Applications* **7**, 244–261.

WANG, R. H. AND X. LU

- (1966) Dimension of spline spaces over triangulations, *Scientia Sinica A* **6**, 585–594.

WANG, T.

- (1992) A C^2 -quintic spline interpolation scheme on a triangulation, *Comput. Aided Geom. Design* **9**, 379–386.

WANG, Z. B. AND Q. M. LIU

- (1988) An improved condition for the convexity and positivity of Bernstein-Bézier surfaces over triangles, *Comput. Aided Geom. Design* **5**, 269–275.
- WATKINS, D. S.
 (1976) On the construction of conforming rectangular plate elements, *Intern. J. Numer. Methods Eng.* **10**, 925–933.
- WATKINS, D. S. AND P. LANCASTER
 (1977) Some families of finite elements, *J. Inst. Math. Applics.* **19**, 385–397.
- WATKINS, M. A.
 (1988) Problems in geometric continuity, *Computer-Aided Design* **20(8)**, 499–502.
- WATSON, D. F.
 (1981) Computing the n-dimensional Delaunay tessellation with application to Voronoi polytopes, *Computer J.* **24**, 167–172.
 (1982) ACORD = Automatic contouring of raw data, *Computers & Geoscience* **8**, 87–101.
- WATSON, D. F. AND G. M. PHILLIPS
 (1984) Triangle-based interpolation, *Math. Geol.* **16**, 779–795.
- WHELAN, T.
 (1986) A representation of a C^2 interpolant over triangles, *Comput. Aided Geom. Design* **3**, 53–66.
- WHITELEY, W.
 (1991) The combinatorics of bivariate splines, in *Applied Geometry and Discrete Mathematics, Victor Klee Festschrift*, P. Gritzmann and B. Sturmfels (eds.), DIMACS series, AMS, Providence, 567–608.
 (1991) A matrix for splines, in *Progress in Approximation Theory*, P. Nevai and A. Pinkus (eds.), Academic Press, New York, 821–828.
 (1991) Vertex splitting in isostatic frameworks, *Structural Topology* **16**, 23–30.
- WHITEN, W. J.
 (1971) The use of multi-dimensional cubic spline functions for regression and smoothing, *Austral. Computer J.* **3**, 81–88.
- WHITTEN, E. H. T. AND M. E. V. KOELLING
 (1973) Geological use of multidimensional spline functions, *Math. Geol.* **5**, XX.

WICK, J. J. VAN

- (1986) Bicubic patches for approximating non-rectangular control -point meshes, *Comput. Aided Geom. Design* **3**, 1–13.

WILHELMSSEN, D. R.

- (1974) A Markov inequality in several dimensions, *J. Approx. Theory* **11**, 216–220.

WILLEMANS, K. AND P. DIERCKX

- (1994) Constrained surface fitting using Powell-Sabin splines, in *Wavelets, Images, and Surface Fitting*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), A. K. Peters, Wellesley MA, 511–520.

WONG, W. H.

- (1984) On constrained multivariate splines and their approximations, *Numer. Math.* **43**, 141–152.

WONG, P. J. Y. AND R. P. AGARWAL

- (1989) Explicit error estimates for quintic and biquintic spline interpolation, *Comput. Math. Appl.* **18**, 701–722.

WORSEY, A. J. AND G. FARIN

- (1987) An n -dimensional Clough–Tocher interpolant, *Constr. Approx.* **3**, 99–110.

WORSEY, A. J. AND B. PIPER

- (1988) A trivariate Powell–Sabin interpolant, *Comput. Aided Geom. Design* **5**, 177–186.

WU, D. B.

- (1993) Dual bases of a Bernstein polynomial basis on simplices, *Comput. Aided Geom. Design* **10**, 483–489.

XIONG, ZHEN-XIANG

- (1989) Multivariate interpolating polynomials, in *Approximation Theory VI*, C. Chui, L. Schumaker, and J. Ward (eds.), Academic Press, New York, 679–682.

- (1992) Bivariate interpolating polynomials and splines (I), *Approx. Theory Appl.* **8(2)**, 49–66.

XU, Y.

- (1993) On multivariate orthogonal polynomials, *SIAM J. Math. Anal.* **24(3)**, 783–794.

- (1994) Recurrence formulas for multivariate orthogonal polynomials, *Math. Comp.* **62(206)**, 687–702.

- (1994) On zeros of multivariate quasi-orthogonal polynomials and Gaussian cubature formulae, *SIAM J. Math. Anal.* **25**(3), 991–1001.
- (1994) Multivariate orthogonal polynomials and operator theory, *Trans. Amer. Math. Soc.* **343**(1), 193–202.
- (1994) A class of bivariate orthogonal polynomials and cubature formula, *Numer. Math.* **69**(2), 233–241.

YIN, BAOCAI AND W. GAO

- (1998) An explicit basis of bivariate spline space, *Approx. Theory Appl.* **14**(4), 51–65.

YSERENTANT, H.

- (1986) On the multilevel splitting of finite element spaces, *Numer. Math.* **49**, 379–412.

ZAVIALOV, Y. S.

- (1969) Interpolation with piecewise polynomial functions in one and two variables, *Math. Probl. Geofiz.* **1**, 125–141.
- (1970) An optimal property of bicubic spline functions and the problem of smoothing (Russian), *Vycisl. Sistemy* **42**, 109–158.
- (1970) Interpolation with bicubic splines, *Vycisl. Sistemy* **38**, 74–101.
- (1973) Interpolating L -splines in several variables, *Mat. Zametki* **14**, 11–20.
- (1974) L -spline functions of several variables, *Soviet Math. Dokl.* **15**, 338–341.
- (1974) Smoothing L -splines in several variables, *Mat. Zametki* **15**, 371–379.

ZAVIALOV, YU. S., B. I. KVASOV, AND V. L. MIROSHNICHENKO

- (1980) *Methods of Spline-Functions (Russian)*, Moscow, Nauka.

ZEDEK, FATMA

- (1991) Lagrange interpolation by quadratic splines on a quadrilateral domain of \mathbb{R}^2 , in *Curves and Surfaces*, P.-J. Laurent, A. LeMéhauté, and L. L. Schumaker (eds.), Academic Press, New York, 511–514.

ŽENIŠEK, A.

- (1970) Interpolation polynomials on the triangle, *Numer. Math.* **15**, 283–296.
- (1973) Polynomial approximation on tetrahedrons in the finite element method, *J. Approx. Theory* **7**, 334–351.
- (271–277) Hermite interpolation on simplexes and the finite element method, in *Proc. Equadiff III, Brno, 1973*.

- (1974) A general theorem on triangular finite C^m elements, *Rev. Française Automat. Informat. Rech. Opér., Ser. Rouge* **8**, 119–127.
- ZHAN, Y.
 (1994) A geometric feature for finite element schemes, *Approx. Theory Appl.* **10(2)**, 83–91.
- ZHANG, H. Q.
 (1983) The generalized patch and 9-parameter quasi-conforming element, in *Proc. China-France symposium on finite element methods*, Feng Kang and J. L. Lions (eds.), Science Press, Gordon and Breach, xxx, 566–583.
- ZHANG, S.-L.
 (1988) The relationship between box splines and multivariate truncated power functions, *J. Northwest-Univ. (J. Northwest-Univ. Natural Sciences (Xibei Daxue Xuebao. Ziran Kexue Ban))* **18**, 55–57.
- ZHANG, ZUO SHUN
 (1989) A multivariate cardinal interpolation problem, *Chinese Annals of Mathematics. Series A* **10**, 581–587.
 (1989) A further discussion on dual bases of bivariate box splines, *Chinese Journal of Numerical Mathematics and Applications* **11**, 50–58.
- ZHAO, K. AND J. C. SUN
 (1988) Dual bases of multivariate Bernstein–Bézier polynomials, *Comput. Aided Geom. Design* **5**, 119–125.
- ZHELUDEV, V. A.
 (1987) Local spline approximation on a uniform grid, *Comp. Math. Math. Phys.* **27**, 8–19.
- ZHENG, J. J.
 (1993) The convexity of parametric Bézier triangular patches of degree 2, *Comput. Aided Geom. Design* **10**, 521–530.
- ZHOU, C. Z.
 (1991) On the convexity of parametric Bézier triangular surfaces, *Comput. Aided Geom. Design* **7**, 459–463.
- ZHOU, Y. S., Y. T. CHANG, AND T.-X. HE
 (1984) On multivariate interpolations, *Engineering Mathematics* **1**, 12–16.
- ZIEGLER, G. M.
 (1995) *Lectures on Polytopes*, Berlin, Springer-Verlag.

ZLAMAL, M

- (1968) On the finite element method, *Numer. Math.* **12**, 394–409.
- (1970) A finite element procedure of the second order of accuracy, *Numer. Math.* **14**, 394–402.
- (1973) Curved elements in the finite element method. I, *SIAM J. Numer. Anal.* **10**, 229–240.
- (1973) Curved elements in the finite element method. II, *SIAM J. Numer. Anal.* **11**, 347–362.

ZWART, P. B.

- (1973) Multivariate splines with non-degenerate partitions, *SIAM J. Numer. Anal.* **10**, 665–673.

ZYGMUNT, M. J.

- (1999) Recurrence formula for polynomials of two variables, orthogonal with respect to rotation invariant measures, *Constr. Approx.* **15**, 301–309.